

10° ~ 60° Zoomable

COB Track Light



10°~60° Zoomable Track Light



Overview: 2009

Introducing a new generation of spotlights with a unique design. The spotlight is the best solution for adjusting the direction of the light from the point of installation. The spotlight is designed with a highly reflective lens that allows adjustment of the beam angle. The spotlight is a great choice for the same reason as the other spotlights. The spotlight is a great choice for the same reason as the other spotlights. The spotlight is a great choice for the same reason as the other spotlights.



LITE HOME



1%~100% Dimming



2 / 3 / 4 Wire Installation





High Transparency Optics Len


10°~60° beam angle



Aviation Aluminum



18°



24°



45°



60°



2 / 3 / 4 Wire Installation

1%~100% Dimming



3000K

4000K

5000K

TRACK LIGHT

| Model | LH-TMAFX-07 | LH-TMAFX-10 | LH-TMAFX-15 | LH-TMAFX-30 | LH-TMAFX-40 |
|---------------|--------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Power | 7W | 10W | 15W | 30W | 40W |
| CCT | 2700K-3000K-4000K-5000K | | | | |
| Input Voltage | AC220V | AC220V | AC220V | AC220V | AC220V |
| Frequency | 50/60Hz | 50/60Hz | 50/60Hz | 50/60Hz | 50/60Hz |
| Material | Dia casting Aluminium | Dia casting Aluminium | Dia casting Aluminium | Dia casting Aluminium | Dia casting Aluminium |
| Size | D50*L115MM | D60*L130MM | D70*L150MM | D90*L196MM | D110*L215MM |
| Led Brand | COB | COB | COB | COB | COB |
| CRI | RA80/90/95 | RA80/90/95 | RA80/90/95 | RA80/90/95 | RA80/90/95 |
| Lumen | 90LM/W | 90LM/W | 90LM/W | 90LM/W | 90LM/W |
| Beam angle | 10° ~ 60° | | | | |
| Dimmable | Triac DIM / 0-10V / DALI | | | | |

