

型号 Model		NFB500SGMH	
参数 Technical Data			
名义制冷量 Nominal Capacity (kW)		13.75	
匹数 Horse Power (HP)		5	
压缩机 Compressor		H503CC	
风机个数 Fan Quantity		2	
风叶直径 Fan Diameter (mm)		400	
风量 Air Flow (m <sup>3</sup> /h)		7400	
风机功率 Fan Motor Power (W)		2*156	
连接管管径 Connection Pipe Diameter	液管 Liquid Line (inch)	1/2	
	气管 Gas Line (inch)	7/8	
电源 Power Source		380V/3/50Hz	
额定电流 Rated Current (A)		12.9	
		机组 Compressor unit	冷凝器 Condenser unit
外形尺寸 External Dimensions	宽 Width (mm)	1150	1150
	高 Height (mm)	560	670
	深 Deep (mm)	580	400
净重 Net Weight (kg)		151	80

注：制冷剂R404A，环境温度32℃，蒸发温度-10℃。

Remark: R404A refrigerant, Duty at 32℃ ambient temperature, -10℃ Evapora

NFB750SGMH		NF1000SGMH		NFB1500SGMH		NFB200
19.64		24.48		31.18		36.
7.5		10		15		2
H751CC		H1201CC		H1501CC		H200
2		2		4		4
450		500		450		45
10100		13600		20200		202
2*245		2*338		4*245		4*2
5/8		5/8		7/8		7/
1-1/8		1-1/8		1-3/8		1-5
380V/3/50Hz		380V/3/50Hz		380V/3/50Hz		380V/3
19.5		28		34		3
机组Compressor unit	冷凝器 Condenser unit	机组 Compress	冷凝器 Condense	机组 Compress	冷凝器 Condense	机组 Compress
1350	1350	1450	1450	1642	1642	1642
560	810	560	810	700	1230	700
580	400	640	410	650	462	650
180	105	225	115	236	125	245

ating temperature

00SGMH	NFB2500SGMH		NFB3000SGMH		NFB3500SGMH	
02	44.93		50.29		64.76	
0	25		30		35	
01CC	H2500CC		H3000CC		H3500CC	
4	6		6		6	
50	450		450		500	
200	30300		30300		40800	
245	6*245		6*245		6*338	
7/8	7/8		7/8		1-1/8	
5/8	1-5/8		2-1/8		2-1/8	
3/50Hz	380V/3/50Hz		380V/3/50Hz		380V/3/50Hz	
8	48		56		66	
冷凝器 Condense	机组 Compress	冷凝器 Condense	机组 Compress	冷凝器 Condense	机组 Compress	冷凝器 Condense
1642	2000	1230	2000	2000	2000	2000
1230	700	535	700	1230	700	1430
462	780	200	785	535	785	535
140	400	200	450	220	500	270