

IHD CCTFV Total Solution

www.wardmay.com



- * Using the high performance sensor, image is clear and delicate;
- * Support IR-CUT dual filter switch, to achieve day and night monitoring, color is not partial and distortion;
- * AHD/TVI/CVI/1200TVL 4 in 1 video output;
- * can access to many brands HD DVR;
- * Support the ultra low illumination;
- * Support automatic electronic shutter function, adapt to different monitoring environment;
- * 80m ir distance, DC12V
- * white, Metal, Waterproof IP66

| | write, i | victai, vvatci proof ii oo | |
|---------------------------|--|----------------------------|---------------------|
| Specification | | | |
| Product Name | CCTV 2.0MP HD Video Security Surveillance IR Bullet AHD Camera | | |
| Model No. | WDM-AHD6253H | WDM-AHD6253P | WDM-AHD6253K |
| Video | | | |
| Sensor | NVP2441H+Sony IMX322 | NVP2441H+Sony IMX291 | FH8550M+Sony IMX290 |
| Output resolution | 2.0MP(1920x1080) | | |
| D/N Mode | IR cut Auto switching | | |
| Minimum Illumination | 0.001LUX@F1.2 | 0.1Lux@F1.2 | 0.1Lux@F1.2 |
| WDR | - | - | Support |
| DNR | 3D DNR | | |
| Effective Pixel | PAL: (1920*1080)@25fps | | |
| | NTSC: (1920*1080)@30fps | | |
| Signal System | PAL/NTSC | | |
| Video Standard | AHD/TVI/CVI/CVBS standard | | |
| Video Output | 1CH AHD/TVI/CVI/CVBS standard Standard Singal Output(Switchable) | | |
| Max Transmission Distance | Common 75-3 cables can be up to 500m | | |
| Lens and IR | | | |
| Lens | 4/6/8/12mm fix iris lens | | |
| IR distance | 80 meters IR distance | | |
| Camera | | | |
| Horizontal Range | 0°~260° | | |
| Vertical range | 5°~60° | | |
| Horizontal speed | 0.5°~12° | | |
| Preset points | s;255 | | |
| Cruise track | 8 groups, each group for 16 presets | | |
| Patrol track | 4 groups, each group record 3 mins | | |
| Function | | | |
| Shutter Speed | 4/25s-1/45,000s | | |
| BLC | Off/Low/Medium/High/Highest | | |
| White Balance | Auto White Balance | | |
| HLC | Support | | |
| Operation Temperature | -10°C~55°C | | |
| Power Supply | DC12V2A | | |
| . | | | |