

HEBEI JIEBIN WIRE MESH PRODUCTS CO.,LTD.

Nanhuan Economic Development Zone, Anping, China
Tel: +86-318-5281777 Fax: +86-318-5286777
Web: www.wiremeshjb.com www.jiebinwiremesh.com


Wire Mesh Fence & Steel Fence

Type:

- 14100- Chain Link Mesh Fence
- 14200- Welded Mesh Fence
 - 14201 3D Curved Welded Mesh Fence
 - 14202 Bilateral wire fence
 - 14203 Frame Fence
 - 14204 Double Wire Fence
 - 14205 358 Fence
 - 14206 Euro Security Fence
- 14300- Temporary Fence
 - 14401 Chain Link Type
 - 14402 Welded Type
- 14400- Field Fence
- 15100- Zinc Steel Fence
- 15200- Palisade Fence


14100- Chain Link Mesh Fence

- Type:
 - 14101- Hot-dip galvanized
 - 14102- Galvanizing + PVC Coated
 - 14103- Stainless Steel Chain Link Mesh
- Specification

| Image | Hole Size | Wire Gauge (BWG) | Width | Length | Post |
|---|-----------|------------------|--------|----------|------|
|  | 1" | 8-18 | 0.5-5m | 1.0m-50m | 60mm |
| | 1.5" | 7-18 | 0.5-5m | 1.0m-50m | 80mm |
| | 2" | 6-16 | 0.5-5m | 1.0m-50m | |
| | 2.5" | 6-16 | 0.5-5m | 1.0m-50m | |
| | 2.25" | 6-16 | 0.5-5m | 1.0m-50m | |
| | 2.375" | 6-16 | 0.5-5m | 1.0m-50m | |
| | 3" | 6-16 | 0.5-5m | 1.0m-50m | |
| | 4 | 6-16 | 0.5-5m | 1.0m-50m | |

14201- 3D Curved welded mesh fence

- Type:
 - 142011- Hot-dip Galvanized
 - 142012- Galvanized + PVC coated
 - 142013- Galvanizing + powder coated
- Specification

| Image | Height | Width | Wire Diameter | Mesh size (mm) | Curve No. | Post style | Post | | | | |
|--|--------|-------|---------------|----------------|-----------|---------------|--------------|-------------|---------------|-----------|------|
| | | | | | | | Size (mm) | Height (mm) | | | |
|  | 103cm | 200cm | 3.5mm | 50x50 | 2 | Square post 1 | 40x60x1.5 | 1500 | | | |
| | 123cm | | | | 2 | | 40x60x1.8 | 1700 | | | |
| | 150cm | | | | 2/3 | | 40x60x2 | 1970 | | | |
| | 153cm | | | | 225cm | 4.0mm | 50x100 | 2/3 | Square post 2 | 60x60x1.5 | 2000 |
| | 170cm | | | | | 4.5mm | 50x150 | 3 | | 60x60x1.8 | 2170 |
| | 173cm | | | | | 5.0mm | 50x200 | 3 | | 60x60x2 | 2200 |
| | 180cm | | | | | 6.0mm | 50x200 | 3 | | 60x60x2.5 | 2270 |
| | 193cm | | | | 250cm | 8.0mm | 60x120 | 3 | Peach post | 50x70 | 2400 |
| | 200cm | | | | | 3/4 | 70x100 | 2500 | | | |
| | 203cm | | | | 2500 | 4 | Holland post | 3/4 | 48x1.5 | 2500 | |
| | 240cm | | | | | | | 2900 | | | |

14202- Bilateral wire fence


1. Type:

142021- Hot-dip Galvanized

142022- Galvanized + PVC coated

142023- Galvanizing + powder coated

2. Specification:

| Image | Wire diameter | Mesh size | H x W | Post | | |
|---|---------------|-----------|-------------|--|--|-------|
|  | 3.0-6.0mm | 50x100mm | 1470x2500mm | Peach-shaped 70x100x1.2mm 50x70x1.2mm 60x90x1.2mm | Square 80x80mm 60x60mm 60x40mm 50x50mm | Round |
| | | 50x200mm | 1500x2500mm | | | 32mm |
| | | 60x200mm | 1770x2500mm | | | 38mm |
| | | 75x150mm | 1800x2500mm | | | 40mm |
| | | 80x160mm | 1500x3000mm | | | 48mm |
| | | 90x170mm | 1800x3000mm | | | 60mm |

Note: Vertical barbs, triangle bends can be produce according to requirement.

14203- Frame Fence


1. Type:

142031- Hot-dip Galvanized

142032- Galvanized + PVC coated


142033- Galvanizing + powder coated

2. Specification:


| Image | Wire diameter | Mesh size | H x W | Frame size | Square Pipe Post | |
|---|---------------|-----------|----------------------------|---------------|----------------------|-------------------------|
| | | | | | O.D | Thickness |
|  | 3.0mm | 75x150mm | 1800x3000mm 2000x3000mm | 15x20mmx1.2mm | 50mm 60mm 80mm | 1.0mm 1.5mm 2.0mm |
| | 3.2mm | 60x150mm | | 20x30mmx1.5mm | | |
| | 3.5mm | 60x200mm | | 20x20mmx1.2mm | | |
| | 3.8mm | 70x200mm | | 20x40mmx1.5mm | | |
| | 4.0mm | 80x200mm | | 30x50mmx1.5mm | | |
| | 4.0mm | 50x150mm | | | | |

14204- 358 Fence

1. Type
 - 142051- Hot-dip Galvanized
 - 142052- Galvanizing + Powder coated
2. Specification
 - a. Standard mesh panel- 2D

| Image | Mesh size | Height (mm) | Width (mm) | Wire diameter | Post Height | No. Of brackets |
|---|-------------------------------------|-------------|----------------|---------------|-------------|-----------------|
|  | 76.2x12.7mm 75x12.5mm 75x13mm | 2100 | 2515/2750/3000 | 2.0-4.0mm | 2700 | 7 |
| | | 2200 | 2515/2750/3000 | | 2800 | 8 |
| | | 2400 | 2515/2750/3000 | | 3000 | 9 |
| | | 2700 | 2200/2300 | | 3700 | 10 |
| | | 3000 | 2200/2300 | | 4000 | 11 |
| | | 3600 | 2200/2300 | | 4800 | 12 |
| | | 4000 | 2200/2300 | | 5200 | 14 |

b. Standard Mesh Panels-3D

| Image | Mesh size | Height (mm) | Width(mm) | Wire diameter | No. Of curves | Post Height | No. Of brackets |
|---|-------------------------------------|-------------|----------------|---------------|---------------|-------------|-----------------|
|  | 76.2x12.7mm 75x12.5mm 75x13mm | 1800 | 2515/2900/3000 | 3.0-4.0mm | 3 | 2600 | 6 |
| | | 2000 | 2515/2900/3000 | | 4 | 2700 | 7 |
| | | 2200 | 2515/2900/3000 | | 4 | 2800 | 8 |
| | | 2400 | 2515/2900/3000 | | 4 | 3000 | 9 |
| | | 2700 | 2515/2900/3000 | | 5 | 3500 | 10 |
| | | 3000 | 2250/2500 | | 5 | 4000 | 12 |
| | | 4000 | 2250 | | 5 | 5200 | 14 |

Fence Post

| | P1-SHS | P2-IPE | P3-RHS | P4-C+F |
|----------------|-------------|-----------|----------------|----------------------|
| | Square post | IPE post | Rectangle post | C post with flat bar |
| Popular size A | 60x60 | 100x55 | 60x80 | 60x80 |
| Popular size B | 80x80 | 100x68 | 80x100 | 80x100 |
| Popular size C | 100x100 | 120x74 | 100x150 | 100x150 |
| Thickness | 1.2-1.5mm | 1.2-2.0mm | 2.5-5.0mm | 2.0-5.0 |

14205- Euro Security Fence

1. Type: 14206- PVC Coated Euro Fence

2. Specification

| Image | Wire diameter | Mesh size | Height | Length | Post | | Support Post |
|---|---------------|-----------|--------|--------|------------|--------|--------------|
| | | | | | size | height | |
|  | 1.7/2.2mm | 2''x2'' | 1000mm | 20m | 48mmx1.5mm | 1500mm | 38mm x 1.2mm |
| | 2.0/2.5mm | 2''x4'' | 1200mm | 25m | 48mmx1.2mm | 1700mm | |
| | 2.5/3.0mm | 2.5''x4'' | 1500mm | 30m | | 2000mm | |
| | | | 1800mm | | | 2300mm | |
| | | | 2000mm | | | 2500mm | |

Surface treatment:

| | Zinc coating | |
|----------------------|--------------------|---------------------|
| | Min. | Max. |
| Electric Galvanizing | 15g/m ² | 25g/m ² |
| Hot-dip galvanizing | 30g/m ² | 220g/m ² |
| PVC/PE coating | 200 microns | 300 microns |



14300- Temporary Fence

1. Type

14301 Chain Link Type

14302 Welded Mesh Type

2. Specification

| Image | Wire diameter | Opening size | Height x Width | Frame Pipe Size | | Horizontal Rail | |
|---|---------------|---|--|--|--------------------|--------------------------------------|--------------------|
| | | | | Round type | Square type | Round Type | Square Type |
|  | 3.0-5.0 mm | 75x75mm 50x100mm 75x100mm 50x110mm 60x150mm | 2.1x2.4m 1.8x2.4m 2.1x2.9m 2.1x3.3m | 25mm 32mm 38mm 40mm 42mm 48mm 60mm | 25x25mm 30x30mm | 20mm 25mm 38mm 40mm 48mm | 20x20mm 25x25mm |
|  | 3.0-5.0 mm | 50x50mm 60x60mm | | | | | |

Plastic fence base

600mmx220mmx160mm, weight about 30kg after filled with cement.

550mmx250mmx130mm, weight about 28kg after filled with cement.

600mmx220mmx150mm, weight about 14.25kg after filled with cement.



Carbon steel fence base

Popular sizes:750x100x7mm, 863x89x8mm

Surface: epoxy polyester powder coated



1. Upright square/round tubes



2. upright square/round rod



3. Strengthened type: base with our prongs



4. Fence with U hook

14400- Field Fence


1. Type:

14401- Hot-dip galvanized

14402- Electro galvanized

14403-PVC coated

2. Specification:


| Image | Kraal Network | |
|---|------------------------|---|
|  | Material | High tensile galvanized steel wire High carbon Hot-dip galvanized wire Low carbon Hot-dip galvanized wire Low carbon Electric galvanized wire PVC coated wire |
| | Wire diameter | 1.5mm, 1.6mm, 1.7mm, 1.8mm, 2.0mm, 2.2mm, 2.5mm |
| | Top & Bottom wire | 2.0mm, 2.2mm, 2.5mm, 2.7mm, 3.0mm, 3.5mm, 4.0mm |
| | Vertical spacing | 150mm/6 Inch, 300mm /12 Inch |
| | No. of Horizontal wire | 7 – 21 |
| | Height | 0.8m, 0.9m, 1.0m, 1.2m, 1.4m, 1.5m, etc. |
| | Length | 50m/165ft , 100m/330ft |
| | Roll diameter | 200mm – 250mm |
| | Zinc coating | 20g/m2-330g/m2 |

15100- Zinc Steel Fence

1. Type:

15100- Powder coated

2. Specification:

| Image | Rail(mm) | Picket(mm) | Center space (mm) | H X W | Post(mm) |
|--|-----------|------------|-------------------|---------------|-------------------------------------|
|  | 32x32x1.2 | 16x16x1.0 | 116 | 1800mmx3000mm | 50x50x1.5 60x60x2.0 75x75x2.0 |
| | 40x40x1.2 | 19x19x1.0 | 124 | | |
| | 45x45x1.2 | 25x25x1.0 | 130 | | |
| | 32x32x1.0 | 16x16x0.8 | 116 | | |
| | 40x40x1.0 | 19x19x0.8 | 124 | | |
| | 45x45x1.0 | 25x25x0.8 | 130 | | |


15200- Palisade Fence

1. Type:

15201- Hot-dip Galvanized

15202- Galvanizing + powder coated

2. Specification:

| Image | Height | Width | Pale | | Angle rail | | RSJ post | Steel Fitting | Bolt & Nut | Color |
|--|--------|--------|-----------|-------|------------|--------|--------------|---------------|---------------------|------------|
| | | | Thickness | Width | size | length | | | | |
|  | 1800mm | 2750mm | 2.0mm | 67mm | 50x50x5mm | 2750mm | 100x55x3.6mm | 150x40x8mm | M8X25mm M12x30mm | RAL series |
| | 2000mm | 3000mm | 2.5mm | 70mm | 50x50x6mm | 2680mm | | | | |
| | 2200mm | | 3.0mm | | | | | | | |
| | 2400mm | | | | | | | | | |
| | 3000mm | | | | | | | | | |