



Company Introduction

Our company (Guozhong international limited) is manufacturer of pipe fitting machineries.

Following is our machine details

Hot forming elbow machine, cold forming elbow machine, long bend machine, cold forming tee machine, pipe expanding machine, marking machine, median frequency heating machine, reducer machine, cap machine, shotblasting machine, cutting machine, bevelling machine, hydraulic press, CNC machine, drill machine, ring rolling machine.

Our machines had been sold to many countries, such as Russia,,Egypt, Malaysia, India,Tukey,Indonesia and Jordan etc.

Note:

Our L/C Payment account:Cangzhou New Sailing Import And Export Service Co.,Ltd

Our T/T Payment account:Guozhong international limited



CUSTOMER PHOTOS





Cold forming elbow machine

Elbow size: From 1/2" to 24" Thickness: UP to 25mm
Raw material: Carbon steel, Alloy steel, stainless steel
Cold Forming Elbow produce procedure 1) Cutting machine 2) Elbow machine 3) Sizing press machine 4) Beveling machine 5) Shot blasting machine 6) Marking machine



Hot forming elbow machine

Elbow size: From 1/2" to 48" Thickness: From Sch10-SCH160 XXS
Raw material: Carbon steel, Alloy steel, Stainless steel elbow up to 4" can produce
Hot forming elbow produce procedure 1) Cutting machine 2) Hot forming elbow machine 3) Sizing press machine 4) Beveling machine 5) Shot blasting machine 6) Marking machine

Cold forming tee machine

Tee size: From 1/2" to 24"
Thickness: up to 25mm
Raw material: Carbon steel, alloy steel, stainless steel
Cold forming tee produce procedure 1) Cutting machine 2) Shot blasting machine 3) Tee machine 4) Heat treatment 5) Cutting caps 6) Beveling machine 7) Shot blasting machine 8) Marking machine



Hydraulic pipe bender

Long bend size: From 1/2" to 60"
Thickness: UP to 30mm
Raw material: Carbon steel, Alloy steel, stainless steel



Hot procedure seamless pipe making machine


Seamless pipe size: From 1" to 21 1/2"
Thickness: From Sch10-SCH80
Raw material: Carbon steel
Hot procedure seamless pipe Producing procedure
1) Heating billets 2) Hot piercing 3) Slight-tensioned RE-DUCING (short length pipe to long length pipes) 4) Cutting end



Pipe expanding machine

Pipe size: From 14" to 48"
Thickness: From Sch10-SCH160 XXS
Raw material: Carbon steel
This is an equipment for expanding the small OD pipe to bigger OD pipe, the length will be shorter after expanding.





Computer marking machine



Reducer machine



Flanges forging



Flange lathe machine Flange drill machine



Two half elbow machine



Manual flanges marking machine

DN	B	ASME	GO		JIS	DN	JIS	DN	SCH10	SCH20	SCH30	STD	SCH40	SCH60	XS	SCH80	SCH100	SCH120	SCH140	SCH160	XXS
			JIS	DN																	
15	1/2"	21.3	21.7	21.3	2.8	2.0	2.11	-	2.41	2.77	2.77	2.77	-	3.73	3.73	-	-	-	-	4.78	7.67
20	3/4"	26.7	27.2	26.9	2.8	2.3	2.11	-	2.41	2.87	2.87	2.87	-	3.91	3.91	-	-	-	-	5.60	7.92
25	1"	33.4	34.0	33.7	3.2	2.6	2.77	-	2.90	3.30	3.30	3.30	-	4.55	4.55	-	-	-	-	6.35	8.89
32	1 1/4"	42.2	42.7	42.4	3.5	2.6	2.77	-	2.97	3.60	3.60	3.60	-	4.86	4.86	-	-	-	-	6.35	8.70
40	1 1/2"	48.3	48.8	48.3	3.5	2.6	2.77	-	3.18	3.88	3.88	3.88	-	5.08	5.08	-	-	-	-	7.14	10.15
50	2"	60.3	60.6	60.5	3.8	2.9	2.77	-	3.18	3.91	3.91	3.91	-	5.54	5.54	-	-	-	-	8.74	11.87
55	2 1/2"	73.0	76.3	76.1	4.2	2.9	3.05	-	4.78	5.16	5.16	5.16	-	7.01	7.01	-	-	-	-	9.53	14.02
60	3"	88.9	89.1	88.9	4.2	3.2	3.05	-	4.78	5.49	5.49	5.49	-	7.62	7.62	-	-	-	-	11.13	15.24
100	4"	114.3	114.3	114.3	4.5	3.6	3.05	-	4.78	6.02	6.02	6.02	-	8.66	8.66	-	-	-	-	13.48	17.12
125	5"	141.3	138.8	139.7	4.5	4.0	3.40	-	-	6.55	6.55	6.55	-	9.53	9.53	-	-	-	-	15.88	19.05
150	6"	168.3	165.2	168.3	5.0	4.5	3.40	-	-	7.11	7.11	7.11	-	10.97	10.97	-	-	-	-	18.26	21.95
200	8"	219.1	216.3	219.1	5.6	5.3	3.76	6.35	7.04	8.19	8.18	8.18	10.21	12.70	12.70	15.09	19.25	20.82	23.01	22.23	-
250	10"	273.0	267.4	273.0	5.8	5.3	4.19	6.35	7.80	9.27	9.27	9.27	12.70	12.70	15.09	18.26	21.44	25.40	28.58	26.40	-
300	12"	323.8	318.5	323.8	6.6	7.1	4.57	6.35	8.38	9.83	9.83	10.21	14.27	12.70	17.48	21.44	26.40	29.58	33.32	26.40	-
350	14"	365.6	365.6	365.6	6.9	8.0	6.35	7.92	9.53	11.13	11.13	15.09	18.26	12.70	19.05	23.83	27.79	31.76	35.71	-	-
400	16"	406.4	406.4	406.4	7.9	8.9	6.35	7.92	9.83	12.70	12.70	18.08	21.44	12.70	21.44	26.19	30.96	36.53	40.49	-	-
450	18"	457.2	457.2	457.0	7.9	10.0	6.35	7.92	11.13	14.27	14.27	19.05	23.83	12.70	23.83	29.36	34.93	39.67	45.24	-	-
500	20"	508.0	508.0	508.0	7.9	11.0	6.35	9.53	12.70	16.09	16.09	20.82	26.19	12.70	26.19	32.54	38.10	44.46	50.01	-	-
550	22"	559.8	559.8	559.8	-	-	6.35	9.53	12.70	18.26	-	22.23	28.58	12.70	28.58	34.93	41.28	47.63	53.98	-	-
600	24"	609.6	609.6	610.0	-	12.5	6.35	9.53	14.27	21.44	17.48	24.61	30.96	12.70	30.96	38.89	46.02	52.37	59.54	-	-
650	26"	660.4	660.4	-	-	-	7.92	12.70	-	16.09	16.09	-	-	12.70	-	-	-	-	-	-	-
700	28"	711.2	711.2	711.0	-	12.5	7.92	12.70	18.08	18.08	18.08	24.61	-	12.70	-	-	-	-	-	-	-
750	30"	762.0	762.0	-	-	-	7.92	12.70	16.88	16.88	16.88	24.61	-	12.70	-	-	-	-	-	-	-
800	32"	812.8	812.8	813.0	-	12.5	7.92	12.70	15.88	15.88	15.88	24.61	-	12.70	-	-	-	-	-	-	-
850	34"	863.6	863.6	-	-	-	7.92	12.70	15.88	15.88	15.88	24.61	-	12.70	-	-	-	-	-	-	-
900	36"	914.4	914.4	914.0	-	12.5	7.92	12.70	15.88	15.88	15.88	24.61	-	12.70	-	-	-	-	-	-	-
950	38"	965.2	965.2	-	-	-	7.92	12.70	15.88	15.88	15.88	24.61	-	12.70	-	-	-	-	-	-	-
1000	40"	1016.0	1016.0	1016.0	-	12.5	7.92	12.70	15.88	15.88	15.88	24.61	-	12.70	-	-	-	-	-	-	-
1050	42"	1066.8	1066.8	-	-	-	-	-	-	-	-	-	-	12.70	-	-	-	-	-	-	-
1100	44"	1117.6	1117.6	-	-	-	-	-	-	-	-	-	-	12.70	-	-	-	-	-	-	-
1150	46"	1168.4	1168.4	-	-	-	-	-	-	-	-	-	-	12.70	-	-	-	-	-	-	-
1200	48"	1219.2	1219.2	1220.0	-	-	-	-	-	-	-	-	-	12.70	-	-	-	-	-	-	-

THICKNESS CHART(mm)

THICKNESS



CNC Lathe machine: For flanges and pipe fittings machining



Ring rolling machine: for ring, flanges production, make small size diameter to big size diameter,max OD3000mm



Straight cutting machine



Angle cutting machine



Full elbow sizing machine



Part elbow sizing machine



Tee bevelling



Shot blasting up to 6 inch



Pipe shot blasting



Shot blasting up to 24 inch