

Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com

Mobile Stone Crusher station

Mobile stone crusher, also named as mobile stone crushing station, mobile crusher, which combined different kinds of crushers machines with the vibrating screen and the trailer, according to the crusher it uses in the combined work, it can be divided into mobile jaw crusher station, mobile impact crusher station, mobile vsi crusher station, mobile cone crusher station, mobile vibrating screen, usually two of these crushing stations can form a combined mobile crushing station, which then can crush various kinds of materials into different sizes. Mingyuan can provide the complete crushing and screening solution for you, with both the stationary type or mobile type.



Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com



Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com



Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com



Highlights of Mobile jaw crusher plant /mobile jaw crusher

Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com

1. V-shaped structure crushing cavity is able to meet a big feeding.
2. Movable jaw assembly adopts a high-quality steel casting and heavy eccentric shaft has also adopted forging billet for processing.
3. Use of finite element analysis technology helps to reach both light weight and high reliability.
4. Equipped with wedge adjustment devices, enable to realize automatic control and stepless adjustment.
5. Suitable for various kinds of materials with good working performance.
6. Can be powered either by motor or diesel generator.
7. Easy to move and maintain
8. Less wear parts, which make the mobile jaw crusher plant a cost effective crushing machine.

Technical Parameter of mobile jaw crusher plant

Model	Trailer	Feeder			Jaw Crusher			Belt Conveyor	Engine (Optional)	Overall dimension (mm)
		Model	Feeding Size (mm)	Power (kw)	Model	Feeding Size (mm)	Power (kw)	Size(m)	Power(kw)	
938E69	Two-Spindle	ZSW380×96	500	6-11	PE600×900	500	6-75	B800×8.5	200	12600×2550×3870
1142E710	Three-Spindle	ZSW420×110	580	6-11	PE750×1060	630	8-90	B1000×9.5	250	13900×2750×4320
1349E912	Three-Spindle	ZSW490×130	750	6-22	PE900×1200	750	8-130	B1200×10.5	270	15450×2950×4380
1349EW86	Three-Spindle	ZSW490×130	750	6-22	PEW860	720	6-132	B1200×10.5	320	15450×2950×4380
1349EW110	Three-Spindle	ZSW490×130	750	6-22	PEW1100	930	8-185	B1200×10.5	400	15450×2950×4380

Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com

Our Service for Mobile Jaw Crusher plant

- 1: Providing a suitable solution based on client's requirement.
- 2: Provide the quality products according to the specification described in the contract.
- 3: After delivery, we'll dispatch our engineer to the client's mining site to guide the installation, commissioning and training, until the client's workers can operate the project smoothly.

The application of mobile jaw crusher plant /mobile jaw crusher

1. Various kinds of stone crushing, such as limestone, granite, diabase, basalt, andesite, Coal, river stone, bauxite for sand and gravel making production
2. Various kinds of mines such as chromite ore, Iron ore, Gold ore, Lead Zinc ore, Nickel ore and so on,
3. Used in some chemical production plant, such as for the oil proppant production plant to crush the raw materials.
4. Used in the cement production plant to crush the limestone, and cement clinker.
5. Used in the concrete mixing station for aggregate production purpose
6. Used for construction waste recycling, which is commonly called mobile construction waste crusher

Technical parameter of mobile VSI Crusher station

Standard Model	Screening/Crushing Equipment		Auxiliary Equipment		Max. preparedness capacity(t/h)	Overall Dimension Transport dimension(mm) need tear-down length×width×height
	Model	Model	Max. Feeding Size(mm)	output(t/h)		
KV9526-2X	3YZS1860	VSI9526	40	150-190	170-220	14760×3850×7100 (mm)

Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com

2XL-915

KV9532-2X	3YZS1860	VSI5X9532	40	180-280	200-300	14760×3850×7100 (mm)
	2XL-915					
KV8518-2X	3YZS1848	VSI8518	35	100-130	120-150	14760×3850×7100 (mm)
	XL-915					
KV8522-2X	3YZS1860	VSI5X8522	35	120-200	140-230	14760×3850×7100 (mm)
	2XL-915					
KC75-2X	3YZS1848	CS75B	102-175	A	A+(20~50)	14760×3850×7100 (mm)
	XL-915					
KC160-2X	3YZS1860	CS160B	168-192	A	A+(20~50)	14760×3850×7100 (mm)
	XL-915					
KH300-2X	3YZS1860	HPT300C2	84-168	A	A+(30~70)	14760×3850×7100 (mm)
	2XL-915					
KT250-2X	3YZS1860	HST250H1	88-360	A	A+(30~70)	14760×3850×7100 (mm)

Henan Mingyuan Heavy Equipment Co., LTD

Whatsapp/cellphone: +86-15093378359 +86-13837161284 Skype: jiangtai_machinery

Email: admin@zzjiangtai.com also heavyequipment@aliyun.com

Website: www.heavyequipmentchina.com also www.zzjiangtai.com

Technical parameter of mobile impact crusher station

Model	Vibrating Screen	Impact Crusher	Belt Conveyor	Capacity (t/h)	Power (kw)	Overall Dimension L×W×H (mm)	weight (t)
Y3S1548F1010	3YZS1548	PF1010	B500×7M	50-250	70-90	12500×2800×6000	42
Y3S1848F1210	3YZS1848	PF1210	B650×7M	70-300	128.5-150.5	12500×3000×6500	46
Y3S1860F1214	3YZS1860	PF1214	B650×8M	90-400	154-190	13500×3000×6500	51
Y3S2160F1315	3YZS2160	PF1315	B800×8M	120-450	210-297	14000×3200×6800	57

Technical parameter of mobile Cone crusher station

Model	Vibrating Screen	Cone Crusher	Belt Conveyor	Capacity (t/h)	Power (kw)	Overall Dimension L×W×H (mm)	Weight (t)
Y3S1548Y900	3YZS1548	PYB900	B500×7M	50-200	75	13000×2800×6400	43
Y3S1848S36	3YZS1848	ZYS36	B650×7M	70-300	99-134	13000×3000×6700	47
Y3S1860S51	3YZS1860	ZYS51	B650×8M	120-400	212.5-220.5	14000×3000×6700	53
Y3S2160H220	3YZS2160	HP220	B800×8M	140-450	257.5-264.5	14000×3200×6700	58

Combined mobile crusher station

Model	Vibrating Feeder	Jaw Crusher	Cone Crusher /Impact Crusher	Vibrating Screen	Capacity (t/h)	Dimension (M)	Weight (T)	Power (KW)
Y3SY9E46	GZD850*3000	PE400*600	PYB900	3YZS1237	40-50	15*2.5*4.5	42	115
Y3SS36E57	GZD850*3000	PE500*700	ZYS36B	3YZS1548	60-80	16.5*3*4.5	58	160
Y3SF1210E57	GZD850*3000	PE500*700	PF1210	3YZS1548	60	16.5*3*4.5	58	150
Y2SY9E57	GZD850*3000	PE500*700	PYB900	2YZS1237	40-50	15*2.5*4.5	47	130
Y3SF1010E46	GZD850*3000	PE400*600	PF1010	3YZS1237	40-50	15*2.5*4.5	42	115

For further questions or quotes, please contact us. www.heavyequipmentchina.com