
 [Http://www.packagingofchina.com](http://www.packagingofchina.com)



DANQING

广东丹青印务有限公司
Guangdong Danqing Printing Co., Ltd.
厂址: 广东省潮安区庵埠镇溜龙工业区
Add: Liulong industrial park, Chaoan District, Guangdong, China
电话(Tel): +86-768-5824558 5818125
传真(Fax): +86-768-5813122
邮箱E-mail: dan@danqing.net / dqpack@danqing.net
中文网址: www.danqing.net
英文网址: www.packagingofchina.com
Web site: www.dqpack.com
马来办事处: 马来丹青分公司
Dan Qing Pack (M) Sdn. Bhd.
Add.: No.32, Jalan Lombong Emas 2 off Jalan Tun Dr. Ismail,
Kawasan Perusahaan Ringan, 70200 Seremban, N.S.
Tel: +606-761 7505 / 0163368838



**DANQING
CHINA**

PACKAGING & PRINTING

丹青塑料包装印刷

Specialist on flexible packaging
for over **28** years

DANQING Our team



Certificates 荣誉证书



COMPANY BRIEF INTRODUCTION 公司概况



Established in 1991, Danqing Plastic Packaging & Printing Co., Ltd. locates at Shantou Airport nearby where is only 40 minutes' flight from Guangzhou Airport. Our company possesses Danqing Color Printing Factory and Danqing Computer Designing Center, Danqing Plate Making Department, and Film Sale Department, and has its sales overseas branch in Hong Kong.

Depending on the advanced automatic gravure printing machines, lamination machines, bag making equipments, strong technical capabilities as well as advanced management systems, our company has become the biggest packaging printing factory in Chao'an county where is famous for packaging products in China. Our company obtained ISO9001:2008 international quality system authentication and QS Food Packing Safety System certification.

With about twenty-six years' printing experiences, our company is devoting to flexible packaging such for food, beverage, meat products, flavoring, snack food, daily-use products and chemical products. Main products consist of spout standing pouch, stand up zipper bag, retort pouch bag, food packing film, easy-peelable film, PVC shrinkable sleeves and label etc.. Our products has been exported to more than **100** countries includes U.S.A., U.K., Mexico, Turkey, Lybia, Cameroon, Pakistan and Palestine etc.

Your visit and inquiry are warmly welcome.

广东丹青印务有限公司成立于1991年，位于汕头机场附近，离广州机场只有40分钟航程，我公司属下拥有丹青彩印厂，丹青电脑设计中心，丹青制版中心及薄膜销售部，并在香港设立海外业务机构。

公司拥有多条印刷复膜生产线及先进制袋机设备，凭借先进管理制度及一批熟练的技术人员，我司逐步成为潮安县颇具规模的包装印刷企业，公司通过ISO9001国际质量体系认证及获得全国工业产品生产许可证。

26年来，我司主要生产用于食品、饮料、肉制品、调味品、休闲食品、日用洗涤用品、化工产品等印刷复合包装产品，并形成了以带嘴自立袋、直立拉链袋、高温蒸煮袋、食品包装膜、易撕封口膜及PVC热收缩膜，标签等多种系列的不同结构、不同用途的包装材料。

本公司产品已出口到美国、英国、墨西哥、土耳其、利比亚、巴基斯坦、喀麦隆及巴勒斯坦等100多个国家，诚邀您莅临我司参观指导及洽谈业务。





1 13 色高速印刷机
13-color high speed rotogravure printing machine



2 8 色高速印刷机
8-color high speed printing machine



3 意大利高速无溶剂复合机
Italy high-speed solvent-free laminated machine

DANQING Danqing Flexible Packaging & Printing

PRODUCTION PROCESSES 生产工序



4 完善的制袋设备
Perfect bag-making facilities



5 功能齐全的切膜设备
Slitting Equipments

6 自动封管机
Automatic Spout Sealing Machine



7 封管车间
Spout Sealing Workshop



8 品检过程
Inspect and Control Procedure



9 高速卧式全自动检品复卷机
High-speed rewinding inspection machine



10 完善检测实验室
Laboratory

11 全面的运输流程
Comprehensive Transportation Process





Office Staff
Meeting Room
& Sample Room
 办公室 员工 样品房




*warmly welcome to
 visit our company!*



·展会及客户·

EXHIBITIONS & CUSTOMERS



DANQING Danqing Flexible Packaging & Printing



宠物袋
PET FOOD
BAG

客户仓库
CUSTOMER
WAREHOUSES



- (1) Excellent shelf presentation
- (2) Excellent clarity and rigidity
- (3) Good moisture resistance
- (4) Stable COF to ensure use in high speed machine
- (5) Application: Dog food, cat food etc
- (6) Suitable for refillable products packing
- (7) Suitable for shelf display
- (8) Size and material: According to clients' requests

DANQING 1-2



咖啡袋
COFFEE
BAG



DANQING

Danqing Flexible
Packaging & Printing



NO: 1 CONTENT: 5L
MATERIAL: PET12/PA15/WHITE PE200
SIZE: 320MMX350MM+80MM
SPOUT DIAMETER: 15MM



NO: 2 CONTENT: 3.465L
MATERIAL: PET12/AL7/NY15/PE150
SIZE: 280MM X 350MM + 60MM
SPOUT DIAMETER: 15MM



NO: 3 CONTENT: 4000ML
MATERIAL FRONT: PET12/NY15/PE170
MATERIAL BACK: PET12+VMPET12+PE170
SIZE: 300MMX317MM+65MM
SPOUT DIAMETER: 20MM



NO: 4 CONTENT: 2L
MATERIAL: PET12/NY15/PE100
SIZE: 190MM X 275MM + 50MM
SPOUT DIAMETER: 33MM



NO: 5 CONTENT: 1L
MATERIAL: PET12/AL07/NY15/PE116
SIZE: 155MM X 280MM + 40MM
SPOUT DIAMETER: 10MM



NO: 6 CONTENT: 710ML
MATERIAL: PET12/NY15/PE160
SIZE: 241MM X 159MM + 43MM
SPOUT DIAMETER: 33MM



NO: 7 CONTENT: 250ML
MATERIAL: PET12/VMPET12/PE90
SIZE: 100MM X 220MM + 30MM
SPOUT DIAMETER: 8.6MM



NO: 8 CONTENT: 500ML
MATERIAL: PET12/AL07/NY15/PE120
SIZE: 140MM X 220MM + 40MM
SPOUT DIAMETER: 8.6MM



NO: 9 CONTENT: 1L & 500ML
MATERIAL: PET12/AL07/NY15/LLDPE140
1L SIZE: 160MM X 250MM + 45MM
500ML SIZE: 125MM X 215MM + 35MM
SPOUT DIAMETER: 15MM



NO: 10 CONTENT: 200ML
MATERIAL: PET12/AL7/PET12/PE90
SIZE: 190X100X30MM
SPOUT DIAMETER: 8.6MM



NO: 11 CONTENT: 1KG
MATERIAL: PET12/AL07/NY15/PE45
SIZE: 169MMX249MM+50MM
SPOUT DIAMETER: 10MM



NO: 12 CONTENT: 250g
MATERIAL: PET12/VMPET12/PE85
SIZE: 155MM X 205MM + 40MM
SPOUT DIAMETER: 15MM

直立带嘴袋 STAND UP POUCH WITH SPOUT

DANQING 3-4



NO: 13 CONTENT: 250 & 500ML
MATERIAL: PET12/AL07/NY15/LLDPE130
SIZE: 115MM X 175MM + 30MM
SPOUT DIAMETER: 10MM



NO: 14 CONTENT: 250 & 500ML
MATERIAL: PET12/AL07/NY15/LLDPE130
250ML SIZE: 115MM X 175MM + 30MM
500ML SIZE: 140MM X 230MM + 40MM
SPOUT DIAMETER: 10MM



NO: 15 CONTENT: 150ML
MATERIAL: PET12/VMPET12/PE90
SIZE: 120MM X 125MM + 20MM
SPOUT DIAMETER: 8.6MM



NO: 16 CONTENT: 237ML
MATERIAL: PET12/AL07/NY15/PE100
SIZE: 173MMX105MM+30MMX2
SPOUT DIAMETER: 9.6MM



NO: 17 CONTENT: 150g
MATERIAL: PET12/VMPET12/PE85
SIZE: 70MM X 205MM + 20MM
SPOUT DIAMETER: 8.6MM



NO: 18 CONTENT: 250ML
MATERIAL: PET12/AL07/NY15/PE 90
SIZE: 80MM X 55MM X 160CM
SPOUT DIAMETER: 8.6MM



NO: 19 CONTENT: 250ML
MATERIAL: PET12/AL7/PET12/PE90
SIZE: 105MM X 188MM + 35MM
SPOUT DIAMETER: 8.6MM



NO: 20 CONTENT: 150ML
MATERIAL: PET12/NY15/PE90
SIZE: 125MM X 125MM + 25MM
SPOUT DIAMETER: 8.6MM



NO: 21 CONTENT: 245ML
MATERIAL: PET12/NY15/PE90
SIZE: 74MM X 170MM + 22MM
SPOUT DIAMETER: 8.6MM



NO: 22 CONTENT: 90G
MATERIAL: PET12/AL07/NY15/PE90
SIZE: 130MM X 84MM + 25MM
SPOUT DIAMETER: 8.6MM



NO: 23 CONTENT: 90G&113G
MATERIAL: PET12/AL07/NY15/PE90
90G SIZE: 130MM X 84MM + 25MM
113G SIZE: 139MM X 84MM + 25MM
SPOUT DIAMETER: 8.6MM



NO: 24 CONTENT: 210ML
MATERIAL: PET12/VMPET12/PE90
SIZE: 113.4MM X 169MM + 27MM
SPOUT DIAMETER: 8.2MM



NO: 25 CONTENT: 500ML
MATERIAL: PET12/NY15/PE130
SIZE: 230MM X 130MM + 30MM
SPOUT DIAMETER: 22MM



NO: 26 CONTENT: 591ML & 355ML
MATERIAL: PET12/NY15/PE133
SIZE: 125MMX235MM+36MM
355ML MATERIAL: PET12/AL07/NY15/PE100
SIZE: 220MMX110MM+35MM
SPOUT DIAMETER: 10MM & 9.6MM



NO: 27 CONTENT: 500ML
MATERIAL: MATTE BOPP20/NY15/PE110
SIZE: 127MMX216MM+40MM
SPOUT DIAMETER: 13MM



NO: 28 CONTENT: 300ML
MATERIAL: PET12/AL07/NY15/PE101
SIZE: 115MMX212MM+30MM
SPOUT DIAMETER: 16MM



NO: 29 CONTENT: 175ML
MATERIAL: PET12/AL07/NY15/PE100
SIZE: 98MMX176MM+30MM
SPOUT DIAMETER: 10MM



NO: 30 CONTENT: 150G & 300G & 400G
MATERIAL: PET12/AL07/NY15/PE166
150G SIZE: 90MMX125MM+27MM
300G SIZE: 170MMX100MM+30MM
400G SIZE: 190MMX105MM+30MM
SPOUT DIAMETER: 20MM



NO: 31 CONTENT: 3OZ & 5OZ
MATERIAL: PET12/AL07/NY15/PE95
3OZ SIZE: 80MMX132MM+20MM
5OZ SIZE: 90MMX150MM+25MM
SPOUT DIAMETER: 16MM



NO: 32 CONTENT: 250ML
MATERIAL: PET12/AL07/NY15/PE90
SIZE: 100MMX165MM+30MMX2
SPOUT DIAMETER: 8.6MM



NO: 33 CONTENT: 100ML & 120ML
100ML MATERIAL: PET12/AL07/NY15/PE80
SIZE: 90MMX182MM+20MM
120ML MATERIAL: PET12/AL07/NY15/PE180
SIZE: 110MMX133MM+25MM
SPOUT DIAMETER: 8.6MM



NO: 34 CONTENT: 1L
MATERIAL: PET12/AL07/NY15/PE115
SIZE: 155MMX280MM+45MM
SPOUT DIAMETER: 16MM



NO: 35 CONTENT: 110ML
MATERIAL: PET12/AL07/NY15/PE80
SIZE: 83MMX137MM+25MM
SPOUT DIAMETER: 10MM



NO: 36 CONTENT: 15ML
MATERIAL: PET12/WHITE PE58
SIZE: 45MM X 120MM
SPOUT DIAMETER: 8.2MM

DANQING Danqing Flexible Packaging & Printing

直立
带嘴袋

STAND UP POUCH
WITH SPOUT



MATERIAL: PET/WHITE PE PET/AL/PE
SUITABLE FOR LIQUID OR GRANULES PRODUCTS

适用于各种液体或粉状产品

FEATURES AND ADVANTAGES:

- (1) EXCELLENT BARRIER, MOISTURE PROOF, OXYGEN RESISTANCE, GOOD SEALING PERFORMANCE TO EXTEND THE SELF LIFE
- (2) UP TO 13 COLORS GRAVURE PRINTING TO MAKE THE PACKAGE MUCH MORE ATTRACTIVE
- (3) CUSTOMIZED DIMENSIONS TO SATISFY PERSONAL REQUIREMENTS
- (4) VARIOUS MATERIAL STRUCTURES TO MEET GENERAL AND SPECIAL FUNCTION REQUIREMENTS
- (5) ENVIRONMENTAL FRIENDLY REUSABLE SUCTION NOZZLE AND FOOD SAFETY STANDARD



Main technical data:

Model	Filling Volume	Capacity (Bag/Hour)	Working Air Pressure	Power Supply	Motor Power	Dimension (L x W x H)
ZLD-2	150-1000ml	1500-2000	0.5-0.7Mpa	3N-50Hz 380V/220v	1.1kw	1800*1150*1950mm
ZLD-3	150-1000ml	2500-3000	0.5-0.7Mpa	3N-50Hz 380V/220v	2.2kw	2500*1580*1950mm
ZLD-4	50-300ml	3000-4000	0.5-0.7Mpa	3N-50Hz 380V/220v	2.2kw	2500*1580*1950mm
ZLD-5	10-300ml	4000-5500	0.5-0.7Mpa	3N-50Hz 380V/220v	2.2kw	2500*1580*1950mm



塑料管及盖 PLASTIC SPOUTS(NOZZLES) AND CAPS

WE CAN SUPPLY DIFFERENT KINDS OF SPOUTS(NOZZLES)
WHICH DIAMETRE VARY FROM 8.2MM TO 33MM



直立拉链袋 STAND UP ZIPPER POUCH

- (1) Suitable for refillable products packing
- (2) Suitable for shelf display
- (3) Convenient re-closable zip lock
- (4) Size and material: According to clients' requests



DANQING

Danqing Flexible
Packaging & Printing

7-8



冲孔直立饮料袋
STAND UP PERFORATED
POUCH FOR JUICE



果冻异形包装袋
Fruit Shaped packaging bags





八边封袋
Qual-seal flat bottom stand-up pouch

- 1.Elegant appearance and nice shape
- 2.Suitable for shelf display
- 3.High capacity & Attractive
- 4.Zipper design-reusable



糖果, 饼干, 牛奶, 豆奶, 冰淇淋, 干果, 各类调味料包装
PACKAGING BAGS FOR CANDY,BISCUIT,ICE CREAM,DRIED FRUITS, MILK&SOY POWDER,SEASONING

- (1) Good moisture resistance
- (2) Suitable for shelf display
- (9) Size and material: According to clients requests



高阻隔
包装卷膜
HIGH BARRIER
FILM IN ROLL
FORM



MATERIAL:PET/AL/PE
SUITABLE FOR AUTOMATIC PACKAGING
OBSTRUCTING PERFORMANCE/
DAMP-PROOFING CAPABILITY
OIL RESISTANCE
PREVENTING ULTRAVIOLET RADIATION
SUITABLE FOR MIDDLE-CLASS FOOD PACKAGING





热收缩标签 PVC&PETG SHRINK SLEEVES

Specifications:

1. Thickness: 30-70 mic
 2. Width: 200-1000mm
 3. TD: 45%-53% PETG Shrinkage up to 75% MD: 0-10%
 4. Length: 1500m-3000m
 5. No-toxic. No-odor. No- toxicity
 6. Transparent, standard-clear
 7. Environment friendly/recycle easily
 8. Ink adheres correctly and easily
- SUITABLE FOR HEAT-SEALING, COLD-SEALING AND TWISTED SHRINKING PACKAGING WATERPROOF AND ROTPROOF FEATURES SHRINKABLE IN LOW TEMPERATURE



各类易撕杯盖膜及异形糖果袋

PP/PVC, PS&PET PEELABLE CUP SEALING FILM & SPECIAL SHAPE CANDY BAG



Structure: PP/PA/PE; PP/EVOH/PE
Features:

1. Good sealing strength
2. Good stiffness
3. High barrier
4. Thickness: 40-100um



异形糖果袋
SPECIAL SHAPE
CANDY BAG

糖果扭结膜
PET TWISTED FILM
FOR CANDY

DANQING Danqing Flexible Packaging & Printing

11-12



日用化工品及化妆品包装袋
DAILY CHEMICAL PRODUCTS &
COSMETIC PACKAGING



新型产品

NEW PRODUCTS



爆米花袋

POPCORN PACKAGING BAG

Our company have invested the special bag making machines to produce such triangle packaging bags for our customers in U.S.A. We can produce different sizes as per your request.

Structure: BOPP/PE; BOPP/PET/PE

Features:

- (1) Good sealing strength
- (2) Good moisture resistance
- (3) High barrier
- (4) Thickness: 70-100um



高温蒸煮袋 RETORT POUCH

Structure: NY/Retort CPP
High temperature tolerance to 121-135°C
High puncture resistance
Solid sealing intensity non-delamination and non-discoloration
Excellent barrier of oxygen
Applicable to vacuum packing
Applicable to stock in low temperature



水果通风袋
fruit vent bag




卫生巾袋/茶袋/米袋
SANITARY NAPKINS BAG/TEA BAG/RICE BAG




电脑设计中心
COMPUTER DESIGN CENTER

C/M/Y/K/W/SPOT COLOR

袋型 Bag Types



包装材料示意图
Packaging materials schematic diagram



Embossed Die Cut Lid
• Apply to all machines from China, Germany, South Korea etc.
• Seals to all common plastics, tinplates and glass containers.
• Flat and tight sealing, high barrier, good tear ability.



Retort Stand Pouch (125°C Sterilization)
• Good stiffness, high barrier, no leakage.
• Suitable for UHT sterilization.
• Excellent puncture & drop resistance.
• Long shelf life.



VM-PET (metalized film)
• Adapt to all automatic packaging machines.
• Aluminum free.
• Excellent machine performance.



Stand Pouch With Spout
• Good stiffness, high barrier, no leakage.
• Excellent puncture & drop resistance.
• Convenient shape.
• Long shelf life.

FINISHED CYLINDERS



C/M/Y/K/W/SPOT COLOR

DANQING 13 - 14

QUESTIONS & ANSWERS

Customers provide products' info—Quotation—Sample Production—Sample Approval
—Mass Production—Delivery

1. What is the procedure of placing an order?



2. What information I need to provide for quotation?

Please provide your products' design, size, thickness, material, quantity, printing method, packing & place of delivery.

3. Which type of file format I need to supply for sample production?

We accept AI, CDR, Freehand, PSD files and they should be over 300DPI.

4. What is the lead time?

For normal cases, after receiving the final artwork, it takes around 3-5 days to produce a cylinder, whereas around 7 days for silkscreen & offset printing sample. After deposit confirmed, the approval of the cylinder proof takes around 20 days for mass production. The lead time can be revised for urgent orders.

5. What is the main difference between PP, PVC & PET?

3 materials have different characteristics:
PP: Environmental friendly & cost effective, we can use ultra-sonic or glue PP together.
PET: Environmental friendly & high level of transparency.
PVC: High level of transparency & widely used.

6. What is the MOQ?

For bigger size, the MOQ is 10000pcs for each design.
For smaller size, the MOQ is 50000pcs for each design.

7. What is the difference between Silkscreen printing & Offset printing?

Silkscreen printing is mostly used for simple graphics. Pantone no. or colour samples should be provided by customers. Offset printing is for more complicated graphics, gradual change colour or pictures. There are 4 basic colour: red, blue, yellow & black. They can be mixed out more than 10 colour. White masking is usually added for enhancing the products' image. Customers no need to provide any Pantone no. or colour samples.

8. Is there any sample charge & is it refundable?

Yes, there is sample charge for producing samples. Under circumstances, part of or full sample charge can be refunded after placing orders, which the total quantity up to one million pcs or ten tons.



•销售网络
SALES NETWORK

OUR NEW PLANT



Guangdong
Danqing Printing Co.,Ltd.



IT TAKES 3 HOURS' HIGH SPEED RAIL
FROM GUANGZHOU SOUTH RAILWAY
STATION TO CHAOSHAN RAILWAY STATION
从广州南站到潮汕站, 约3个小时



IT TAKES 40 MINUTES' FLY FROM
GUANGZHOU BAIYUN AIRPORT TO
JIEYANG CHAOSHAN AIRPORT
从广州白云机场到揭阳潮汕机场, 约40分钟



IT TAKES 2.5 HOURS BY PLANE FROM
SHANGHAI HONGQIAO AIRPORT TO
JIEYANG CHAOSHAN AIRPORT
从上海虹桥机场到揭阳潮汕机场, 约2.5小时

