



# NS-9205 自動前筒粘合機 Automatic Placket Fusing Machine



可同時對恤衫前筒及口袋  
進行粘合壓熨  
Shirt front placket and pocket can be  
fused and pressed simultaneously



下模尺寸簡圖(mm)  
Lower Mould Dimensions

- 適用於恤衫筒及口袋粘合壓熨
- 採用氣-液增壓缸垂直加壓，重壓壓力大，壓力平均，粘合效果佳
- 採用PLC可編程控制器控制及人性化操作界面觸摸顯示屏操作
- 上模發熱採用三個獨立數字式溫度控制器控制，溫度控制更精確
- 下模水平移位設計，擺放衣物方便，操作舒適，提高工作效率
- 獨立抽濕，安裝容易，有助衣物定位，風冷、定型效果佳

- Suitable for shirt placket and pocket fusing and pressing
- Adopt pneumatic - hydraulic pressure increasing cylinder for vertical pressing with heavy and even pressure, the fusing result is excellent
- PLC and human friendly touch screen for operation
- Apply three independent digital thermostats for accurate temperature control to the upper heating mould
- Horizontal movement design of the lower mould for easy fabric placing, comfortable operation and high working efficiency
- Independent vacuum and easy to install as well as positioning, air cooling and shaping well

| 型號<br>Model | 電源<br>Power Supply | 總功率(kW)<br>Total Power | 發熱線功率(kW)<br>Heater Power | 壓縮空氣壓力(kgf/cm <sup>2</sup> )<br>Compressed Air Pressure | 耗壓縮空氣量(L/min)<br>Compressed Air Consumption | 平均粘合壓力(kgf/cm <sup>2</sup> )<br>Average Fusing Pressure | 設計溫度(°C)<br>Design Temperature | 機身尺寸(mm)<br>Machine Size |
|-------------|--------------------|------------------------|---------------------------|---|---|---|--------------------------------|--------------------------|
| NS-9205     | 3PH/380V/50Hz      | 7                      | 5.4                       | 5   | 150   | 5   | 200                            | 1400x1220 x1610          |



藝誠(余氏)發展有限公司  
Ngai Shing Development Limited

香港九龍長沙灣永康街52號地下

G/F., 52 Wing Hong St.,

Cheung Sha Wan, Kln., Hong Kong.

Tel: (852) 2741 9981, 2742 0078

E-MAIL: info@ngaishing.com

Fax: (852) 2785 3149

Http://www.ngaishing.com