

质量第一 · 诚信至上



Farwise Technology Co., Ltd.
东莞市光泽光电科技有限公司

地址：广东省东莞市高埗镇华信工业区C栋

联系人：13790241903(梁先生) 13428456520(罗小姐)

电话：0769-81307979 89799931 传真：0769-81307979

E-mail: sale@dgfarwise.com 网站: www.dgfarwise.com



光泽光电科技
Farwise Technology



COMPANY PROFILE 公司简介

Farwise Technology Co., Ltd. Is established in 2010 and located in Dongguan City, Guangdong province, China, it has been professional manufacturing precision LED Track System Rail and Indoor Light Housing Parts.

Our company is specialized in OEM&ODM extrusion products including PC tubes/covers/lens and PVC copper Co-extrusion parts .Track system products including magnetic track light, 2wires 3wires4 wires track rail and the related connectors accessories parts.The showcase track rail with magnet or not.

Farwise Technology passed international quality management system ISO9001:2008, due to the outstanding products and services, it has established long and closed business relations with customers from European, North America, Japan and other countries from all over the world.

Looking forward to working with you on your project! Contact us if you have an idea that you'd like us to work on.

东莞市光泽光电科技有限公司成立于2010年，位于高新科技地带广东省东莞市高埗镇。本公司一直致力于导轨照明系统配件以及LED室内灯外壳装配件的生产和研发，多年以来积累了大量成熟的技术和经验。

公司主要生产产品为：2线、3线、4线导轨条和整套接驳器及零配件，LED货架导轨条系列。产品种类繁多，应用广泛。接受来样生产、按需订做。

我们的生产宗旨为质量第一，品质优先。先后通过了工厂国际质量管理体系ISO9001：2008，以及RoHS，CE，TUV和CB产品认证。凭借优良的品质，杰出的服务和敏捷的反响速度，我们的产品热销全国各地以及北美洲、欧洲、亚洲等世界各国和地区。

您托付一份信任，我们回报您满意和放心。东莞市光泽光电科技有限公司真诚期待与您的友好合作和共同发展！


目录

Contents




LED magnetic spotlight LED轨道射灯	01
LED magnetic pendant spot lamp LED轨道吊灯	02
LED magnetic linear grille lamp LED格栅灯（不可调）	03
adjustable LED magnet linear grille lamp LED格栅灯（可调）	04
LED magnetic floodlight LED 泛光灯	05-06
Suspension Mounting Magnetic Track Rail 吊装磁吸导轨	07-10
LED magnetic pendant spot lamp 明装磁吸导轨	11-14
Flush Mounting Magnetic Track Rail A 嵌入式外装款	15-16
Flush Mounted Magnetic Track Rail B 嵌入式内装款	17-18
Magnetic track rail for stretch ceiling 软膜天花LED磁吸导轨	19-20
Four-wires LED Track rail 四线导轨条	21-28






FW-CX001-7W



FW-CX001-12W

Item No. 型号	Size 尺寸	CCT 色温	Power 功率	Beam Angle 光束角	Color 颜色	Installation 安装
FW-CX001-7W	Ø45x72mm	3000K/4000K/5700K	7W	15°/24°/36°	matt black/frosted White	magnetic
FW-CX001-12W	Ø45x90mm	3000K/4000K/5700K	12W	15°/24°/36°	matt black/frosted White	magnetic




FW-CX005-7W FW-CX005-12W FW-CX005L-15W/18W

Item No. 型号	Size 尺寸	CCT 色温	Power 功率	Beam Angle 光束角	Color 颜色	Installation 安装
FW-CX005-7W	Ø45x72mm	3000K/4000K/5700K	7W	15°/24°/36°	matt black/frosted White	magnetic
FW-CX005-12W	Ø45x90mm	3000K/4000K/5700K	12W	15°/24°/36°	matt black/frosted White	magnetic
FW-CX005L-15W	Ø45x300mm	3000K/4000K/5700K	15W	15°/24°/36°	matt black/frosted White	magnetic
FW-CX005L-18W	Ø45x300mm	3000K/4000K/5700K	18W	15°/24°/36°	matt black/frosted White	magnetic



LED magnetic linear grille lamp
LED 格栅灯 (不可调)



Item No. 型号	Size 尺寸	CCT 色温	Power 功率	Beam Angle 光束角	Color 颜色	Installation 安装
FW-CX003-12W	L310xW20xH45mm	3000K/4000K/5700K	12W	30°	matt black/frosted White	magnetic
FW-CX003-18W	L456xW20xH45mm	3000K/4000K/5700K	18W	30°	matt black/frosted White	magnetic



adjustable LED magnet linear grille lamp
LED 格栅灯(可调)



Item No. 型号	Size 尺寸	CCT 色温	Power 功率	Beam Angle 光束角	Color 颜色	Installation 安装
FW-CX004-12W	L310xW20xH90mm	3000K/4000K/5700K	12W	30°	matt black/frosted White	magnetic
FW-CX004-18W	L456xW20xH90mm	3000K/4000K/5700K	18W	30°	matt black/frosted White	magnetic
FW-CX004-36W	L900xW20xH90mm	3000K/4000K/5700K	36W	30°	matt black/frosted White	magnetic




LED magnetic floodlight
LED 泛光灯



Item No. 型号	Size 尺寸	CCT 色温	Power 功率	Beam Angle 光束角	Color 颜色	Installation 安装
FW-CX002-8W	L310xW20xH45mm	3000K/4000K/5700K	8W	180°	matt black/frosted White	magnetic
FW-CX002-16W	L600xW20xH45mm	3000K/4000K/5700K	16W	180°	matt black/frosted White	magnetic
FW-CX002-24W	L890xW20xH45mm	3000K/4000K/5700K	24W	180°	matt black/frosted White	magnetic



LED magnetic floodlight
LED 泛光灯




FW-CX002-8W



FW-CX002-16W




FW-CX002-24W





Suspension Mounting Magnetic Track Rail
吊装磁吸导轨



Suspension Mounting Magnetic Track Rail

Item No.(型号):
FW-CXDG002

Color(颜色):
Black /white

Material(材料):
Aluminum+pvc+copper

Installation(安装):
Suspension mounting

Size(尺寸):
26.4x54.5xL1000mm


Certificate(认证):
CE, ROHS, TUV



Suspension Mounting Magnetic Track Rail
吊装磁吸导轨



Track power collector
导轨供电器
FW-CXJDQ001
18.6x15.8x134.8mm
black




Straight current collector
对接接电器
FW-CXJDQ002
18.6x16.1x119.5mm
black




Corner current collector
转角接电器
FW-CXJDQ003
18.6x15.8x134.8mm
black



Right-angle connector
明装高边导轨直角驳接件
FW-CXPJ006
170x170x54.5mm
black



Inner corner connector
明装高边导轨内转角驳接件
FW-CXPJ007
170x170x54.5mm
black



Outer corner connector
明装高边导轨外转角驳接件
FW-CXPJ008
170x170x54.5mm
black




Suspending accessories
吊装配件包
FW-CXPJ013
One meter suspension wire*1pcs
Suspension Bridge*1pcs
Screw*2pcs Hex Wrench*1pcs
(一米吊线配件*1 吊线座*1 螺丝*2 六角扳手*1)
As photo




Suspension Mounting Magnetic Track Rail
嵌入式导轨对接配件包
FW-CXPJ002
#1 right-angle code*1pcs
#2 right-angle code*2pcs
M4 Screw *4pcs 3*2.5 Screw*4pcs
Hex Wrench*2pcs(1号直角角码*1 2号直角角码*2 螺丝M4*4 3*2.5螺丝*4 六角扳手*2)
black



Suspension Mounting





Surface Mounted Magnetic Track Rail

Item No. (型号):
FW-CXDG001

Color (颜色):
Black /white

Material (材料):
Aluminum+pvc+copper

Installation (安装):
Surface mounted

Size (尺寸):
26.4x27.4xL1000mm

Certificate (认证):
CE, ROHS, TUV



Track power collector
导轨供电器
FW-CXJDQ001
18.6x15.8x134.8mm
black



Straight current collector
对接电器
FW-CXJDQ002
18.6x16.1x119.5mm
black




Corner current collector
转角接电器
FW-CXJDQ003
18.6x15.8x134.8mm
black



Surface mounted magnetic track rail joint kits
明装薄导轨对接配件包
FW-CXPJ001
#1 right-angle code*1pcsM4
Screw *4pcsHex Wrench*1pcs(1号直角角码*1螺丝M4*4 六角扳手*1)
black



Right-angle connector
明装薄导轨直角驳接件
FW-CXPJ003
170x170x27.4mm
black



Inner corner connector
明装薄导轨外转角驳接件
FW-CXPJ004
170x170x27.4mm
black



Outer corner connector
明装薄导轨内转角驳接件
FW-CXPJ005
170x170x27.4mm
black




Surface mounted snap joint
明装卡扣
FW-CXPJ012
22.2x11.9x6.6x115mm
black




Surface mounted accessories
明装配件包
FW-CXPJ014
Screwx2pcs Plastic coverx2pcs(螺丝*2 胶套*2)
As photo



Surface Mounting





Flush Mounting Magnetic Track Rail A

Item No.(型号):
FW-CXDG003


Color(颜色):
Black /white

Material(材料):
Aluminum+pvc+copper

Installation(安装):
Flush mounted

Size(尺寸):
66.4x54.3xL1000mm


Certificate(认证):
CE, ROHS, TUV



Flush mounted track rail dustproof PC cover
嵌入式导轨护盖
FW-CXDG004
22.5x4.7xL1000mm
black




Track power collector
导轨供电器
FW-CXJDQ001
18.6x15.8x134.8mm
black




Straight current collector
对接电器
FW-CXJDQ002
18.6x16.1x119.5mm
black




Corner current collector
转角接电器
FW-CXJDQ003
18.6x15.8x134.8mm
black




Flush mounted track rail joint kits
嵌入式导轨对接配件包
FW-CXPJ002
#1 right-angle code*1pcs
#2 right-angle code*2pcs
M4 Screw *4pcs3*2.5
Screw*4pcs Hex Wrench*2pcs
(1号直角角码*1 2号直角角码*2
螺丝M4*4 3*2.5螺丝*4 六角扳手*2)
black



Right-angle connector
嵌入式导轨直角驳接件
FW-CXPJ009
170x170x54.3mm
black





Inner corner connector
嵌入式导轨内转角驳接件
FW-CXPJ010
170x170x54.3mm
black




Outer corner connector
嵌入式导轨外转角驳接件
FW-CXPJ011
170x170x54.3mm
black

embedded installation



Flush Mounted B Installation








1, slotting size: 6-7 cm, the above ceiling height ≥ 7 cm.

2, embed track rail and fixed by screw



3, install the plasterboard.





Magnetic track rail for stretch ceiling

Item No.(型号):
FW-CXS001

Color(颜色):
Black /white

Material(材料):
Aluminum+pvc+copper

Installation(安装):
Flush mounted

Size(尺寸):
63.5x54.1xL1000mm

Certificate(认证):
CE, ROHS, TUV






Tuya smart magnetic track
Lighting system
涂鸦智能调光磁吸轨道照明系统



Tuya smart magnetic track
Lighting system
涂鸦智能调光磁吸轨道照明系统

Farwise DC48V magnetic track lighting system combines TUYA driver ,which realize the smart dimming easily and effectively .What's more,Tuya provides one-stop smart lighting solutions, including smart lighting hardware solutions, all-in-one apps, home lighting apps, commercial lighting SaaS platforms, IoT Cloud Platform, and various value-added services. You can now make any smart lighting products and solutions, and build any lighting scenarios you want.



TUYA BLUETOOTH SYSTEM

TUYA ZIGBEE SYSTEM

XIAO MI MESH BLUETOOTH SYSTEM

tuya
TUYA BLUETOOTH SYSTEM
no need gateway
smart dimming (color and brightness)

APP control panel intelligent speaker controller

mi
XIAO MI BLUE TOOTH MESH SYSTEM
no need gateway
smart dimming (color and brightness)

APP control panel intelligent speaker remote controller

tuya
TUYA ZIGBEE SYSTEM
smart dimming(color and brightness)

APP GATEWAY INTELLIGENT SPEAKER

Light Source
Light Bulb Filament LED Bulb Tube Light

Ambient Lighting
Strip Light String Light Ambient Light Desk Lamp Sleep Light Night Light




Indoor Lighting
Ceiling Light Panel Light Ceiling Fan Light Down Light Spot Light Linear Light UV Light

Outdoor Lighting
Wall Lamp Porch Light Security Light Floodlight Streetlight Garden Light

Lighting Driver
Controller Remote Control

- Three circuits track is available in 1, 2 and 3 meter lengths
- Surface Material: High quality aluminum to ensure the strength of the tracks
- Conductive Material: Pure copper, with good electrical conductivity
- Inner Strip Material: PVC strip, with excellent electrical insulation properties
- White black finishes as standard. Also available in silver finish
- Kits are available for wire suspension
- Certificate: CE, TUV, ROHS
- OEM&ODM Accepted

- 4线导轨条选料严谨，做工精细。优质铝合金型材外壳保证导轨的强度；
- 全新PVC胶条具有优良的绝缘性能，确保安全；
- 紫铜导电芯确保优良的导电性能。可根据设计需要，接驳多盏灯具，达到优良的照明效果。



4 Wires Track Rail Rectangle Shape 四线导轨 - 方形

Item No. (型号):
FW-T401

Material (材料):
Aluminum Alloy + PVC + Copper
铝合金 PVC 铜



Length (长度):
1000mm 1500mm 2000mm 3000mm 4000mm

Color (颜色):
Black White Silver
黑色 白色 银色

Customized (定制):
Customized color and logo is accepted
可定制颜色和logo

Certificate (认证):
CE, ROHS, TUV


Live-end Connector 电源接驳器



FW-C401

Color: Black White Silver
颜色: 黑色 白色 银色



Middle Connector 四线直线性接驳器



FW-C402

Color: Black White Silver
颜色: 黑色 白色 银色



Adjustable L Connector 可调节L型接驳器



FW-C407

Color: Black White Silver
颜色: 黑色 白色 银色


Mini Joiner 迷你接驳器



FW-C403

Color: Black White Silver
颜色: 黑色 白色 银色


T Connector (T型接驳器)



FW-C405

Color: Black White Silver
颜色: 黑色 白色 银色


Adjustable L Connector (L型可调节接驳器)



FW-4009

Color: Black White Silver
颜色: 黑色 白色 银色



L Connector (L型接驳器)



FW-C404

Color: Black White Silver
颜色: 黑色 白色 银色


“+” Connector 十字接驳器



FW-C406




Color: Black White Silver
颜色: 黑色 白色 银色

End Cap 尾盖



FW-C408

Color: Black White Silver
颜色: 黑色 白色 银色



Four Wire Recessed Track Rail 四线嵌入式导轨

Item No. (型号):
FW-T402

Color (颜色):
Black White Silver
黑色 白色 银色


Material (材料):
Aluminum Alloy + PVC + Copper
铝合金 PVC 铜

Customized (定制):
Customized color and logo is accepted
可定制颜色和logo

Length (长度):
1000mm 1500mm 2000mm 3000mm 4000mm



Certificate (认证):
CE, ROHS, TUV

Live-end Connector 电源接驳器




FW-C401A
Color: Black White Silver
颜色: 黑色 白色 银色

Middle Connector 四线直链接驳器





FW-C402A
Color: Black White Silver
颜色: 黑色 白色 银色

Adjustable L Connector 可调节L型接驳器





FW-4007A
Color: Black White Silver
颜色: 黑色 白色 银色

Mini Joiner 迷你接驳器



FW-C403A
Color: Black White Silver
颜色: 黑色 白色 银色


T Connector (T型接驳器)



FW-C405A

Color: Black White Silver
颜色: 黑色 白色 银色



L Connector (L型接驳器)



FW-C404A

Color: Black White Silver
颜色: 黑色 白色 银色


“+” Connector 十字接驳器



FW-C406A

Color: Black White Silver
颜色: 黑色 白色 银色


End Cap 尾盖



FW-C408A

Color: Black White Silver
颜色: 黑色 白色 银色



Driver Box 电源盒



FW-B401

Color: Black White Silver
颜色: 黑色 白色 银色



Driver Box 电源盒



FW-B402

Color: Black White Silver
颜色: 黑色 白色 银色


Driver Box 电源盒



FW-B403

Color: Black White Silver
颜色: 黑色 白色 银色

Suspension Accessories 吊顶安装配件



FW-W04A-F

Color: Black White Silver
颜色: 黑色 白色 银色