

The logo for LITE HOME, featuring the brand name in blue capital letters with a yellow lightbulb icon containing a lightning bolt, positioned over the letter 'O'.

LITE HOME

SPECIFICATION

LED Slim Bay Light

Product Details



Application

- Supermarket
- Office
- Hotel
- Meeting room
- Library
- Exhibition hall
- Warehouse
- Museum
- Store

Features

- Slim Design, UGR less 19
- Beam Angle: 2°45° lens
- Black color Aluminium+lens
- 145lm/w \pm 5%, up to 180lm/w
- Available in Non-dimmable&0/1-10V&Dali
- Energy saving up to 80%
- Suspending&Ceiling mounted&Trackway for convenient installation
- 5 years warranty


Temperature

Operating: $-25 \sim +40^{\circ}\text{C}$

Storage: $-40 \sim +85^{\circ}\text{C}$



Dimension



Dimension	A	B	C
600mm	584mm	125mm	13mm
1200mm	1164mm	125mm	13mm
1500mm	1454mm	125mm	13mm

Technical Data sheet

Item	Power	Dimension	Input	LEDS	Beam angle	CCT	Light efficiency	CRI	Lumen output
LH-TLAL2-040	40W	600mm	AC220-240V	132	2*45° lens	3000K / 4000K / 5000K / 6000K	145lm/w±5%	>80	5800lm±5%
LH-TLAL4-060	60W	1200mm	AC220-240V	264	2*45° lens	3000K / 4000K / 5000K / 6000K	145lm/w±5%	>80	8700lm±5%
LH-TLAL5-075	75W	1500mm	AC220-240V	330	2*45° lens	3000K / 4000K / 5000K / 6000K	145lm/w±5%	>80	10850lm±5%

Packing information


Dimension mm	Carton Size	N.W./KG	G.W./KG	Pieces/Carton	Maximum Loading of		
					20'GP	40'GP	40'HQ
600mm	630*350*190mm	9	12	5pcs	650CTNs	1350CTNs	1700CTNs
1200mm	1230*350*190mm	14	17	5pcs	325CTNs	675CTNs	850CTNs
1500mm	1530*350*190mm	17	20	5pcs	260CTNs	540CTNs	680CTNs

Installation

Suspending




Ceiling mounted



Trackway



Seamless



Caution:

Please read the use manual before the installation
Please do not stare directly at the lamp surface
Please do not cover anything on the lamp and keep it away from the high temperature area.
The lamp is only suitable for the weak acid and weak base environment