OILFIELD / INDUSTRIAL PRODUCTS





Pls send your enquiries to sale@cnballvalve.com











STAINLESS STEEL BALL VALVES NACE MR0175 ASME B16.34

M2019S SERIES

2000PSI 1-PC MXF BALL VALVE REDUCED PORT SIZE:1/4" 1/2"



1017S SERIES

1000PSI 1-PC BALL VALVE REDUCED PORT SIZE:1/4"-4"



2006WSW SERIES

2000PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-2" SEAL WELDED



3000WSW SERIES

3000PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-2" API 607 SEAL WELDED (OPTION)



1022S SERIES

1000PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-4" DIRECT MOUNTING PAD



M1021S SERIES

1000PSI 2-PC MXF BALL VALVE FULL PORT SIZE:1/4"-2"



2018S SERIES

2000PSI 1-PC BALL VALVE REDUCED PORT SIZE:1/4"-2" API 607



2004WSW SERIES

2000PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-2" SEAL WELDED API607



6000WSW SERIES

6000PSI 2-PC BALL VALVE
1/4"-11/2" FULL PORT
2" REDUCED PORT
SEAL WELDED
API 607



1032S SERIES

1000PSI 3-PC BALL VALVE FULL PORT SIZE:1/4"-4" DIRECT MOUNTING PAD



M2006WSW SERIES

2000PSI 2-PC MXF BALL VALVE FULL PORT SIZE:1/4"-2" SEAL WELDED



1021S SERIES

1000PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-4"



1531S SERIES

2000PSI 3-PC BALL VALVE REDUCED PORT / FULL PORT SIZE:1/4"-1" 2000WOG 11/4"-2" 1500WOG



3003WSW SERIES

3600PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-2" API 607



1023L/T SERIES

1000PSI THREE WAY BALL VALVE REDUCED PORT SIZE:1/4"-2" L TYPE & T TYPE



M3003WSW SERIES

3600PSI 2-PC MXF BALL VALVE FULL PORT SIZE:1/4"-2" API 607



1031S SERIES

1000PSI 3-PC BALL VALVE FULL PORT SIZE:1/4"-4"



1532S SERIES

1500PSI 3-PC BALL VALVE REDUCED PORT SIZE:1/4"-2"



6003WSW SERIES

6000PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-2" SEAL WELDED API 607



IBV-S SERIES

STANDARD PORT 1" 2000WOG 2" 1500WOG





CARBON STEEL BALL VALVES NACE MR0175 ASME B16.34



2018C SERIES

2000PSI 1-PC BALL VALVE REDUCED PORT SIZE:1/4"-2"



LM-C SERIES

3000PSI COMPACT FLOATING BALL VALVE
1/4" 1/2" 3/4" FULL PORT
1" REDUCED PORT



2006WC SERIES

2000PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-2" SEAL WELDED



3000WC SERIES

3000PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-2" API607 SEAL WELDED (OPTION)



IBV-C SERIES

ISOLATOR BALL VALVE STANDARD PORT 1" 2000WOG 2" 1500WOG



2017C SERIES

2000PSI 1-PC BAR STOCK BALL VALVE
REDUCED PORT
SIZE:1/4"-2"



1017C SERIES

1000PSI 1-PC BALL VALVE REDUCED PORT SIZE:1/4"-4"



2004WC SERIES

2000PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-2" SEAL WELDED API607



6000WC SERIES

6000PSI 2-PC BALL VALVE 1/4"-11/2" FULL PORT 2" REDUCED PORT SEAL WELDED API607



2027C SERIES

2000PSI 2-PC BAR STOCK BALL VALVE FULL PORT SIZE:1/4"-2" LOCKING DEVICE (OPTION)



1021C SERIES

1000PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-4"



1531C SERIES

2000PSI 3-PC BALL VALVE REDUCED PORT / FULL PORT SIZE:1/4"-1" 2000WOG 11/4"-2" 1500WOG



3003WC SERIES

3600PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-2" API607



M2019C SERIES

2000PSI 1-PC MXF BALL VALVE REDUCED PORT SIZE:1/4" 1/2"



1031C SERIES

1000PSI 3-PC BALL VALVE FULL PORT SIZE:1/4"-4"



1532C SERIES

1500PSI 3-PC BALL VALVE REDUCED PORT SIZE:1/4"-2" API607



6003WC SERIES

6000PSI 2-PC BALL VALVE FULL PORT SIZE:1/4"-2" SEAL WELDED API607

STAINLESS STEEL MINI BALL VALVES



FFBV SERIES

1000PSI MINI BALL VALVE REDUCED PORT SIZE:1/4" - 1" BODY: CF8 / CF8M



MFBV SERIES

1000PSI MxF MINI BALL VALVE REDUCED PORT SIZE:1/4" - 1" BODY: CF8 / CF8M



MMBV SERIES

1000PSI MxM MINI BALL VALVE REDUCED PORT SIZE:1/4" - 1" BODY: CF8 / CF8M





FORGED STEEL BALL VALVES NACE MR0175 ASME B16.34 BS5351, API 608



F2 SERIES

2-PC FORGED BALL VALVE

SIZE: 1/4" - 4" 800LB -2500LB FULL PORT / REDUCED PORT A105,LF2,F304,F316 LOCKING DEVICE (OPTION)



T3 SERIES

3-PC FORGED BALL VALVE

1/2" FULL PORT 1" 2" REDUCED PORT A105,LF2, 3000WOG LOCKING DEVICE



F3 SERIES

3-PC FORGED BALL VALVE SIZE: 1/4" - 4" 800LB -1500LB

FULL PORT / REDUCED PORT A105,LF2,F304,F316 LOCKING DEVICE (OPTION)



F2M SERIES

2-PC FORGED BALL VALVE

SIZE: 1/2" - 2" 3000WOG, 1500LB FULL PORT / REDUCED PORT CARBON STEEL WITH LOCKING ISO5211 MOUNTING PAD



F3R SERIES

3-PC ROUND BALL VALVE

SIZE: 1/4" - 4" 800LB -2500LB FULL PORT / REDUCED PORT A105, LF2, F304, F316, F51 LOCKING DEVICE (OPTION



F3S SERIES

3-PC SQUARE BODY BALL VALVE

SIZE: 1/4" - 4" 800LB -2500LB 2000WOG - 6000WOG FULL PORT / REDUCED PORT A105,LF2,F304,F316 LOCKING DEVICE (OPTION) NPT,SW,BW



F3E SERIES

EUE OIL FIELD BALL VALVE

SIZE: 2-3/8" 2-7/8" 3000-5000PSI **FULL PORT** A105,LF2,F304,F316 LOCKING DEVICE (OPTION)



KHB SERIES

3-PC HIGH PRESSURE BALL VALVE

1/4" TO 1" 7250PSI 1-1/4" TO 2" 5000PSI BODY: A105 **FULL PORT** SAE THREAD (OPTION)



API 6D & API 6A BALL VALVES NACE MR0175 ASME B16.34



6AT3 SERIES

API 6A FORGED TRUNNION BALL VALVE

RATED WORKING PRESSURE: 2000-10000PSI BORE SIZE: 2-1/16" TO 4-1/16" TEMPERATURE: K~U MATERIAL CLASSES: EE ~ HH END CONNECTIONS: FLANGE, THREADED PRODUCT SPECIFICATION LEVEL: PSL1 ~ PSL4 PERFORMANCE REQUIREMENT: PR1, PR2



VT2 SERIES

FORGED FLOATING BALL VALVE FULL PORT / REDUCED PORT A105, LF2, F304, F316, F51 SIZE:1/2" - 10" 150LB - 1500LB



WBV SERIES

WAFER BALL VALVE REDUCED PORT SIZE:1/2" - 8" CARBON STEEL/STAINLESS STEEL



Vt3 SERIES

FORGED TRUNNION BALL VALVE FULL PORT / REDUCED PORT A105, LF2, F304, F316, F51 2" - 24" 150LB - 2500LB, RF/RTJ



BVR SERIES

1-PC FLANGED BALL VALVE REDUCED PORT SIZE:1/2" - 8" CARBON STEEL/STAINLESS STEEL



BVT SERIES

TRUNNION MOUNTED BALL VALVE FULL PORT / REDUCED PORT LCB,WCB,CF8,CF8M,2205 2"- 24" 150LB - 2500LB, RF / RTJ



OFBV SERIES

OIL FIELD FLANGED BALL VALVE **FULL PORT** SIZE:2" - 8" CARBON STEEL/STAINLESS STEEL 150LB,300LB,600LB NACE MR 0175



BVF SERIES

CASTING FLOATING BALL VALVE FULL PORT / REDUCED PORT LCB,WCB,CF8,CF8M,2205 1/2" -12" 150LB-600LB, RF / RTJ





OIL FIELD BALL VALVES NACE MR0175 ASME B16.34



GRB SERIES

GROOVED OILFIELD BALL VALVE REDUCED PORT SIZE:2" 3" 4" 750 -1000PSI **BODY A395 DUCTILE IRON** LOCKING HANDLE NACE MR 0175



DIBV SERIES

1000-2000PSI DI BALL VALVE FULL PORT: 1" 2" 3" 4" REDUCED PORT: 2" 3" 4" **BODY A395 DUCTILE IRON** LOCKING HANDLE NACE MR 0175



EUECBV SERIES

EUE END BALL VALVE FULL PORT: 2-3/8" 2-7/8" 2000PSI, 3600PSI BODY: CS A216 WCB LOCKING HANDLE NACE MR 0175

NACE MR0175 ASME B16.34

CHECK VALVES



BODY: CS A216 WCB LOCKING HANDLE NACE MR 0175




A2BV SERIES

FORGED OILFIELD BALL VALVE REDUCED PORT: 2" BODY:A105 3000PSI, 5000PSI LOCKING HANDLE NACE MR 0175



WFCV SERIES

WAFER CHECK VALVE 2" 3" 4" 6" ANSI CLASS 600 (1480PSI)



GRDICV SERIES

GROOVED END CHECK VALVE FULL PORT SIZE:2" 3" 300-2000PSI **BODY: A395 DUCTILE IRON** DISC:CF8/CF8M, SEAT:VITON NACE MR 0175



DCV SERIES

DUAL-PLATE CHECK VALVE CARBON STEEL / STAINLESS STEEL METAL SEAT & SOFT SEAT 2"-24" 150LB -1500LB



FRB SERIES

FREEZE RESISTANT BALL VALVE REDUCED PORT: 2" 3" 4" 750PSI-1000PSI **BODY A395 DUCTILE IRON** LOCKING HANDLE



ABBV SERIES

BOLT BODY BALL VALVE REDUCED PORT: 2" **BODY: A105** 3000PSI,5000PSI LOCKING HANDLE NACE MR 0175



CVS6000 / CVR3000

3000-6000PSI INLINE CHECK VALVE BODY: SS316, BRASS, SEAT: BUNA, VITON SIZE:1/8" 1/4" 1/2" 3/4" 1" **CRACKING PRESSURE 7-12PSI**



BDICV SERIES

2000PSI BOLT BODY CHECK VALVE FULL PORT, BOLT BODY DESIGE SIZE:2" **BODY: A395 DUCTILE IRON** DISC:CF8/CF8M, SEAT:VITON NACE MR 0175



LDCV SERIES

LUG TYPE CHECK VALVE CARBON STEEL/ STAINLESS STEEL METAL SEAT & SOFT SEAT 2"-24" 150LB - 1500LB



DICV SERIES

300-2000PSI DI CHECK VALVE **FULL PORT** SIZE:1" 2" 3" 4" **BODY: A395 DUCTILE IRON** DISC:CF8/CF8M,SEAT:VITON NACE MR 0175



6DCV SERIES

API 6D CHECK VALVE **FULL OPEN** BODY: WCB / WCC, DISC:CF8M, SEAT:VITON TRIM 1 TO TRIM 16 SIZE:2" 3" 4" 6" NACE MR 0175



CSCV SERIES

3000-5000PSI CS CHECK VALVE **FULL PORT** SIZE:1" 2" 3" BODY: CS A216 WCB DISC:CF8/CF8M, SEAT:VITON NACE MR 0175



CV SERIES

SWING FLANGED END CHECK VALVE CARBON STEEL/ STAINLESS STEEL SIZE:2" - 24" 150LB - 2500LB ,RF/RTJ





Y STRAINER / BASKET STRAINER



YST SERIES

THREADED ENDYSTRAINER
WCB/CF8/CF8M
SIZE:1/4" - 4"
800WOG



YS SERIES

FLANGED END Y STRAINER
WCB/CF8/CF8M/CN7M
SIZE:1/2" - 24"
150LB - 1500LB
BOLTED COVER, PLUGGED BLOW-OFF



YSCI SERIES

CI FLANGED Y STRAINER
CAST IRON A126 GR.B
ANSI CLASS 125LB
BOLTED COVER, PLUGGED BLOW-OFF



BSF SERIES

BASKET STRAINER
WCB/CF8/CF8M
ANSI CLASS 150LB, 300LB
BOLTED COVER

FORGED CHECK VALVE

CVW800 SERIES

SWING CHECK VALVE SIZE: 1/2" - 2" 800LB REDUCED PORT BODY:A105, TIRM: ASTM 410 API602/API598



FORGED GATE/GLOBE VALVE



GV800 SERIES

GATE VALVE SIZE: 1/2" - 2" 800LB REDUCED PORT BODY:A105,TIRM: ASTM 410 API602/API598



GL800 SERIES

GLOBE VALVE SIZE: 1/2"-2" 800LB REDUCED PORT BODY:A105, TIRM: ASTM 410 API602/API598

CVL800 SERIES

LIFT CHECK VALVE SIZE: 1/2" - 2" 800LB REDUCED PORT BODY:A105,TIRM:ASTM 410 API602/API598



YS800 SERIES

YSTRAINER SIZE: 1/2" - 2" 800LB SCREEN:304SS BODY:A105,F304,F316 API602/API598



BUTTERFLY VALVE API 609/API598



WVA SERIES

ALIGNMENT BUTTERFLY VALVE SIZE: 2" - 12" BODY A395 DUCTILE IRON SEAT: BUNA / VITON / EPDM DISC: 316SS / DI



WVL SERIES

LUG BUTTERFLY VALVE SIZE: 2" - 12" BODY A395 DUCTILE IRON SEAT: BUNA / VITON / EPDM DISC: 316SS / DI



WVW SERIES

WAFER BUTTERFLY VALVE SIZE: 2" - 12" BODY A395 DUCTILE IRON SEAT: BUNA / VITON / EPDM DISC: 316SS / DI

NEEDLE VALVE



QSPV/QCPV SERIES

6000PSI-10000PSI NEEDLE VALVE 6000PSI@200F SOFT SEAT 10000PSI@200F METAL SEAT 316SS & CARBON STEEL SIZE: 1/4" 1/2" 3/4" 1" MxF, FxF



QSNA/QCNA SERIES

ANGLE NEEDLE VALVE
6000PSI@200F SOFT SEAT
10000PSI@200F METAL SEAT
316SS & CARBON STEEL
SIZE: 1/4" 1/2" MxF



QSMPV/QCMPV SERIES

MULTIPORT NEEDLE VALVE 6000PSI@200F SOFT SEAT 10000PSI@200F METAL SEAT 316SS & CARBON STEEL SIZE: 1/2" 3/4" 1" MxF, FxF



QVBB SERIES

2 VALVE BLOCK & BLEED MANIFOLD 6000PSI@200F SOFT SEAT 316SS & CARBON STEEL SIZE: 1/4" 1/2" 3/4" 1" MxF, FxF



CAST STEEL CHECK VALVE & GATE VALVE & GLOBE VALVE API 6D / API 600 / BS 1868



INDUSTRIAL CHECK VALVE SERIES

BS1868 & BS1873 & API 6D & API 600 CHECK VALVE FULL OPEN SIZE:2" TO 24"

CLASS:150LB TO 2500LB END: RF, RTJ, BW ENDS SWING TYPE

GATE VALVE & GLOBE VALVE SERIES

API 600 & API 6D & ASME B 16.34
OS & Y,OUTSIDE SCREW AND YOKE
BB, BOLTED BONNET
FLEXILE WEDGE, FULLY GUIDED
SIZE:2" TO 42"
TIRM: 1# TO 16#
CLASS:150LB TO 2500LB
FLANGED,RF, RTJ, BW ENDS





GROOVED END CHECK VALVES & BALL VALVES

GRSSCV SERIES

GROOVED END CHECK VALVE
FULL PORT
SIZE:2" 2000PSI
BODY: A351 CF8M
DISC:CF8M, SEAT:PTFE / VITON
NACE MR 0175



GRDICV SERIES

GROOVED END CHECK VALVE FULL PORT SIZE:2" 3" 300-2000PSI BODY: A395 DUCTILE IRON DISC:CF8/CF8M, SEAT:VITON NACE MR 0175





GRBDI SERIES

1000PSI CS GROOVED BALL VALVE REDUCED PORT SIZE:2" 3" 4" BODY:A395 DUCTILE IRON BALL:CF8 / CF8M NACE MR0175



GRBSS SERIES

1000PSI BOLT BODY GROOVED BALL VALVE
FULL PORT
SIZE:3" 4"
BODY:A351 CF8M
BALL:CF8M



GRB SERIES

GROOVED OILFIEID BALL VALVE
REDUCED PORT
SIZE:2" 3" 4" 750 -1000PSI
BODY A395 DUCTILE IRON
LOCKING HANDLE
NACE MR 0175

EUE 8R CHECK VALVES / EUE 8RBALL VALVE



EUESCV SERIES

3000PSI EUE CHECK VALVE FULL OPEN, SIZE:2-7/8" BODY:CF8M, DISC:CF8M,SEAT:VITON NACE MR 0175



F3E SERIES

EUE OIL FIELD BALL VALVE SIZE: 2-3/8" 2-7/8" 3000-5000PSI FULL PORT A105,LF2,F304,F316 LOCKING DEVICE (OPTION)




EUECBV SERIES

EUE 8R BALL VALVE
FULL PORT: 2-3/8" 2-7/8"
2000PSI, 3600PSI
BODY: CS A216 WCB
LOCKING HANDLE
NACE MR 0175

TIV


API 6A GATE VALVE



ACV SERIES

ADJUSTABLE CHOKE VALVE

RATED WORKING PRESSURE:
CAST BODY:2000-5000PSI
FORGED BODY:2000-15000PSI
BORE SIZE: 2-1/16" TO 4-1/16"
TEMPERATURE: K ~ U
MATERIAL CLASSES: EE ~ HH
END CONNECTIONS: FLANGE,THREADED
PRODUCT SPECIFICATION LEVEL: PSL1 ~ PSL4
PERFORMANCE REQUIREMENT: PR1, PR2



6APV SERIES

PLUG VALVE

RATED WORKING PRESSURE:2000-15000PSI BORE SIZE: 1" TO 4" TEMPERATURE: K ~ U MATERIAL CLASSES: EE ~ HH PRODUCT SPECIFICATION LEVEL: PSL1 ~ PSL4 PERFORMANCE REQUIREMENT: PR1, PR2




6AT3 SERIES

API 6A FORGED TRUNNION BALL VALVE

RATED WORKING PRESSURE:2000-10000PSI BORE SIZE: 2-1/16" TO 4-1/16" TEMPERATURE: K ~ U MATERIAL CLASSES: EE ~ HH END CONNECTIONS: FLANGE,THREADED PRODUCT SPECIFICATION LEVEL: PSL1 ~ PSL4 PERFORMANCE REQUIREMENT: PR1, PR2





FC SERIES / M SERIES

SLAB GATE VALVE / EXPANDING GATE VALVE

RATED WORKING PRESSURE:
CAST BODY:2000-5000PSI
FORGED BODY:2000-15000PSI
BORE SIZE: 2-1/16" TO 4-1/16"
TEMPERATURE: K~U
MATERIAL CLASSES: EE~HH
END CONNECTIONS: FLANGE, THREADED
PRODUCT SPECIFICATION LEVEL: PSL1~PSL4
PERFORMANCE REQUIREMENT: PR1, PR2







FIGURE 100 T x T



FIGURE 200 & 206 T x T



FIGURE 602 T x T



FIGURE 400 T x T



FIGURE 602 BW



FIGURE 102 T x T



FIGURE 102 BW



FIGURE 1502 T x T



FIGURE 1502 BW

ACCESSORIES

WWW.GOODBALLVALVES.COM WWW.CNBALLVALVE.COM



OIL COUNTRY FITTINGS

SWAGES & BULL PLUGS STD&XH&XXH ELECTRO ZINC PLATED MSS-SP-95 SIZE: 2 3/8" TO 5 1/2" API 2" TO 3" LP



PIPE NIPPLES

CARBON STEEL A106 STAINLESS STEEL 316SS STD&XH&XXH SIZE:2" - 12"



SWAGE NIPPLE

CARBON STEEL A105 STAINLESS STEEL STD&XH&XXH ELECTRO ZINC PLATED MSS-SP-95 SIZE:1/2" - 4"



BULL PLUG

CARBON STEEL A105 STAINLESS STEEL 316SS STD&XH&XXH ELECTRO ZINC PLATED MSS-SP-95 SIZE:1/2" - 4"



THERMOWELLS

STAINLESS STEEL 304SS & 316SS SIZE: 1/4" 1/2" 3/4" LENGTH:2" 2 1/2" 4" 6" & 8"



SPIRAL WOUND GASKETS

CLASS 150, 300, 600 304SS/316SS GRAPHITE FILLER

SIZE: 1/2" - 24"



GREASE FITTINGS&DRAIN VALVE


CARBON STEEL, STAINLESS STEEL BODY:A105, 304SS, 316SS SIZE: 1/4" 1/2"



RING JOINT GASKETS

STAINLESS STEEL CARBON STEEL TYPE: R, RX & BX SIZE:1/2"-36"






FORGED STEEL FITTINGS ASME B16.11

FORGED STEEL
2000, 3000, 6000LBS
THREADED & SOCKET WELD
ASME B16.11 MSS-SP-83
SIZE:1/8" TO 4"



HEX HEAD PLUG



GOUPLING




TEE



CROSS



OUTLET



HEX BUSHING



45° ELBOW



90° ELBOW



UNION





















РОССИЙСКАЯ ФЕДЕРАЦИЯ

СЕРТИФИКАТ СООТВЕТСТВИЯ

MAYOOMBETK.NL
JOERANG JOENGGO VALVE CO.LTD. Aspec High and now industrial
took Vorgoloog, Wanning-Deglang China 127424. Karada. Tamajan 186.177 80911508. aspec tookspread arente uninjustable som.

Complete Control State Special Control of the Contr

POR_BERCTHOR CEPTIONNICATS CONTREPCTION : 14/02/2013 as 13:02/2019

N C-CNAPTER 1400 TP 1600746

may OK one (ORZE)

nea TH IF his Process

non EXTR











нивранинцени





Note:	

