

# NANNING TAGRM CO., LTD

Tel : 86-771-5384871

Fax : 86-771-5384371

Add:NO.399 Wuxiang Avenue Liangqing District Nanning Guangxi China 530000

E-mail:sale@tagrm.com Mobile:86-18070929871

## SH15 SUGARCANE HARVESTER



### 1.Introduction

#### Application scope:

SH15 series Sugarcane Harvester with four-wheel drive, With good mobility and strong climbing ability, it can travel well in wide range sugarcane field. This machine can be used in plain, mountains and other places. It can work well in different tough field condition.

#### Function:

- 1) It is suitable for separate harvesting in domestic, which refers to reaping and paving sugarcane. Then put sugarcane into sugarcane leaf remover to peel leaves.
- 2) It is mainly applied to harvesting after burning leaf or harvesting with green leaf abroad.

#### Work Feature:

1. The harvester with strong adaptive capacity can cut the cane and pave them on ground.
2. Low perennial root damage rate. The base cutter can cut deep into the soil layer or high stubble to keep good budding rate for next season.
3. The row distance should be larger than 1.2m.
4. With the working speed up to 0.25ha/h, the harvester is high efficient and saves cost.
5. The harvester with full hydraulic operation device is easy and comfortable to operate.

Payment term: T/T 30% advanced, 70% before loading ship.

Delivery lead time: 30 days

Load: 1 sets/40 High Foot Container

Offer expires: 30 days

Remark : price will be change if special pack required

Note: Cost of installation and technical support/training extra.

### 2.Main specifications:

# NANNING TAGRM CO., LTD

Tel : 86-771-5384871


Fax : 86-771-5384371

Add:NO.399 Wuxiang Avenue Liangqing District Nanning Guangxi China 530000

E-mail:sale@tagrm.com Mobile:86-18070929871

|                            |                |                               |                 |
|----------------------------|----------------|-------------------------------|-----------------|
| Model                      | SH15           | Walking drive type            | 4×4             |
| Power                      | 52kw           | Fuel consumption              | ≤12 L/h         |
| Rows space (mm)            | ≥1200(mm)      | Productivity                  | 0.12-0.20 Ha./h |
| Transmission type          | Hydraulic      | Mini ground clearance         | 350mm           |
| Shaft base                 | 2450mm         | Wheel base                    | 1400mm          |
| Range dump angle of header | 35°            | Mini turning radius           | 3500mm          |
| Clutch and brake           | Oil brake      | Cutter diameter (with blade)  | 800mm           |
| Hydraulic Working pressure | 16Mpa          | Broken rate of perennial root | ≤15%            |
| Overall dimension(mm)      | 5600×2300×2750 | Weight                        | 4140KG          |

## 2, Working row space request





# NANNING TAGRM CO., LTD

Tel : 86-771-5384871

Fax : 86-771-5384371

Add:NO.399 Wuxiang Avenue Liangqing District Nanning Guangxi China 530000

E-mail:sale@tagrm.com Mobile:86-18070929871

## 3,Working performance





# NANNING TAGRM CO., LTD

Tel : 86-771-5384871

Fax : 86-771-5384371

Add:NO.399 Wuxiang Avenue Liangqing District Nanning Guangxi China 530000

E-mail:sale@tagrm.com Mobile:86-18070929871



HARVESTING UNDER SOIL



HARVESTING ABOVE SOIL



# NANNING TAGRM CO., LTD

Tel : 86-771-5384871

Fax : 86-771-5384371

Add:NO.399 Wuxiang Avenue Liangqing District Nanning Guangxi China 530000

E-mail:sale@tagrm.com Mobile:86-18070929871



SUGARCANE NEW GERMINATING AFTER HARVESTING