





JUNTAN

PRODUCT CATALOG 





HEBEI JUNTAN METAL PRODUCTS CO.,LTD.

Building in 2007.

Two branch office located in Anping and Shijiazhuang in China

One plant in Anping with Four partners

Tow packaging partners of iron pallet, wooden pallet, wooden case, carton, color box, card

Tow shipping partners of SEA, AIR, DHL, UPS, FEDEX

Export more than 60 containers for building materials supermarkets every year

United States, South Africa, Czech Republic, Israel, South Korea, India, Australia, Brazil, Chile, etc.

Serena Qiao

sales1@jtmetalwiremesh.com

Cel: +86 133 1598 1839


Tel: +86 311 8261 1115

<https://jtmetalwiremesh.en.alibaba.com>


East Industrial Park,
Anping, Hengshui, Hebei,
China, 053600



JUNTAN - WELDED WIRE MESH



JUNTAN - WELDED WIRE MESH



Welded Mesh Sold To
Global Building Market
Construction Site
Shop/ Online



BEST SELLING


WIRE	APERTURE	ROLL	WEIGHT	SURFACE
0.9MM	1.5"	4ft x 50ft	15KGS	hot-dip / electro-galvanized / PVC
0.9MM	1.5"	3ft x 10M	4.8KGS	hot-dip / electro-galvanized / PVC
0.9MM	1.5"	4ft x 10M	6.6KGS	hot-dip / electro-galvanized / PVC
0.9MM	1.5"	5ft x 10M	8.2KGS	hot-dip / electro-galvanized / PVC
1.6MM	2"x4"	4ft x 100ft	20KGS	hot-dip / electro-galvanized / PVC
1.6MM	1.5"x2"	1.2X30M	26KGS	hot-dip / electro-galvanized / PVC
1.6MM	1.5"x4"	4ft x 100ft	24KGS	hot-dip / electro-galvanized / PVC
1.6MM	2"x2"	1.2X30M	23KGS	hot-dip / electro-galvanized / PVC
1.6MM	2.36"	2X30M	32KGS	hot-dip / electro-galvanized / PVC
1.9MM	2"	2X25M	45KGS	hot-dip / electro-galvanized / PVC
1.9MM	2"	1.8X25M	40KGS	hot-dip / electro-galvanized / PVC
1.9MM	2"	1.5X25M	34KGS	hot-dip / electro-galvanized / PVC
1.9MM	2"	1.2X25M	27KGS	hot-dip / electro-galvanized / PVC

JUNTAN - HEXAGONAL WIRE MESH

HEXAGONAL WIRE MESH

REGULAR SPECIFICATION

Galvanized hexagonal wire mesh		
Mesh size		Wire gauge (BWG)
inch	mm	
3/8"	10	32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21
1/2"	13	27, 26, 25, 24, 23, 22, 21, 20
5/8"	16	32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21
3/4"	20	25, 24, 23, 22, 21, 20, 19
1"	25	27, 26, 25, 24, 23, 22, 21, 20, 19, 18
1-1/4"	32	23, 22, 21, 20, 19, 18
1-1/2"	40	23, 22, 21, 20, 19, 18, 17
2"	50	23, 22, 21, 20, 19, 18, 17, 16, 15, 14
2-1/2"	65	21, 20, 19, 18
3"	75	21, 20, 19, 18, 17, 16, 15, 14
4"	100	19, 18, 17, 16, 15, 14
PVC coated hexagonal wire mesh		
Mesh size		Wire diameter (mm)
inch	mm	
3/8"	10	0.4 mm, 0.5 mm, 0.6 mm, 0.8 mm
1/2"	13	0.6 mm, 0.8 mm, 0.9 mm, 1.0 mm
5/8"	16	0.4 mm, 0.5 mm, 0.6 mm, 0.8 mm, 0.9 mm, 1.0 mm
3/4"	19	0.6 mm, 0.8 mm, 0.9 mm, 1.0 mm, 1.2 mm
1"	25	0.7 mm, 0.9 mm, 1.0 mm, 1.2 mm, 1.4 mm
1-1/4"	30	0.85 mm, 1.0 mm, 1.10 mm, 1.30 mm, 1.4 mm
1-1/2"	40	0.8 mm, 1.0 mm, 1.2 mm, 1.4 mm, 1.6 mm
2"	50	1.0 mm, 1.2 mm, 1.4 mm, 1.6 mm, 2.0 mm



JUNTAN - BARBED WIRE / RAZOR WIRE



JUNTAN - BARBED WIRE / RAZOR WIRE




Gauge of Strand and Barb in B.W.G.	Approximate Length per Kilo in Meter			
	Barbs Spacing 3"	Barbs Spacing 4"	Barbs Spacing 5"	Barbs Spacing 6"
12x12	6.0617	6.759	7.27	7.6376
12x14	7.3335	7.9051	8.3015	8.5741
12-1/2x12-1/2	6.9223	7.719	8.3022	8.7221
12-1/2x14	8.1096	8.814	9.2242	9.562
13x13	7.9808	8.899	9.5721	10.0553
13x14	8.8448	9.6899	10.2923	10.7146
13-1/2x14	9.6079	10.6134	11.4705	11.8553
14x14	10.4569	11.659	12.5423	13.1752
14-1/2x14-1/2	11.9875	13.3671	14.3781	15.1034
15x15	13.8927	15.4942	16.6666	17.507
15-1/2x15-1/2	15.3491	17.1144	18.406	19.3386




Model	Thickness	Wire Diameter	Length	Width	Spacing
BTO-10	0.5±0.05mm	2.5±0.1mm	12±1mm	13mm	26mm
BTO-12	0.5±0.05mm	2.5±0.1mm	12±1mm	15mm	26mm
BTO-18	0.5±0.05mm	2.5±0.1mm	18±1mm	15mm	33mm
BTO-22	0.5±0.05mm	2.5±0.1mm	22±1mm	15mm	34mm
BTO-28	0.5±0.05mm	2.5±0.1mm	28±1mm	15mm	34mm
BTO-30	0.5±0.05mm	2.5±0.1mm	30±1mm	18mm	34mm
CBT-60	0.6±0.05mm	2.5±0.1mm	60±1mm	32mm	96mm
CBT-65	0.6±0.05mm	2.5±0.1mm	65±1mm	21mm	100mm



JUNTAN - WAREHOUSE



JUNTAN - CUSTOM PACKAGING



JUNTAN - LOADING CONTAINER

