

# Epoxy Putty

Glue

## Usage



1. Thoroughly clean and roughen surface to be bonded.



2. Cut off suitable amounts from putty roll with a sharp instrument.



3. Until putty achieves a uniform color with no striations.



4. Apply and let's cure enough.



5. After applying wash hands thoroughly with soap and water.



Cu'ft:  
N.W.:  
G.W.:



Cu'ft:  
N.W.:  
G.W.:



Cu'ft:  
N.W.:  
G.W.:



Cu'ft:  
N.W.:  
G.W.:

### EP-114AQ

Epoxy Putty-Aqua  
12 pcs/ inner box  
8 inner boxes/ CTN.

Epoxy Putty-21 x 180mm  
114g/ 1pc in PET tube

### EP-114CP

Epoxy Putty-Copper  
12 pcs/ inner box  
8 inner boxes/ CTN.

Epoxy Putty-21 x 180mm  
114g/ 1pc in PET tube

### EP-114AL

Epoxy Putty-Aluminium  
12 pcs/ inner box  
8 inner boxes/ CTN.

Epoxy Putty-21 x 180mm  
114g/ 1pc in PET tube

### EP-114M

Epoxy Putty-Multi  
12 pcs/ inner box  
8 inner boxes/ CTN.

Epoxy Putty-21 x 180mm  
114g/ 1pc in PET tube



Cu'ft:  
N.W.:  
G.W.:



Cu'ft:  
N.W.:  
G.W.:



Cu'ft:  
N.W.:  
G.W.:

### EP-114SL

Epoxy Putty-Steel  
12 pcs/ inner box  
8 inner boxes/ CTN.

Epoxy Putty-21 x 180mm  
114g/ 1pc in PET tube

### EP-114ST

Epoxy Putty-Stone  
12 pcs/ inner box  
8 inner boxes/ CTN.

Epoxy Putty-21 x 180mm  
114g/ 1pc in PET tube

### EP-114WD

Epoxy Putty-Wood  
12 pcs/ inner box  
8 inner boxes/ CTN.

Epoxy Putty-21 x 180mm  
114g/ 1pc in PET tube

# Epoxy Putty

Glue

Cu'ft.:2.05'  
N.W.:12.8kgs  
G.W.:13.8kgs



## EP-57M01

Epoxy Putty-Multi  
12 cards/ inner box  
12 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube



Cu'ft.:2.05'  
N.W.:12.8kgs  
G.W.:13.8kgs



Cu'ft.:2.05'  
N.W.:12.8kgs  
G.W.:13.8kgs



Cu'ft.:2.05'  
N.W.:12.8kgs  
G.W.:13.8kgs

## EP-57AQ01

Epoxy Putty-Aqua  
12 cards/ inner box  
12 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube

## EP-57CP01

Epoxy Putty-Copper  
12 cards/ inner box  
12 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube

## EP-57AL01

Epoxy Putty-Aluminium  
12 cards/ inner box  
12 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube



Cu'ft.:2.05'  
N.W.:12.8kgs  
G.W.:13.8kgs



Cu'ft.:2.05'  
N.W.:12.8kgs  
G.W.:13.8kgs



Cu'ft.:2.05'  
N.W.:12.8kgs  
G.W.:13.8kgs

## EP-57SL01

Epoxy Putty-Steel  
12 cards/ inner box  
12 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube

## EP-57ST01

Epoxy Putty-Stone  
12 cards/ inner box  
12 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube

## EP-57WD01

Epoxy Putty-Wood  
12 cards/ inner box  
12 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube


# Usage



Aqua



Aluminum



Steel



Wood



Stone



Copper

Glue




1. Thoroughly clean and roughen surface to be bonded.



2. Cut off suitable amounts from putty roll with a sharp instrument.



3. Until putty achieves a uniform color with no striations.



4. Apply and let's cure enough.



5. After applying wash hands thoroughly with soap and water.



Cu'ft:  
N.W.:  
G.W.:

## EP-57M

Epoxy Putty-Multi  
24 pcs/ inner box  
6 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube



Cu'ft:  
N.W.:  
G.W.:

## EP-57AQ

Epoxy Putty-Aqua  
24 pcs/ inner box  
6 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube



Cu'ft:  
N.W.:  
G.W.:

## EP-57CP

Epoxy Putty-Copper  
24 pcs/ inner box  
6 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube



Cu'ft:  
N.W.:  
G.W.:

## EP-57AL

Epoxy Putty-Aluminium  
24 pcs/ inner box  
6 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube



Cu'ft:  
N.W.:  
G.W.:

## EP-57SL

Epoxy Putty-Steel  
24 pcs/ inner box  
6 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube



Cu'ft:  
N.W.:  
G.W.:

## EP-57ST

Epoxy Putty-Stone  
24 pcs/ inner box  
6 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube



Cu'ft:  
N.W.:  
G.W.:

## EP-57WD

Epoxy Putty-Wood  
24 pcs/ inner box  
6 inner boxes/ CTN.

Epoxy Putty-21 x 90mm  
57g/ 1pc in PET tube