

Langrui energy (ShenZhen) Co., Ltd

Polymer lithium battery model table

No.	Thicknes s * width * length	Model NO.	Nominal Capacity mAh	Nominal Voltage V	Nominal Impedance mΩ	Approx. Weight ≈g	T/mm	W/mm	L/mm
							+0.1 -0.3	+0.5 -0.5	+0.5 -0.5
1	**1015	601015PL (5C)	60	3.7	450		6.0	10.0	15.0
2	**1040	501040PL	150	3.7	250	3.0	5.0	10.0	40.0
3	**1044	301044PL	110	3.7	250	2.8	3.0	10.0	44.0
4	**1048	501048PL (5C)	200	3.7	150	3.9	5.0	10.0	48.0
5		601048PL (3C)	200	3.7	150	3.9	6.0	10.0	48.0
6	**1140	601140PL (10C)	180	3.7	140		6.0	11.0	40.0
7	**1144	551144PL	250	3.7	150	4.9	5.5	11.0	44.0
8	**1153	591153PL	350	3.7	130	6.5	5.9	11.0	53.0
9	**1165	451165PL	300	3.7	120	5.8	4.5	11.0	65.0
10	**1218	521218PL (5C)	60	3.7	300		5.2	12.0	18.0
11	**1219	901219PL (10C)	150	3.7	200		9.0	12.0	19.0
12	**1220	501220PL	80	3.7	300	1.6	5.0	12.0	20.0
13		601220PL	95	3.7	300	2.0	6.0	12.0	20.0
14	**1221	301221PL	40	3.7	500	1.0	4.0	12.0	15.0
15	**1224	601224PL	130	3.7	250		6.0	12.0	24.0
16		701224PL	145	3.7	250	2.9	7.0	12.0	24.0
17	**1230	401230PL	115	3.7	200		4.0	12.0	30.0
18		501230PL (3C)	130	3.7	200	2.8	5.0	12.0	30.0
19	**1244	501244PL (15C)	200	3.7	130	4.0	5.4	12.0	44.0
20		541244PL (10C)	240	3.7	120	4.9	5.4	12.0	44.0
21	**1248	601248PL (3C)	250	3.7	120	5.0	6.0	12.0	48.0
22		651248PL	330	3.7	150	6.2	6.0	12.0	48.0
23		701248PL	350	3.7	140	6.5	7.0	12.0	48.0
24	**1252	291252PL	150	3.7	200	3.1	2.9	12.0	52.0
25	**1255	791255PL	500	3.7	120	9.3	7.9	12.0	55.0
26	**1259	601259PL	400	3.7	100		6.0	12.0	59.0
27	**1260	451260PL	330	3.7	100		4.5	12.0	60.0
28	**1323	581323PL	130	3.7	280	2.7	5.8	13.0	23.0
29	**1325	321325HV	85	3.8	300	1.8	3.2	13.0	25.0
30	**1335	751335PL (10C)	280	3.7	100	5.5	5.8	13.0	23.0
31	**1340	751340PL (10C)	350	3.7	90		7.5	13.0	40.0
32	**1345	501345PL (10C)	240	3.7	120	4.9	5.0	13.0	45.0
33		701345PL (10C)	300	3.7	100	5.7	7.0	13.0	45.0
34		701345PL	400	3.7	120	7.5	7.0	13.0	45.0
35	**1360	701360PL (10C)	500	3.7	100	9.6	7.0	13.0	60.0
36	**1423	351423PL	90	3.7	250	4.2	3.5	14.0	23.0
37	**1430	491430PL	150	3.7	180		4.9	14.0	30.0
38		701430PL	220	3.7	150	4.2	7.0	14.0	30.0

39	**1435	551435PL (10C)	230	3.7	120	4.9	5.5	14.0	35.0
40		701435PL (10C)	300	3.7	100	5.7	7.0	14.0	35.0
41	**1437	801437PL (10C)	380	3.7	90	7.4	8.0	14.0	37.0
42	**1444	601444PL (10C)	350	3.7	90	7.1	6.0	14.0	44.0
43	**1445	901445PL (10C)	480	3.7	80	9.0	9.0	14.0	45.0
44		901445PL	500	3.7	90		9.0	14.0	45.0
45	**1447	501447PL (10C)	280	3.7	90	5.5	5.0	14.0	47.0
46		501447PL (10C)	300	3.7	90	5.7	5.0	14.0	47.0
47	**1454	301454PL	175	3.7	180	3.7	3.0	14.0	54.0
48		351454PL	220	3.7	180	4.2	3.5	14.0	54.0
49		681454PL	450	3.7	120	8.6	6.8	14.0	54.0
50	**1455	301455PL	180	3.7	180	3.7	3.0	14.0	55.0
51	**1470	721470PL (5C)	750	3.7	80		7.2	14.0	70.0
52	**1515	401515PL	50	3.7	600	1.1	4.0	15.0	15.0
53	**1517	401517HV (15C)	60	3.7	400	1.2	4.0	15.0	17.0
54	**1519	301519PL	55	3.7	500	1.1	3.0	15.0	19.0
55		441519PL	95	3.7	450	2.0	4.5	15.0	19.0
56	**1520	351520PL	80	3.7	250		3.5	15.0	20.0
57	**1523	401523PL	120	3.7	350	2.5	4.0	15.0	23.0
58	**1525	301525PL	75	3.7	350	1.6	3.0	15.0	25.0
59		351525PL	110	3.8	300	2.4	3.5	15.0	25.0
60		351525HV	120	3.8	300	2.4	3.5	15.0	25.0
61		401525PL (3C)	110	3.7	250	2.5	4.0	15.0	25.0
62		451525PL	150	3.7	200	3.1	4.5	15.0	25.0
63		501525PL	140	3.7	200	2.9	5.0	15.0	25.0
64		701525HV	280	3.8	120		7.0	15.0	25.0
65		751525PL	240	3.7	150		7.5	15.0	25.0
66	901525PL	300	3.7	150	6.5	9.0	15.0	25.0	
67	**1529	441529PL	160	3.7	180	3.2	4.4	15.0	29.0
68	**1535	551535PL	250	3.7	150	4.7	5.5	15.0	35.0
69	**1540	401540PL	190	3.7	180	3.7	4.0	15.0	40.0
70		401540PL	220	3.7	180	3.7	4.0	15.0	40.0
71		501540PL	300	3.7	150	5.6	5.0	15.0	40.0
72		551540PL	340	3.7	120		5.5	15.0	40.0
73		701540PL	420	3.7	100	7.5	7.0	15.0	40.0
74	**1544	391544PL	250	3.7	120	4.5	3.9	15.0	44.0
75	**1546	601546PL (5C)	400	3.7	90	7.5	6.0	15.0	46.0
76		601546HV	400	3.8	120	7.3	6.0	15.0	46.0
77	**1548	601548HV	400	3.8	120	7.3	6.0	15.0	48.0
78	**1550	501550PL (10C)	350	3.7	90	6.8	5.0	15.0	50.0
79	**1555	501555PL	450	3.7	90	7.2	5.0	15.0	55.0
80	**1556	501556PL (10C)	400	3.7	90	6.8	5.0	15.0	56.0
81	**1572	501572PL	620	3.7	80		5.0	15.0	72.0
82	**1623	401623PL	130	3.7	200		4.0	16.0	23.0
83	**1629	451629PL	200	3.7	150	3.9	4.5	16.0	29.0
84	**1633	361633PL	155	3.7	200	3.1	3.6	16.0	33.0

85	**1634	321634PL	155	3.7	200	3.1	3.2	16.0	34.0
86	**1635	501635PL	280	3.7	150		5.0	16.0	35.0
87		731635PL	400	3.7	100	6.8	7.3	16.0	35.0
88	**1653	321653PL	280	3.7	120		3.2	16.0	53.0
89	**1655	851655HV (3C)	850		90		8.5	16.0	55.0
90		851655HV	950	3.7	100	17.2	8.5	16.0	55.0
91	**1660	651660PL (5C)	600	3.7	80	11.0	6.5	16.0	60.0
92	**1664	661664PL	720	3.7	90	13.5	6.6	16.0	64.0
93	**1668	301668PL	300	3.7	100	6.6	3.0	16.0	68.0
94	**1717	451717PL	70	3.7	500	1.6	4.5	17.0	17.0
95		601717PL	100	3.7	450	2.2	6.0	17.0	17.0
96	**1722	601722PL	180	3.7	200	3.5	6.0	17.0	22.0
97	**1725	351725PL	130	3.7	200	3.0	3.5	17.0	25.0
98		601725PL	220	3.7	160	4.2	6.0	17.0	25.0
99		751725PL	300	3.7	120		7.5	17.0	25.0
100	**1730	301730PL	100	3.7	220	2.4	3.0	17.0	30.0
101		301730PL	110	3.7	220	2.5	3.0	17.0	30.0
102		321730PL	100	3.7	220	2.4	3.2	17.0	30.0
103		401730PL	150	3.7	200	3.2	4.0	17.0	30.0
104		451730PL	200	3.7	150	3.5	4.5	17.0	30.0
105		521730HV	280	3.8	150	5.4	5.2	17.0	30.0
106		651730PL	280	3.8	150	5.4	6.5	17.0	30.0
107	**1731	751731PL (10C)	350	3.7	120	7.2	7.5	17.0	31.0
108	**1735	471735PL	260	3.7	120	7.5	7.0	17.0	52.0
109		701735PL	400	3.7	120	7.5	7.0	17.0	52.0
110	**1738	601738PL	350	3.7	120	7.1	6.0	17.0	38.0
111		801738PL	530	3.7	100		8.0	17.0	38.0
112	**1740	501740PL	320	3.7	130	5.8	5.0	17.0	40.0
113	**1747	601747PL	480	3.7	100		6.0	17.0	48.0
114	**1752	331752PL	300	3.7	150	5.3	3.3	17.0	52.0
115	**1764	241764PL	260	3.7	120		2.4	17.0	64.0
116	**1818	391818PL	95	3.7	250		3.9	18.0	18.0
117	**1819	431819HV (15C)	85	3.8	250	1.8	4.3	18.0	19.0
118	**1820	301820PL	80	3.7	300	1.6	3.0	18.0	20.0
119	**1822	531822PL	200	3.7	150		5.3	18.0	22.0
120	**1827	451827PL	200	3.7	120		4.5	18.0	27.0
121	**1828	411828PL	190	3.7	180		4.1	18.0	28.0
122		551828PL	280	3.7	180	5.5	5.5	18.0	28.0
123	**1833	601833PL	300	3.7	160	5.8	6.0	18.0	33.0
124		851833PL (10C)	420	3.7	100		8.5	18.0	33.0
125	**1838	751838PL	550	3.7	100		7.5	18.0	38.0
126	**1841	851841PL	600	3.7	100	11.0	8.5	18.0	41.0
127	**1842	461842PL	260	3.7	150	5.2	4.6	18.0	42.0
128	**1846	401846HV	400	3.8	100		4.0	18.0	46.0
129	**1860	651860PL (5C)	650	3.7	80	12.0	6.5	18.0	60.0
130	**1865	261865PL	330	3.7	100		2.6	18.0	65.0

131	**1865	261865HV	360	3.8	100		2.6	18.0	65.0
132	**1867	121867PL	1200	3.7	80		12.0	18.0	67.0
133	**1880	501880PL	900	3.7	80		5.0	18.0	80.0
134	**1928	501928HV	280	3.8	120	5.6	5.0	19.0	28.0
135	**1935	501935PL	300	3.7			5.0	19.0	35.0
136	**1942	731942PL	500	3.7	100	9.9	7.3	19.0	42.0
137	**1950	731950PL	700	3.7	100	12.0	7.3	19.0	50.0
138	**1965	551965PL	800	3.7	90		5.5	19.0	65.0
139	**2018	522018PL	160	3.7	180	3.3	5.2	20.0	18.0
140	**2020	502020PL	150	3.7	180	3.2	5.0	20.0	20.0
141		602020PL	180	3.7	180	3.8	6.0	20.0	20.0
142		602020PL (5C)	180	3.7	150	3.8	6.0	20.0	20.0
143		752020PL	230	3.7	180	4.4	7.5	20.0	20.0
144	**2022	302022PL	100	3.7	250		3.0	20.0	22.0
145	**2023	452023PL	150	3.7	220	3.1	4.5	20.0	23.0
146	**2024	422024PL	180	3.7	150	3.7	4.2	20.0	24.0
147		502024PL	190	3.7	200	3.7	5.0	20.0	24.0
148		652024PL	250	3.7	180	4.8	6.5	20.0	24.0
149		792024PL	350	3.7	160	6.5	7.9	20.0	24.0
150	**2025	302025PL	120	3.7	220	3.0	3.0	20.0	25.0
151		402025PL	190	3.7	180	3.9	4.0	20.0	25.0
152		502025PL	200	3.7	180	3.9	5.0	20.0	25.0
153		502025PL	230	3.7	180	4.4	5.0	20.0	25.0
154		502025PL (3C)	240	3.7	150		5.0	20.0	25.0
155		702025PL	300	3.7	150	5.8	7.0	20.0	25.0
156	**2026	702026PL (15C)	220	3.7	150	4.3	7.0	20.0	26.0
157	**2028	302028PL	140	3.7	200	2.8	3.0	20.0	28.0
158		402028PL	180	3.7	180	3.7	4.0	20.0	28.0
159		502028PL	240	3.7	150	4.5	5.0	20.0	28.0
160		752028PL (10C)	300	3.7	120	5.8	7.5	20.0	28.0
161	**2030	302030PL	120	3.7	250		3.0	20.0	30.0
162		402030PL	150	3.7	200	3.3	4.0	20.0	30.0
163		402030PL	180	3.7	180	3.5	4.0	20.0	30.0
164		402030PL (3C)	180	3.7	160	3.6	4.0	20.0	30.0
165		402030PL	200	3.7	160	4.0	4.0	20.0	30.0
166		502030PL	220	3.7	180	4.2	5.0	20.0	30.0
167		502030PL	250	3.7	150	4.9	5.0	20.0	30.0
168		552030HV	320	3.7	150	6.0	6.0	20.0	30.0
169		602030PL (10C)	250	3.7	120	5.2	6.0	20.0	30.0
170		602030PL	300	3.7	150	5.8	6.0	20.0	30.0
171		622030PL	350	3.7	100	6.3	6.2	20.0	30.0
172		702030PL	380	3.7	130	7.3	7.0	20.0	30.0
173		782030PL	420	3.7	120	7.7	7.8	20.0	30.0
174		802030PL	400	3.7	120	7.7	8.0	20.0	30.0
175		802030PL	430	3.7	120	7.9	8.0	20.0	30.0
176		902030PL	500	3.7	120	9.2	9.0	20.0	30.0

177		952030PL	600	3.7	100	10.9	9.5	20.0	30.0
178		102030PL (15C)	500	3.7	100	10.9	10.0	20.0	30.0
179	**2035	302035PL	180	3.7	150	3.5	3.0	20.0	35.0
180		352035PL	200	3.7	150	3.8	3.5	20.0	35.0
181		402035PL	250	3.7	150	4.4	4.0	20.0	35.0
182		502035PL	310	3.7	150	5.8	5.0	20.0	35.0
183		552035PL	350	3.7	130	6.6	5.0	20.0	35.0
184		602035PL	350	3.7	130	6.8	6.0	20.0	35.0
185		602035PL (10C)	370	3.7	90	6.8	6.0	20.0	35.0
186		602035PL	400	3.7	120	7.5	6.0	20.0	35.0
187		702035PL	350	3.7	130	8.0	7.0	20.0	35.0
188		702035PL	450	3.7	120	8.3	7.0	20.0	35.0
189		752035PL	500	3.7	120	9.2	7.5	20.0	35.0
190		782035PL	550	3.7	120	10.0	7.8	20.0	35.0
191		802035PL (10C)	450	3.7	100	8.5	8.0	20.0	35.0
192		802035PL	500	3.7	120	9.2	8.0	20.0	35.0
193		802035PL (10C)	500	3.7	100	9.2	8.0	20.0	35.0
194	**2036	402036PL	300	3.7	100		4.0	20.0	36.0
195	**2038	502038PL	350	3.7	120	6.7	5.0	20.0	38.0
196	**2040	302040PL	230	3.7	150	4.2	3.0	20.0	40.0
197		402040PL	300	3.7	120	5.8	4.0	20.0	40.0
198		602040PL	400	3.7	130	8.4	6.0	20.0	40.0
199		602040PL	450	3.7	100	6.8	6.0	20.0	40.0
200		602040PL (10C)	450	3.7	90	8.7	6.0	20.0	40.0
201		652040PL (3C)	450	3.7	100	8.6	6.5	20.0	40.0
202		802040PL	650	3.7	100	12.0	8.0	20.0	40.0
203		802040PL (3C)	650	3.7	100	11.5	8.0	20.0	40.0
204	902040PL	620	3.7	100	12.0	9.0	20.0	40.0	
205	**2045	602045PL (10C)	450	3.7	90	8.7	6.0	20.0	45.0
206		602045PL	500	3.7	100	9.3	6.0	20.0	45.0
207		802045PL	700	3.7	90	12.7	8.0	20.0	45.0
208	**2050	302050PL	300	3.7	90		3.0	20.0	50.0
209		402050PL	400	3.7	90	8.0	4.0	20.0	50.0
210		502050PL	510	3.7	90	9.5	5.0	20.0	50.0
211		652050PL (3C)	560	3.7	80	10.8	6.5	20.0	50.0
212		652050PL (5C)	600	3.7	80	11.6	6.5	20.0	50.0
213		752050PL	800	3.7	80	14.5	7.5	20.0	50.0
214		902050PL	800	3.7	120	15.5	9.0	20.0	50.0
215		102050PL	1000	3.7	90	17.6	10.0	20.0	50.0
216	**2056	802056PL	1000	3.7	80	17.5	8.0	20.0	56.0
217	**2058	552058PL	760	3.7	90	12.5	5.5	20.0	58.0
218	**2058	602058PL	830	3.7	80		6.0	20.0	58.0
219	**2059	482059PL	560	3.7	100	10.5	4.8	20.0	59.0
220		752059PL	900	3.7	90	16.2	7.5	20.0	59.0
221		752059PL	1000	3.7	80	17.2	7.5	20.0	59.0

222	**2060	582060PL	800	3.7	80		5.8	20.0	60.0
223		602060HV	1000	3.8	80	15.5	6.0	20.0	60.0
224	**2063	602063HV	1000	3.8	80	15.5	6.0	20.0	63.0
225	**2065	802065PL	1100	3.7	90	19.3	8.0	20.0	65.0
226	**2068	502068PL	820	3.7	80		5.0	20.0	68.0
227	**2070	302070PL	420	3.7	80	8.7	3.0	20.0	70.0
228		502070HV	920	3.8	80	15.5	5.0	20.0	70.0
229	**2079	532079PL	930	3.7	80	14.5	5.3	20.0	79.0
230	**2080	512080PL	1000	3.7	80		5.1	20.0	80.0
231	**2121	102121HV (6C)	400	3.8	80		10.0	21.0	21.0
232	**2125	502125PL	230	3.7	150	4.2	5.0	21.0	25.0
233	**2126	652126PL	300	3.7	150	5.5	6.5	21.0	26.0
234	**2130	102130PL (5C)	650	3.7	80		10.5	21.0	30.0
235	**2138	952138PL (5C)	730	3.7	80	15.8	9.5	21.0	42.0
236	**2142	952142PL (5C)	850	3.7	80	15.8	9.5	21.0	42.0
237	**2143	952143PL (5C)	900	3.7	80	16.4	9.5	21.0	43.0
238	**2167	452167HV	800	3.8	90	12.6	4.5	21.0	67.0
239	**2223	362223PL	170	3.7	180		3.6	22.0	23.0
240	**2224	362224PL	180	3.7	180	3.4	3.6	22.0	24.0
241	**2227	512227PL	310	3.7	100	5.7	5.1	22.0	27.0
242	**2230	302230PL	180	3.7	150	3.5	3.0	22.0	30.0
243	**2233	982233HV	780	3.8	80		9.8	22.0	33.0
244	**2234	552234PL (10C)	350	3.7	100	7.0	5.5	22.0	34.0
245	**2235	402235PL	320	3.7	100	5.5	4.0	22.0	35.0
246	**2240	552240PL (10C)	420	3.7	80	8.7	5.5	22.0	40.0
247		602240PL	450	3.7	100	8.8	6.0	22.0	40.0
248		902240PL	860	3.7	90		9.0	22.0	40.0
249	**2245	852245HV	1100	3.8	80	16.5	8.5	22.0	45.0
250	**2248	502248PL	500	3.7	100	9.6	5.0	22.0	48.0
251		602248PL	600	3.7	90	11.6	6.0	22.0	48.0
252	**2253	902253PL	1200	3.7	80	20.3	9.0	22.0	53.0
253	**2260	282260PL	360	3.7	120	7.0	2.8	22.0	60.0
254		402260PL	500	3.7	100	9.5	4.0	22.0	60.0
255		592260HV	950	3.8	80	15.2	5.9	22.0	60.0
256		602260PL	900	3.7	80	15.5	6.0	22.0	60.0
257	**2265	752265PL (3C)	1250	3.7	60		7.5	22.0	65.0
258	**2270	582270HV	1250	3.8	60		5.8	22.0	70.0
259	**2278	482278PL	1000	3.7	80	16.0	4.8	22.0	78.0
260	**2322	402322PL	160	3.7	200	3.2	4.0	23.0	22.0
261	**2323	762323PL	350	3.7	150	6.3	7.6	23.0	22.0
262	**2353	852353HV	1500	3.8	60		8.5	23.0	53.0
263	**2367	522367PL	950	3.7	80	15.5	5.2	23.0	67.0
264	**2379	432379HV	1050	3.8	90	16.5	4.3	23.0	79.0
265		482379HN	1200	3.8	90		4.8	23.0	79.0
266	**2426	402426PL	260	3.7	100	4.5	4.0	24.0	26.0
267		482426PL	300	3.7	100		4.8	24.0	26.0

268	**2427	382427PL	240	3.7	150	4.3	3.8	23.0	27.0
269	**2430	302430PL	200	3.7	250		3.0	24.0	30.0
270	**2436	102436HV (3C)	950	3.8	100	16.0	10.0	24.0	36.0
271		102436HV	1000	3.8	100	16.0	10.0	24.0	36.0
272	**2442	112442PL	1250	3.7	90	21.2	11.0	24.0	42.0
273	**2448	112448PL	1450	3.7	90	23.5	11.0	24.0	48.0
274	**2460	122460HV	2200	3.8	80		12.0	24.0	60.0
275	**2480	402480PL	800	3.7	90	14.5	4.0	24.0	80.0
276	**2526	382526PL	260	3.7	100		3.8	25.0	26.0
277		482526PL	300	3.7	100	5.8	4.8	25.0	26.0
278	**2530	302530PL	180	3.7	180	3.5	3.0	25.0	30.0
279		402530PL	300	3.7	120	5.2	4.0	25.0	30.0
280		402530PL (3C)	300	3.7	100		4.0	25.0	30.0
281		502530PL	300	3.7	140	5.9	5.0	25.0	30.0
282		602530PL	400	3.7	120	7.6	6.0	25.0	30.0
283		702530PL	500	3.7	120	9.0	7.0	25.0	30.0
284		802530PL	500	3.7	120	10.2	8.0	25.0	30.0
285		802530PL	550	3.7	120	10.2	8.0	25.0	30.0
286		802530PL	600	3.7	100	10.3	8.0	25.0	30.0
287		902530PL	600	3.7	120	11.2	9.0	25.0	30.0
288		902530PL (3C)	650	3.7	90	11.5	9.0	25.0	30.0
289		**2531	672531PL	550	3.7	120	9.5	6.0	25.0
290	**2532	612532PL	500	3.7	100		6.1	25.0	32.0
291	**2533	342533PL	270	3.7	120		3.4	25.0	33.0
292	**2535	342535PL	270	3.7	100	4.8	3.4	25.0	35.0
293		392535PL	360	3.7	100		3.9	25.0	35.0
294		452535PL (3C)	350	3.7	100	6.8	4.5	25.0	35.0
295		502535PL	400	3.7	120	7.6	5.0	25.0	35.0
296		502535PL (3C)	400	3.7	100	7.5	6.0	25.0	35.0
297		552535PL	400	3.7	120	8.3	5.5	25.0	35.0
298		552535PL(3C)	400	3.7	120	8.2	5.5	25.0	35.0
299		552535PL(3C)	450	3.7	100	8.7	5.5	25.0	35.0
300		552535PL	500	3.7	120	8.6	5.5	25.0	35.0
301		602535PL	500	3.7	120	9.5	6.0	25.0	35.0
302		602535PL (MT)	500	3.7	120	9.0	6.0	25.0	35.0
303		602535PL (3C)	500	3.7	100	9.4	6.0	25.0	35.0
304		602535PL	600	3.7	100	10.5	6.0	25.0	35.0
305		752535PL	550	3.7	100	10.8	7.5	25.0	35.0
306		752535PL	700	3.7	100	12.2	7.5	25.0	35.0
307		802535PL	700	3.7	100	12.5	8.0	25.0	35.0
308		902535PL	800	3.7	100	13.8	9.0	25.0	35.0
309		102535PL (5C)	800	3.7	80	14.7	10.0	25.0	35.0
310	**2537	902537PL	950	3.7	80		9.0	25.0	37.0
311		502540PL	500	3.7	100	9.2	5.0	25.0	40.0
312		532540PL	500	3.7	110	9.4	5.3	25.0	40.0
313		602540PL	600	3.7	100	10.7	6.0	25.0	40.0

314	**2540	602540PL (5C)	600	3.7	80	10.8	6.0	25.0	40.0
315		902540PL	900	3.7	80	15.2	9.0	25.0	40.0
316		102540PL (10C)	900	3.7	70	16.6	10.0	25.0	40.0
317		102540PL	1200	3.7	80	19.0	10.0	25.0	40.0
318	**2543	102543PL (10C)	950	3.7	60	18.5	10.0	25.0	43.0
319	**2545	352545PL	420	3.7	80		3.5	25.0	45.0
320	**2550	322550PL	340	3.7	100	7.1	3.2	25.0	50.0
321	**2555	502555PL	760	3.7	90	12.8	5.0	25.0	55.0
322		752555HV	1400	3.8	80		7.5	25.0	55.0
323	**2561	402561PL	600	3.7	90	11.0	4.0	25.0	61.0
324		402561PL	700	3.7	90	12.0	4.0	25.0	61.0
325	**2562	302562PL	420	3.7	90		3.0	25.0	62.0
326		382562PL	700	3.7	90	12.0	3.8	25.0	62.0
327	**2568	552568PL	1100	3.7	80	18.2	5.5	25.0	68.0
328	**2590	352590PL	800	3.7	80		3.5	25.0	90.0
329	**2624	402624HV	250	3.8	150	4.2	6.0	26.0	24.0
330	**2625	392625HV	280	3.8	120	5.6	3.8	26.0	25.0
331		602625PL	400	3.7	150	7.0	6.0	26.0	25.0
332	**2626	412626HV	300	3.8	100		4.1	26.0	26.0
333		582626PL	400	3.7	150	7.1	5.8	26.0	26.0
334		602626PL	400	3.7	150	7.1	6.0	26.0	26.0
335	**2627	452627PL	300	3.7	100		4.5	26.0	27.0
336	**2628	582628PL	400	3.7	150	7.3	5.8	26.0	28.0
337	**2629	462629HV	430	3.8	120		4.6	26.0	29.0
338	**2631	452631PL	350	3.7	120	6.5	4.5	23.0	61.0
339	**2650	352650HV	550	3.8	120		3.5	26.0	50.0
340	**2654	272654PL	330	3.7	120	6.6	2.7	26.0	54.0
341	**2670	452670PL (3C)	1000	3.7	80		4.5	26.0	70.0
342	**2671	122671PL	2800	3.7	60		11.8	26.0	71.0
343	**2672	682672PL	1200	3.7	80	23.0	6.8	26.0	72.0
344	**2725	392725PL	230	3.7	150	4.3	3.9	27.0	25.0
345		452725PL	300	3.7	150	5.4	4.5	27.0	25.0
346		502725HV	360	3.8	150	5.8	5.0	27.0	25.0
347	**2728	502728PL	380	3.7	150	6.8	5.0	27.0	28.0
348		582728PL	350	3.7	150	7.2	5.8	27.0	28.0
349		582728PL	400	3.7	130	7.6	5.8	27.0	28.0
350	**2729	632729PL	560	3.7	90	10.0	6.3	27.0	29.0
351	**2730	902730HV	850	3.8	100	13.3	9.0	27.0	30.0
352	**2732	102732PL	950	3.7	120	16.3	10.0	27.0	32.0
353	**2743	352743PL	430	3.7	120	8.0	3.5	27.0	43.0
354		402743PL	400	3.7	120	7.6	4.0	27.0	43.0
355	**2750	852750HV	1600	3.8	80		8.5	27.0	50.0
356	**2755	502755PL	800	3.7	80	14.4	5.0	27.0	55.0
357	**2828	352828PL	220	3.7	150	4.3	3.5	28.0	28.0
358		412828HV	400	3.8	100	7.6	4.1	28.0	28.0
359		622828HV	600	3.8	90	10.5	6.2	28.0	28.0

360	**2830	312830PL	250	3.7	120	4.2	3.1	28.0	30.0
361		502830PL	380	3.7	120	7.5	5.0	28.0	30.0
362		962830PL	850	3.7	80		9.6	28.0	30.0
363		972830PL (3C)	800	3.7	80	14.1	9.7	28.0	30.0
364	**2832	332832PL	250	3.7	120	5.0	3.3	28.0	32.0
365		502832HV	490	3.8	100	8.0	5.0	28.0	32.0
366		632832HB	800	3.85	90		6.3	28.0	32.0
367		802832PL	800	3.7	90	14.5	8.0	28.0	32.0
368		932832HV	1000	3.8	90	15.6	9.3	28.0	32.0
369	**2833	952833PL	1000	3.7	100	15.8	9.5	28.0	33.0
370	**2835	402835HV	450	3.8	100	7.7	4.0	28.0	35.0
371		702835PL	750	3.7	90	13.1	7.0	28.0	35.0
372	**2836	702836PL	750	3.7	90	13.1	7.0	28.0	37.0
373	**2838	702838PL	800	3.7	90	13.4	7.0	28.0	38.0
374	**2854	552854PL	900	3.7	80	16.2	5.5	28.0	54.0
375	**2867	502867PL	960	3.7	80		5.0	28.0	67.0
376	**2870	302870PL	650	3.7	80	12.5	3.0	28.0	70.0
377	**2936	122936HV	1900	3.8	80		12.0	29.0	36.0
378	**2928	502928PL	400	3.7	100	7.2	5.0	29.0	28.0
379	**2948	482948PL	650	3.7	80	12.3	4.8	29.0	48.0
380	**2951	432951PL	720	3.7	80	13.0	4.3	29.0	51.0
381	**2954	452954PL	750	3.7	80	14.4	4.5	29.0	54.0
382	**3028	263028PL	140	3.7	250	3.2	2.6	30.0	28.0
383	**3030	303030PL	200	3.7	180	4.3	3.0	30.0	30.0
384		383030PL	300	3.7	120	5.5	3.8	30.0	30.0
385		453030PL	360	3.7	120	6.8	4.5	30.0	30.0
386		503030PL	420	3.7	120	7.7	5.0	30.0	30.0
387		603030PL	520	3.7	100	9.8	6.6	30.0	30.0
388		603030PL	550	3.7	100	10.0	6.0	30.0	30.0
389		603030HV	650	3.8	80		6.0	30.0	30.0
390		623030PL	600	3.7	100	10.7	6.2	30.0	30.0
391		663030PL	620	3.7	100		6.6	30.0	30.0
392	**3031	603031PL	600	3.7	100	10.5	6.0	30.0	31.0
393		683031HV	810	3.8	100	12.9	6.8	30.0	31.0
394	**3032	303032PL	250	3.7	120	4.8	3.0	30.0	32.0
395		303032PL (3C)	250	3.7	120	4.8	3.0	30.0	32.0
396	**3035	373035PL	370	3.7	120	6.8	3.7	30.0	35.0
397		403035PL (3C)	350	3.7	100		4.0	30.0	35.0
398		403035PL	400	3.7	120	7.8	5.0	30.0	35.0
399		503035PL	500	3.7	100	9.7	5.0	30.0	35.0
400		503035PL	600	3.7	90		5.0	30.0	35.0
401		603035PL	600	3.7	90	11.2	6.0	30.0	35.0
402		803035PL	800	3.7	80	15.2	8.0	30.0	35.0
403		903035PL	900	3.7	80	16.3	9.0	30.0	35.0
404		903035PL	950	3.7	80	16.5	9.0	30.0	35.0
405	**3036	623036PL	780	3.7	90	14.5	6.5	32.0	37.0

406	**3038	373038HV	550	3.8	90	11.0	3.7	30.0	38.0
407		423038PL	450	3.7	100	8.6	4.2	30.0	38.0
408		453038HV	620	3.8	100	12.0	4.5	30.0	38.0
409	**3040	283040PL	280	3.7	120	5.5	4.0	30.0	40.0
410		373040PL	410	3.7	120	8.5	3.7	30.0	40.0
411		403040PL	400	3.7	150	8.6	4.0	30.0	40.0
412		403040PL	450	3.7	120	8.4	4.0	30.0	40.0
413		473040PL	540	3.7	120	8.7	4.7	30.0	40.0
414		503040PL	550	3.7	100	10.2	5.0	30.0	40.0
415		503040PL	600	3.7	100	12.1	5.0	30.0	40.0
416		523040PL	620	3.7	100		5.2	30.0	40.0
417		603040PL	620	3.7	120	13.0	6.0	30.0	40.0
418		653040PL	750	3.7	90	13.8	6.5	30.0	40.0
419		703040PL (2C)	900	3.7	90	16.7	7.0	30.0	40.0
420		783040PL	1200	3.7	90		7.8	30.0	40.0
421		803040PL (10C)	800	3.7	80	15.6	8.0	30.0	40.0
422		803040PL	900	3.7	90	16.7	8.0	30.0	40.0
423		903040PL	1200	3.7	90	20.3	9.0	30.0	40.0
424		103040PL (10C)	1100	3.7	80	21.0	10.0	30.0	40.0
425		103040PL	1200	3.7	90	21.5	10.0	30.0	40.0
426	**3042	103042PL	1200	3.7	90	22.0	10.0	30.0	42.0
427	**3048	403048PL	600	3.7	120	10.4	4.0	30.0	48.0
428		503048PL (5C)	750	3.7	80	14.2	5.0	30.0	48.0
429		603048PL	920	3.7	80	17.0	6.0	30.0	48.0
430		703048PL	1100	3.7	80	21.0	7.0	30.0	48.0
431		753048PL (3C)	1000	3.7	80	20.0	7.5	30.0	48.0
432		753048PL	1100	3.7	80	21.0	7.5	30.0	48.0
433		803048PL	1400	3.7	80	23.8	8.0	30.0	48.0
434		903048PL (3C)	1200	3.7	80	21.9	9.0	30.0	48.0
435		903048PL	1500	3.7	80	27.0	9.0	30.0	48.0
436		103048PL	1500	3.7	80	27.0	10.0	30.0	48.0
437	**3054	103054PL	1800	3.7	60		10.0	30.0	54.0
438	**3055	303055PL	500	3.7	80		3.0	30.0	55.0
439	**3056	753056HV	1800	3.8	60		7.5	30.0	56.0
440	**3061	523061PL	1200	3.8	90		5.2	30.0	61.0
441	**3065	503065PL	1200	3.7	80	19.6	5.0	30.0	65.0
442	**3070	353070PL	850	3.7	80		3.5	30.0	70.0
443	**3161	803161PL	1900	3.7	60		8.0	31.0	61.0
444	**3170	753170HV	2200	3.8	60		7.5	31.0	70.0
445	**3179	403179PL	1100	3.7	80		4.0	31.0	79.0
446	**3230	103230HV	1150	3.8	100	17.8	10.0	32.0	30.0
447	**3243	103243PL	1500	3.7	90	25.4	10.0	32.0	43.0
448	**3336	363336PL	420	3.7	100		3.6	33.0	36.0
449	**3341	723341PL	1100	3.7	90	18.5	7.2	33.0	41.0
450	**3342	853342PL	1450	3.7	80	24.5	8.5	33.0	42.0
451	**3345	603345PL (3C)	1000	3.7	80	18.0	6.0	33.0	45.0

452	**3347	253347PL	400	3.7	100	7.6	2.5	33.0	47.0
453	**3348	503348PL	950	3.7	80	16.1	5.0	33.0	48.0
454	**3363	903363HV	2500	3.8	60		9.0	33.0	63.0
455	**3438	903438PL (3C)	1200	3.7	80	21.7	9.0	34.0	38.0
456	**3442	453442PL	600	3.7	90	11.1	4.5	34.0	42.0
457		543442PL	850	3.7	80	15.1	5.4	34.0	42.0
458		543442PL	900	3.7	80	16.0	5.4	34.0	42.0
459		603442PL	800	3.7	80	16.0	5.4	34.0	42.0
460		783442PL	1150	3.7	80	21.3	7.8	34.0	42.0
461	**3443	453443PL	650	3.7	90	12.7	4.5	34.0	43.0
462	**3448	303448PL	500	3.7	80		3.0	34.0	48.0
463	**3450	303450PL	500	3.7	100	9.4	3.0	34.0	50.0
464		333450PL (3C)	500	3.7	100	10.0	3.5	34.0	50.0
465		353450PL	500	3.7	100	10.0	3.5	34.0	50.0
466		353450PL	620	3.7	90	12.5	3.5	34.0	50.0
467		383450PL	650	3.7	90	12.5	3.8	34.0	50.0
468		403450PL	500	3.7	100	11.5	3.0	34.0	50.0
469		403450PL	800	3.7	80	13.5	4.0	34.0	50.0
470		423450PL	750	3.7	80	14.2	4.2	34.0	50.0
471		453450PL (3C)	750	3.7	80	14.8	4.2	34.0	50.0
472		523450PL	1000	3.7	80	17.0	5.2	34.0	50.0
473		523450PL (3C)	1000	3.7	80	17.6	5.2	34.0	50.0
474		603450PL	1100	3.7	80	20.1	6.0	34.0	50.0
475		603450PL	1200	3.7	80	20.5	6.0	34.0	50.0
476		903450PL	1300	3.7	80	27.8	9.0	34.0	50.0
477	**3475	503475PL	1500	3.7	80		5.0	34.0	75.0
478	**3539	113539HV	1900	3.8	80		11.0	35.0	39.0
479	**3545	233545PL	300	3.7	120	6.2	2.3	36.0	45.0
480	**3548	123548PL	1600	3.7	120	35.0	12.0	35.0	48.0
481	**3650	363650PL	700	3.7	80	12.6	3.6	36.0	50.0
482	**3655	753655PL	1600	3.7	80	27.8	7.5	36.0	55.0
483	**3730	113730HV	1500	3.8	80	23.4	11.0	37.0	31.0
484	**3737	403737PL	570	3.7	90	9.9	4.0	37.0	37.0
485	**3738	103738HV	1950	3.8	80		10.0	37.0	38.0
486	**3759	473759HV	1500	3.8	80	22.5	4.3	37.0	59.0
487		503759PL	1100	3.7	80	21.0	5.0	37.0	59.0
488		553759PL	1300	3.7	80	23.5	5.5	37.0	59.0
489	**3840	343840PL (3C)	500	3.7	100	10.0	3.4	38.0	40.0
490		343840PL	550	3.7	100	10.0	3.4	38.0	40.0
491		533840HV	1030	3.8	80		5.3	38.0	40.0
492	**3842	233842PL	360	3.7	120	6.5	2.3	38.0	42.0
493		273842PL	400	3.7	100	6.6	2.7	38.0	42.0
494	*3857	683857HV	1950	3.8	60		6.8	38.0	57.0
495	**4040	304040PL	480	3.7	90		3.0	40.0	40.0
496	**4043	374043HV	850	3.8	90	15.0	3.7	40.0	43.0
497		484043PL	1000	3.7	80	21.0	4.8	40.0	43.0

498	**4047	384047PL	750	3.7	80	13.1	3.8	40.0	47.0
499	**4050	964050HB	3000	3.85	60		9.6	40.0	50.0
500	**4056	354056HN	800	3.8	90		3.5	40.0	56.0
501	**4142	404142PL	760	3.7	80	13.2	40.0	41.0	42.0
502	**4150	964150HB	3000	3.85	60		9.6	41.0	50.0
503	**4155	364155PL	1000	3.7	80	17.2	3.6	41.0	55.0
504	**4242	404242PL	760	3.7	90	13.2	4.0	40.0	42.0
505	**4358	584358PL	1800	3.7	80	29.5	5.8	43.0	58.0
506	**4545	504545PL	1250	3.7	80		5.0	45.0	45.0
507	**4648	444648PL	1300	3.7	80	20.0	4.4	46.0	48.0
508	**4846	464846HV	1500	3.8	60		4.6	48.0	46.0
509	**4948	404948PL	1100	3.7	80		4.0	49.0	48.0

502030PL	220	3.7	180	4.2	5.0	20.0	30.0
602240PL	450	3.7	100	8.8	6.0	22.0	40.0
792024PL	350	3.7	160	6.5	7.9	20.0	24.0
272654PL	330	3.7	120	6.6	2.7	26.0	54.0
233545PL	300	3.7	120	6.2	2.3	36.0	45.0
602030PL	300	3.7	150	5.8	6.0	20.0	30.0
502530PL	300	3.7	140	5.9	5.0	25.0	30.0
331752PL	300	3.7	150	5.3	3.3	17.0	52.0
401730PL	150	3.7	200	3.2	4.0	17.0	30.0
402561PL	600	3.7	90	11.0	4.0	25.0	61.0
502535PL	400	3.7	120	7.6	5.0	25.0	35.0
582728PL	400	3.7	130	7.6	5.8	27.0	28.0
233842PL	360	3.7	120	6.5	2.3	38.0	42.0
553759PL	1300	3.7	80	23.5	5.5	37.0	59.0
502030PL	250	3.7	150	4.9	5.0	20.0	30.0
402035PL	250	3.7	150	4.4	4.0	20.0	35.0
302028PL	140	3.7	200	2.8	3.0	20.0	28.0
402743PL	400	3.7	120	7.6	4.0	27.0	43.0
451717PL	70	3.7	500	1.6	4.5	17.0	17.0
502035PL	310	3.7	150	5.8	5.0	20.0	35.0
602040PL	450	3.7	100	6.8	6.0	20.0	40.0
582628PL	400	3.7	150	7.3	5.8	26.0	28.0
802530PL	550	3.7	120	10.2	8.0	25.0	30.0
102050PL	1000	3.7	90	17.6	10.0	20.0	50.0
402260PL	500	3.7	100	9.5	4.0	22.0	60.0
303030PL	200	3.7	180	4.3	3.0	30.0	30.0
403040PL	400	3.7	150	8.6	4.0	30.0	40.0
302530PL	180	3.7	180	3.5	3.0	25.0	30.0
402030PL	180	3.7	180	3.5	4.0	20.0	30.0
301730PL	110	3.7	220	2.5	3.0	17.0	30.0
103048PL	1500	3.7	80	27.0	10.0	30.0	48.0
502755PL	800	3.7	80	14.4	5.0	27.0	55.0
602040PL	400	3.7	130	8.4	6.0	20.0	40.0
702035PL	350	3.7	130	8.0	7.0	20.0	35.0
452023PL	150	3.7	220	3.1	4.5	20.0	23.0
453442PL	600	3.7	90	11.1	4.5	34.0	42.0
301525PL	75	3.7	350	1.6	3.0	15.0	25.0
103042PL	1200	3.7	90	22.0	10.0	30.0	42.0
303450PL	500	3.7	100	9.4	3.0	34.0	50.0
453030PL	360	3.7	120	6.8	4.5	30.0	30.0
301820PL	80	3.7	300	1.6	3.0	18.0	20.0
423450PL	750	3.7	80	14.2	4.2	34.0	50.0
452954PL	750	3.7	80	14.4	4.5	29.0	54.0
782030PL	420	3.7	120	7.7	7.8	20.0	30.0
253347PL	400	3.7	100	7.6	2.5	33.0	47.0
453443PL	650	3.7	90	12.7	4.5	34.0	43.0
403450PL	500	3.7	100	11.5	3.0	34.0	50.0
503035PL	500	3.7	100	9.7	5.0	30.0	35.0
503040PL	550	3.7	100	10.2	5.0	30.0	40.0
403040PL	450	3.7	120	8.4	4.0	30.0	40.0
602535PL	500	3.7	120	9.5	6.0	25.0	35.0

602035PL	350	3.7	130	6.8	6.0	20.0	35.0
322550PL	340	3.7	100	7.1	3.2	25.0	50.0
402028PL	180	3.7	180	3.7	4.0	20.0	28.0
603048PL	920	3.7	80	17.0	6.0	30.0	48.0
602035PL	400	3.7	120	7.5	6.0	20.0	35.0
602530PL	400	3.7	120	7.6	6.0	25.0	30.0
432951PL	720	3.7	80	13.0	4.3	29.0	51.0
502830PL	380	3.7	120	7.5	5.0	28.0	30.0
402030PL	200	3.7	160	4.0	4.0	20.0	30.0
353450PL	500	3.7	100	10.0	3.5	34.0	50.0
802530PL	500	3.7	120	10.2	8.0	25.0	30.0
401515PL	50	3.7	600	1.1	4.0	15.0	15.0
752035PL	500	3.7	120	9.2	7.5	20.0	35.0
423038PL	450	3.7	100	8.6	4.2	30.0	38.0
521730HV	280	3.8	150	5.4	5.2	17.0	30.0
702030PL	380	3.7	130	7.3	7.0	20.0	30.0
601833PL	300	3.7	160	5.8	6.0	18.0	33.0
902030PL	500	3.7	120	9.2	9.0	20.0	30.0
523040PL	620	3.7	100		5.2	30.0	40.0
123548PL	1600	3.7	120	35.0	12.0	35.0	48.0
403035PL	400	3.7	120	7.8	5.0	30.0	35.0
623030PL	600	3.7	100	10.7	6.2	30.0	30.0
601717PL	100	3.7	450	2.2	6.0	17.0	17.0
802035PL	500	3.7	120	9.2	8.0	20.0	35.0
402835HV	450	3.8	100	7.7	4.0	28.0	35.0
543442PL	900	3.7	80	16.0	5.4	34.0	42.0
402040PL	300	3.7	120	5.8	4.0	20.0	40.0
703040PL (2C)	900	3.7	90	16.7	7.0	30.0	40.0
603030PL	520	3.7	100	9.8	6.6	30.0	30.0
502038PL	350	3.7	120	6.7	5.0	20.0	38.0
301730PL	100	3.7	220	2.4	3.0	17.0	30.0
623036PL	780	3.7	90	14.5	6.5	32.0	37.0
502725HV	360	3.8	150	5.8	5.0	27.0	25.0
102732PL	950	3.7	120	16.3	10.0	27.0	32.0
753048PL	1100	3.7	80	21.0	7.5	30.0	48.0
103040PL	1200	3.7	90	21.5	10.0	30.0	40.0
301221PL	40	3.7	500	1.0	4.0	12.0	15.0
332832PL	250	3.7	120	5.0	3.3	28.0	32.0
603040PL	620	3.7	120	13.0	6.0	30.0	40.0
603035PL	600	3.7	90	11.2	6.0	30.0	35.0
802030PL	400	3.7	120	7.7	8.0	20.0	30.0
602540PL	600	3.7	100	10.7	6.0	25.0	40.0
752059PL	1000	3.7	80	17.2	7.5	20.0	59.0
352743PL	430	3.7	120	8.0	3.5	27.0	43.0
652024PL	250	3.7	180	4.8	6.5	20.0	24.0
392725PL	230	3.7	150	4.3	3.9	27.0	25.0
501220PL	80	3.7	300	1.6	5.0	12.0	20.0
453450PL (3C)	750	3.7	80	14.8	4.2	34.0	50.0
333450PL (3C)	500	3.7	100	10.0	3.5	34.0	50.0
803048PL	1400	3.7	80	23.8	8.0	30.0	48.0
503030PL	420	3.7	120	7.7	5.0	30.0	30.0

903438PL (3C)	1200	3.7	80	21.7	9.0	34.0	38.0
441519PL	95	3.7	450	2.0	4.5	15.0	19.0
582728PL	350	3.7	150	7.2	5.8	27.0	28.0
402030PL	150	3.7	200	3.3	4.0	20.0	30.0
473040PL	540	3.7	120	8.7	4.7	30.0	40.0
752020PL	230	3.7	180	4.4	7.5	20.0	20.0
902040PL	620	3.7	100	12.0	9.0	20.0	40.0
652126PL	300	3.7	150	5.5	6.5	21.0	26.0
352035PL	200	3.7	150	3.8	3.5	20.0	35.0
753048PL (3C)	1000	3.7	80	20.0	7.5	30.0	48.0
263028PL	140	3.7	250	3.2	2.6	30.0	28.0
112442PL	1250	3.7	90	21.2	11.0	24.0	42.0
402530PL	300	3.7	120	5.2	4.0	25.0	30.0
523450PL	1000	3.7	80	17.0	5.2	34.0	50.0
783442PL	1150	3.7	80	21.3	7.8	34.0	42.0
451730PL	200	3.7	150	3.5	4.5	17.0	30.0
502540PL	500	3.7	100	9.2	5.0	25.0	40.0
543442PL	850	3.7	80	15.1	5.4	34.0	42.0
552854PL	900	3.7	80	16.2	5.5	28.0	54.0
482948PL	650	3.7	80	12.3	4.8	29.0	48.0
902530PL	600	3.7	120	11.2	9.0	25.0	30.0
532540PL	500	3.7	110	9.4	5.3	25.0	40.0
552035PL	350	3.7	130	6.6	5.0	20.0	35.0
501525PL	140	3.7	200	2.9	5.0	15.0	25.0
802040PL	650	3.7	100	12.0	8.0	20.0	40.0
601220PL	95	3.7	300	2.0	6.0	12.0	20.0
802535PL	700	3.7	100	12.5	8.0	25.0	35.0
273842PL	400	3.7	100	6.6	2.7	38.0	42.0
602535PL (3C)	500	3.7	100	9.4	6.0	25.0	35.0
602045PL	500	3.7	100	9.3	6.0	20.0	45.0
452535PL (3C)	350	3.7	100	6.8	4.5	25.0	35.0
602248PL	600	3.7	90	11.6	6.0	22.0	48.0
702530PL	500	3.7	120	9.0	7.0	25.0	30.0
502248PL	500	3.7	100	9.6	5.0	22.0	48.0
502728PL	380	3.7	150	6.8	5.0	27.0	28.0
802530PL	600	3.7	100	10.3	8.0	25.0	30.0
403048PL	600	3.7	120	10.4	4.0	30.0	48.0
383450PL	650	3.7	90	12.5	3.8	34.0	50.0
802030PL	430	3.7	120	7.9	8.0	20.0	30.0
373040PL	410	3.7	120	8.5	3.7	30.0	40.0
503759PL	1100	3.7	80	21.0	5.0	37.0	59.0
651660PL (5C)	600	3.7	80	11.0	6.5	16.0	60.0
502535PL (3C)	400	3.7	100	7.5	6.0	25.0	35.0
502024PL	190	3.7	200	3.7	5.0	20.0	24.0
702026PL (15C)	220	3.7	150	4.3	7.0	20.0	26.0
461842PL	260	3.7	150	5.2	4.6	18.0	42.0
803040PL	900	3.7	90	16.7	8.0	30.0	40.0
803035PL	800	3.7	80	15.2	8.0	30.0	35.0
902530PL (3C)	650	3.7	90	11.5	9.0	25.0	30.0
552234PL (10C)	350	3.7	100	7.0	5.5	22.0	34.0
541244PL (10C)	240	3.7	120	4.9	5.4	12.0	44.0

402322PL	160	3.7	200	3.2	4.0	23.0	22.0
902535PL	800	3.7	100	13.8	9.0	25.0	35.0
103243PL	1500	3.7	90	25.4	10.0	32.0	43.0
752535PL	700	3.7	100	12.2	7.5	25.0	35.0
903035PL	900	3.7	80	16.3	9.0	30.0	35.0
651730PL	280	3.8	150	5.4	6.5	17.0	30.0
102540PL	1200	3.7	80	19.0	10.0	25.0	40.0
902253PL	1200	3.7	80	20.3	9.0	22.0	53.0
321730PL	100	3.7	220	2.4	3.2	17.0	30.0
601248PL (3C)	250	3.7	120	5.0	6.0	12.0	48.0
702025PL	300	3.7	150	5.8	7.0	20.0	25.0
601548HV	400	3.8	120	7.3	6.0	15.0	48.0
752535PL	550	3.7	100	10.8	7.5	25.0	35.0
551144PL	250	3.7	150	4.9	5.5	11.0	44.0
552535PL	500	3.7	120	8.6	5.5	25.0	35.0
582626PL	400	3.7	150	7.1	5.8	26.0	26.0
603442PL	800	3.7	80	16.0	5.4	34.0	42.0
552535PL(3C)	400	3.7	120	8.2	5.5	25.0	35.0
552535PL	400	3.7	120	8.3	5.5	25.0	35.0
903048PL (3C)	1200	3.7	80	21.9	9.0	30.0	48.0
652050PL (3C)	560	3.7	80	10.8	6.5	20.0	50.0
602626PL	400	3.7	150	7.1	6.0	26.0	26.0
701735PL	400	3.7	120	7.5	7.0	17.0	52.0
501244PL (15C)	200	3.7	130	4.0	5.4	12.0	44.0
681454PL	450	3.7	120	8.6	6.8	14.0	54.0
482059PL	560	3.7	100	10.5	4.8	20.0	59.0
501740PL	320	3.7	130	5.8	5.0	17.0	40.0
752059PL	900	3.7	90	16.2	7.5	20.0	59.0
651248PL	330	3.7	150	6.2	6.0	12.0	48.0
503348PL	950	3.7	80	16.1	5.0	33.0	48.0
603450PL	1100	3.7	80	20.1	6.0	34.0	50.0
652050PL (5C)	600	3.7	80	11.6	6.5	20.0	50.0
601444PL (10C)	350	3.7	90	7.1	6.0	14.0	44.0
603030PL	550	3.7	100	10.0	6.0	30.0	30.0
602625PL	400	3.7	150	7.0	6.0	26.0	25.0
503040PL	600	3.7	100	12.1	5.0	30.0	40.0
501048PL (5C)	200	3.7	150	3.9	5.0	10.0	48.0
701345PL (10C)	300	3.7	100	5.7	7.0	13.0	45.0
903035PL	950	3.7	80	16.5	9.0	30.0	35.0
602045PL (10C)	450	3.7	90	8.7	6.0	20.0	45.0
802045PL	700	3.7	90	12.7	8.0	20.0	45.0
903450PL	1300	3.7	80	27.8	9.0	34.0	50.0
363650PL	700	3.7	80	12.6	3.6	36.0	50.0
501447PL (10C)	280	3.7	90	5.5	5.0	14.0	47.0
603345PL (3C)	1000	3.7	80	18.0	6.0	33.0	45.0
701224PL	145	3.7	250	2.9	7.0	12.0	24.0
581323PL	130	3.7	280	2.7	5.8	13.0	23.0
751335PL (10C)	280	3.7	100	5.5	5.8	13.0	23.0
552240PL (10C)	420	3.7	80	8.7	5.5	22.0	40.0
552535PL(3C)	450	3.7	100	8.7	5.5	25.0	35.0
802035PL (10C)	450	3.7	100	8.5	8.0	20.0	35.0

501540PL	300	3.7	150	5.6	5.0	15.0	40.0
601725PL	220	3.7	160	4.2	6.0	17.0	25.0
782035PL	550	3.7	120	10.0	7.8	20.0	35.0
102436HV	1000	3.8	100	16.0	10.0	24.0	36.0
651860PL (5C)	650	3.7	80	12.0	6.5	18.0	60.0
501345PL (10C)	240	3.7	120	4.9	5.0	13.0	45.0
762323PL	350	3.7	150	6.3	7.6	23.0	22.0
672531PL	550	3.7	120	9.5	6.0	25.0	30.0
701345PL	400	3.7	120	7.5	7.0	13.0	45.0
851841PL	600	3.7	100	11.0	8.5	18.0	41.0
653040PL	750	3.7	90	13.8	6.5	30.0	40.0
552030HV	320	3.7	150	6.0	6.0	20.0	30.0
601546HV	400	3.8	120	7.3	6.0	15.0	46.0
283040PL	280	3.7	120	5.5	4.0	30.0	40.0
471735PL	260	3.7	120	7.5	7.0	17.0	52.0
102535PL (5C)	800	3.7	80	14.7	10.0	25.0	35.0
503048PL (5C)	750	3.7	80	14.2	5.0	30.0	48.0
301519PL	55	3.7	500	1.1	3.0	15.0	19.0
551435PL (10C)	230	3.7	120	4.9	5.5	14.0	35.0
401517HV (15C)	60	3.7	400	1.2	4.0	15.0	17.0
803040PL (10C)	800	3.7	80	15.6	8.0	30.0	40.0
102543PL (10C)	950	3.7	60	18.5	10.0	25.0	43.0
103040PL (10C)	1100	3.7	80	21.0	10.0	30.0	40.0
932832HV	1000	3.8	90	15.6	9.3	28.0	32.0
852245HV	1100	3.8	80	16.5	8.5	22.0	45.0
903040PL	1200	3.7	90	20.3	9.0	30.0	40.0
321325HV	85	3.8	300	1.8	3.2	13.0	25.0
652040PL (3C)	450	3.7	100	8.6	6.5	20.0	40.0
601546PL (5C)	400	3.7	90	7.5	6.0	15.0	46.0
902050PL	800	3.7	120	15.5	9.0	20.0	50.0
401540PL	190	3.7	180	3.7	4.0	15.0	40.0
701430PL	220	3.7	150	4.2	7.0	14.0	30.0
601722PL	180	3.7	200	3.5	6.0	17.0	22.0
502125PL	230	3.7	150	4.2	5.0	21.0	25.0
802035PL (10C)	500	3.7	100	9.2	8.0	20.0	35.0
303032PL	250	3.7	120	4.8	3.0	30.0	32.0
301455PL	180	3.7	180	3.7	3.0	14.0	55.0
751731PL (10C)	350	3.7	120	7.2	7.5	17.0	31.0
702035PL	450	3.7	120	8.3	7.0	20.0	35.0
902540PL	900	3.7	80	15.2	9.0	25.0	40.0
402624HV	250	3.8	150	4.2	6.0	26.0	24.0
601048PL (3C)	200	3.7	150	3.9	6.0	10.0	48.0
753655PL	1600	3.7	80	27.8	7.5	36.0	55.0
752028PL (10C)	300	3.7	120	5.8	7.5	20.0	28.0
791255PL	500	3.7	120	9.3	7.9	12.0	55.0
382427PL	240	3.7	150	4.3	3.8	23.0	27.0
401523PL	120	3.7	350	2.5	4.0	15.0	23.0
602040PL (10C)	450	3.7	90	8.7	6.0	20.0	40.0
384047PL	750	3.7	80	13.1	3.8	40.0	47.0
383030PL	300	3.7	120	5.5	3.8	30.0	30.0
601738PL	350	3.7	120	7.1	6.0	17.0	38.0

502025PL	200	3.7	180	3.9	5.0	20.0	25.0
301454PL	175	3.7	180	3.7	3.0	14.0	54.0
351525HV	120	3.8	300	2.4	3.5	15.0	25.0
952030PL	600	3.7	100	10.9	9.5	20.0	30.0
801437PL (10C)	380	3.7	90	7.4	8.0	14.0	37.0
602030PL (10C)	250	3.7	120	5.2	6.0	20.0	30.0
723341PL	1100	3.7	90	18.5	7.2	33.0	41.0
584358PL	1800	3.7	80	29.5	5.8	43.0	58.0
402030PL (3C)	180	3.7	160	3.6	4.0	20.0	30.0
501447PL (10C)	300	3.7	90	5.7	5.0	14.0	47.0
502832HV	490	3.8	100	8.0	5.0	28.0	32.0
502025PL	230	3.7	180	4.4	5.0	20.0	25.0
591153PL	350	3.7	130	6.5	5.9	11.0	53.0
802040PL (3C)	650	3.7	100	11.5	8.0	20.0	40.0
303448PL	500	3.7	80		3.0	34.0	48.0
702836PL	750	3.7	90	13.1	7.0	28.0	37.0
682672PL	1200	3.7	80	23.0	6.8	26.0	72.0
102540PL (10C)	900	3.7	70	16.6	10.0	25.0	40.0
291252PL	150	3.7	200	3.1	2.9	12.0	52.0
451629PL	200	3.7	150	3.9	4.5	16.0	29.0
551828PL	280	3.7	180	5.5	5.5	18.0	28.0
701248PL	350	3.7	140	6.5	7.0	12.0	48.0
552568PL	1100	3.7	80	18.2	5.5	25.0	68.0
451525PL	150	3.7	200	3.1	4.5	15.0	25.0
282260PL	360	3.7	120	7.0	2.8	22.0	60.0
661664PL	720	3.7	90	13.5	6.6	16.0	64.0
362224PL	180	3.7	180	3.4	3.6	22.0	24.0
602535PL (MT)	500	3.7	120	9.0	6.0	25.0	35.0
351454PL	220	3.7	180	4.2	3.5	14.0	54.0
502028PL	240	3.7	150	4.5	5.0	20.0	28.0
441529PL	160	3.7	180	3.2	4.4	15.0	29.0
352828PL	220	3.7	150	4.3	3.5	28.0	28.0
972830PL (3C)	800	3.7	80	14.1	9.7	28.0	30.0
602063HV	1000	3.8	80	15.5	6.0	20.0	63.0
473759HV	1500	3.8	80	22.5	4.3	37.0	59.0
901445PL (10C)	480	3.7	80	9.0	9.0	14.0	45.0
451165PL	300	3.7	120	5.8	4.5	11.0	65.0
502020PL	150	3.7	180	3.2	5.0	20.0	20.0
452631PL	350	3.7	120	6.5	4.5	23.0	61.0
374043HV	850	3.8	90	15.0	3.7	40.0	43.0
501928HV	280	3.8	120	5.6	5.0	19.0	28.0
683031HV	810	3.8	100	12.9	6.8	30.0	31.0
731942PL	500	3.7	100	9.9	7.3	19.0	42.0
853342PL	1450	3.7	80	24.5	8.5	33.0	42.0
501230PL (3C)	130	3.7	200	2.8	5.0	12.0	30.0
701540PL	420	3.7	100	7.5	7.0	15.0	40.0
502050PL	510	3.7	90	9.5	5.0	20.0	50.0
752050PL	800	3.7	80	14.5	7.5	20.0	50.0
532079PL	930	3.7	80	14.5	5.3	20.0	79.0
522367PL	950	3.7	80	15.5	5.2	23.0	67.0
113730HV	1500	3.8	80	23.4	11.0	37.0	31.0

602020PL	180	3.7	180	3.8	6.0	20.0	20.0
512227PL	310	3.7	100	5.7	5.1	22.0	27.0
501550PL (10C)	350	3.7	90	6.8	5.0	15.0	50.0
622828HV	600	3.8	90	10.5	6.2	28.0	28.0
484043PL	1000	3.7	80	21.0	4.8	40.0	43.0
402426PL	260	3.7	100	4.5	4.0	24.0	26.0
632729PL	560	3.7	90	10.0	6.3	27.0	29.0
373035PL	370	3.7	120	6.8	3.7	30.0	35.0
501040PL	150	3.7	250	3.0	5.0	10.0	40.0
802056PL	1000	3.7	80	17.5	8.0	20.0	56.0
353450PL	620	3.7	90	12.5	3.5	34.0	50.0
522018PL	160	3.7	180	3.3	5.2	20.0	18.0
391544PL	250	3.7	120	4.5	3.9	15.0	44.0
452725PL	300	3.7	150	5.4	4.5	27.0	25.0
401525PL (3C)	110	3.7	250	2.5	4.0	15.0	25.0
382562PL	700	3.7	90	12.0	3.8	25.0	62.0
403450PL	800	3.7	80	13.5	4.0	34.0	50.0
552058PL	760	3.7	90	12.5	5.5	20.0	58.0
402235PL	320	3.7	100	5.5	4.0	22.0	35.0
342535PL	270	3.7	100	4.8	3.4	25.0	35.0
802832PL	800	3.7	90	14.5	8.0	28.0	32.0
903048PL	1500	3.7	80	27.0	9.0	30.0	48.0
404242PL	760	3.7	90	13.2	4.0	40.0	42.0
501556PL (10C)	400	3.7	90	6.8	5.0	15.0	56.0
701435PL (10C)	300	3.7	100	5.7	7.0	14.0	35.0
701360PL (10C)	500	3.7	100	9.6	7.0	13.0	60.0
403737PL	570	3.7	90	9.9	4.0	37.0	37.0
361633PL	155	3.7	200	3.1	3.6	16.0	33.0
452167HV	800	3.8	90	12.6	4.5	21.0	67.0
402561PL	700	3.7	90	12.0	4.0	25.0	61.0
602035PL (10C)	370	3.7	90	6.8	6.0	20.0	35.0
321634PL	155	3.7	200	3.1	3.2	16.0	34.0
432379HV	1050	3.8	90	16.5	4.3	23.0	79.0
551535PL	250	3.7	150	4.7	5.5	15.0	35.0
731950PL	700	3.7	100	12.0	7.3	19.0	50.0
302035PL	180	3.7	150	3.5	3.0	20.0	35.0
301044PL	110	3.7	250	2.8	3.0	10.0	44.0
102436HV (3C)	950	3.8	100	16.0	10.0	24.0	36.0
851655HV	950	3.7	100	17.2	8.5	16.0	55.0
364155PL	1000	3.7	80	17.2	3.6	41.0	55.0
901525PL	300	3.7	150	6.5	9.0	15.0	25.0
622030PL	350	3.7	100	6.3	6.2	20.0	30.0
603031PL	600	3.7	100	10.5	6.0	30.0	31.0
402480PL	800	3.7	90	14.5	4.0	24.0	80.0
731635PL	400	3.7	100	6.8	7.3	16.0	35.0
602535PL	600	3.7	100	10.5	6.0	25.0	35.0
392625HV	280	3.8	120	5.6	3.8	26.0	25.0
412828HV	400	3.8	100	7.6	4.1	28.0	28.0
402050PL	400	3.7	90	8.0	4.0	20.0	50.0
523450PL (3C)	1000	3.7	80	17.6	5.2	34.0	50.0
902730HV	850	3.8	100	13.3	9.0	27.0	30.0

103230HV	1150	3.8	100	17.8	10.0	32.0	30.0
702835PL	750	3.7	90	13.1	7.0	28.0	35.0
952833PL	1000	3.7	100	15.8	9.5	28.0	33.0
602540PL (5C)	600	3.7	80	10.8	6.0	25.0	40.0
502555PL	760	3.7	90	12.8	5.0	25.0	55.0
702838PL	800	3.7	90	13.4	7.0	28.0	38.0
112448PL	1450	3.7	90	23.5	11.0	24.0	48.0
301668PL	300	3.7	100	6.6	3.0	16.0	68.0
302025PL	120	3.7	220	3.0	3.0	20.0	25.0
444648PL	1300	3.7	80	20.0	4.4	46.0	48.0
453038HV	620	3.8	100	12.0	4.5	30.0	38.0
312830PL	250	3.7	120	4.2	3.1	28.0	30.0
302070PL	420	3.7	80	8.7	3.0	20.0	70.0
503065PL	1200	3.7	80	19.6	5.0	30.0	65.0
302870PL	650	3.7	80	12.5	3.0	28.0	70.0
501555PL	450	3.7	90	7.2	5.0	15.0	55.0
351725PL	130	3.7	200	3.0	3.5	17.0	25.0
602020PL (5C)	180	3.7	150	3.8	6.0	20.0	20.0
952143PL (5C)	900	3.7	80	16.4	9.5	21.0	43.0
851833PL (10C)	420	3.7	100		8.5	18.0	33.0
422024PL	180	3.7	150	3.7	4.2	20.0	24.0
502928PL	400	3.7	100	7.2	5.0	29.0	28.0
602260PL	900	3.7	80	15.5	6.0	22.0	60.0
343840PL	550	3.7	100	10.0	3.4	38.0	40.0
952142PL (5C)	850	3.7	80	15.8	9.5	21.0	42.0
603450PL	1200	3.7	80	20.5	6.0	34.0	50.0
592260HV	950	3.8	80	15.2	5.9	22.0	60.0
952138PL (5C)	730	3.7	80	15.8	9.5	21.0	42.0
342533PL	270	3.7	120		3.4	25.0	33.0
411828PL	190	3.7	180		4.1	18.0	28.0
403179PL	1100	3.7	80		4.0	31.0	79.0
902240PL	860	3.7	90		9.0	22.0	40.0
903363HV	2500	3.8	60		9.0	33.0	63.0
482526PL	300	3.7	100	5.8	4.8	25.0	26.0
452670PL (3C)	1000	3.7	80		4.5	26.0	70.0
431819HV (15C)	85	3.8	250	1.8	4.3	18.0	19.0
751838PL	550	3.7	100		7.5	18.0	38.0
502068PL	820	3.7	80		5.0	20.0	68.0
602060HV	1000	3.8	80	15.5	6.0	20.0	60.0
751340PL (10C)	350	3.7	90		7.5	13.0	40.0
502070HV	920	3.8	80	15.5	5.0	20.0	70.0
802065PL	1100	3.7	90	19.3	8.0	20.0	65.0
601747PL	480	3.7	100		6.0	17.0	48.0
663030PL	620	3.7	100		6.6	30.0	30.0
601259PL	400	3.7	100		6.0	12.0	59.0
783040PL	1200	3.7	90		7.8	30.0	40.0
582060PL	800	3.7	80		5.8	20.0	60.0
551965PL	800	3.7	90		5.5	19.0	65.0
113539HV	1900	3.8	80		11.0	35.0	39.0
402025PL	190	3.7	180	3.9	4.0	20.0	25.0
302040PL	230	3.7	150	4.2	3.0	20.0	40.0

753170HV	2200	3.8	60		7.5	31.0	70.0
302230PL	180	3.7	150	3.5	3.0	22.0	30.0
901445PL	500	3.7	90		9.0	14.0	45.0
404142PL	760	3.7	80	13.2	40.0	41.0	42.0
504545PL	1250	3.7	80		5.0	45.0	45.0
392535PL	360	3.7	100		3.9	25.0	35.0
501880PL	900	3.7	80		5.0	18.0	80.0
482379HN	1200	3.8	90		4.8	23.0	79.0
482278PL	1000	3.7	80	16.0	4.8	22.0	78.0
241764PL	260	3.7	120		2.4	17.0	64.0
612532PL	500	3.7	100		6.1	25.0	32.0
102130PL (5C)	650	3.7	80		10.5	21.0	30.0
353070PL	850	3.7	80		3.5	30.0	70.0
801738PL	530	3.7	100		8.0	17.0	38.0
491430PL	150	3.7	180		4.9	14.0	30.0
601140PL (10C)	180	3.7	140		6.0	11.0	40.0
404948PL	1100	3.7	80		4.0	49.0	48.0
362223PL	170	3.7	180		3.6	22.0	23.0
102030PL (15C)	500	3.7	100	10.9	10.0	20.0	30.0
752555HV	1400	3.8	80		7.5	25.0	55.0
403035PL (3C)	350	3.7	100		4.0	30.0	35.0
632832HB	800	3.85	90		6.3	28.0	32.0
302022PL	100	3.7	250		3.0	20.0	22.0
412626HV	300	3.8	100		4.1	26.0	26.0
401230PL	115	3.7	200		4.0	12.0	30.0
803161PL	1900	3.7	60		8.0	31.0	61.0
482426PL	300	3.7	100		4.8	24.0	26.0
303032PL (3C)	250	3.7	120	4.8	3.0	30.0	32.0
603030HV	650	3.8	80		6.0	30.0	30.0
304040PL	480	3.7	90		3.0	40.0	40.0
462629HV	430	3.8	120		4.6	26.0	29.0
964050HB	3000	3.85	60		9.6	40.0	50.0
122460HV	2200	3.8	80		12.0	24.0	60.0
512080PL	1000	3.7	80		5.1	20.0	80.0
521218PL (5C)	60	3.7	300		5.2	12.0	18.0
402036PL	300	3.7	100		4.0	20.0	36.0
401623PL	130	3.7	200		4.0	16.0	23.0
964150HB	3000	3.85	60		9.6	41.0	50.0
122671PL	2800	3.7	60		11.8	26.0	71.0
851655HV (3C)	850		90		8.5	16.0	55.0
501635PL	280	3.7	150		5.0	16.0	35.0
464846HV	1500	3.8	60		4.6	48.0	46.0
752265PL (3C)	1250	3.7	60		7.5	22.0	65.0
501935PL	300	3.7			5.0	19.0	35.0
503035PL	600	3.7	90		5.0	30.0	35.0
852353HV	1500	3.8	60		8.5	23.0	53.0
551540PL	340	3.7	120		5.5	15.0	40.0
501572PL	620	3.7	80		5.0	15.0	72.0
373038HV	550	3.8	90	11.0	3.7	30.0	38.0
351525PL	110	3.8	300	2.4	3.5	15.0	25.0
703048PL	1100	3.7	80	21.0	7.0	30.0	48.0

382526PL	260	3.7	100		3.8	25.0	26.0
502025PL (3C)	240	3.7	150		5.0	20.0	25.0
683857HV	1950	3.8	60		6.8	38.0	57.0
982233HV	780	3.8	80		9.8	22.0	33.0
103738HV	1950	3.8	80		10.0	37.0	38.0
351423PL	90	3.7	250	4.2	3.5	14.0	23.0
391818PL	95	3.7	250		3.9	18.0	18.0
351520PL	80	3.7	250		3.5	15.0	20.0
352650HV	550	3.8	120		3.5	26.0	50.0
302050PL	300	3.7	90		3.0	20.0	50.0
401846HV	400	3.8	100		4.0	18.0	46.0
601015PL (5C)	60	3.7	450		6.0	10.0	15.0
901219PL (10C)	150	3.7	200		9.0	12.0	19.0
103054PL	1800	3.7	60		10.0	30.0	54.0
502867PL	960	3.7	80		5.0	28.0	67.0
302562PL	420	3.7	90		3.0	25.0	62.0
451260PL	330	3.7	100		4.5	12.0	60.0
401540PL	220	3.7	180	3.7	4.0	15.0	40.0
531822PL	200	3.7	150		5.3	18.0	22.0
102121HV (6C)	400	3.8	80		10.0	21.0	21.0
321653PL	280	3.7	120		3.2	16.0	53.0
523061PL	1200	3.8	90		5.2	30.0	61.0
354056HN	800	3.8	90		3.5	40.0	56.0
602058PL	830	3.7	80		6.0	20.0	58.0
601224PL	130	3.7	250		6.0	12.0	24.0
343840PL (3C)	500	3.7	100	10.0	3.4	38.0	40.0
753056HV	1800	3.8	60		7.5	30.0	56.0
121867PL	1200	3.7	80		12.0	18.0	67.0
302430PL	200	3.7	250		3.0	24.0	30.0
751725PL	300	3.7	120		7.5	17.0	25.0
852750HV	1600	3.8	80		8.5	27.0	50.0
721470PL (5C)	750	3.7	80		7.2	14.0	70.0
303055PL	500	3.7	80		3.0	30.0	55.0
261865HV	360	3.8	100		2.6	18.0	65.0
451827PL	200	3.7	120		4.5	18.0	27.0
751525PL	240	3.7	150		7.5	15.0	25.0
503475PL	1500	3.7	80		5.0	34.0	75.0
902537PL	950	3.7	80		9.0	25.0	37.0
452627PL	300	3.7	100		4.5	26.0	27.0
533840HV	1030	3.8	80		5.3	38.0	40.0
402530PL (3C)	300	3.7	100		4.0	25.0	30.0

S001	001	
S002	002	1
S003	003	1
S004	004	1
S005	005	1
S006	006	1
S007	007	1
S008	008	1
S009	009	1
S010	010	1
S011	011	1
S012	012	1
S013	013	1
S014	014	1
S015	015	1
S016	016	1
S017	017	1
S018	018	1
S019	019	1
S020	020	1
S021	021	1
S022	022	1
S023	023	1
S024	024	1
S025	025	1
S026	026	1
S027	027	1
S028	028	1
S029	029	1
S030	030	1
S031	031	1
S033	033	2
S034	034	1
S035	035	1
S036	036	1
S037	037	1
S038	038	1
S039	039	1
S039	039	0
S040	040	1
S041	041	1
S042	042	1
S043	043	1
S044	044	1
S045	045	1
S046	046	1
S047	047	1
S048	048	1
S049	049	1
S050	050	1
S051	051	1

S052	052	1
S053	053	1
S054	054	1
S055	055	1
S056	056	1
S057	057	1
S058	058	1
S059	059	1
S060	060	1
S061	061	1
S062	062	1
S063	063	1
S064	064	1
S065	065	1
S066	066	1
S067	067	1
S068	068	1
S069	069	1
S070	070	1
S071	071	1
S072	072	1
S073	073	1
S074	074	1
S075	075	1
S076	076	1
S077	077	1
S078	078	1
S079	079	1
S080	080	1
S081	081	1
S082	082	1
S083	083	1
S084	084	1
S085	085	1
S086	086	1
S087	087	1
S088	088	1
S089	089	1
S090	090	1
S091	091	1
S092	092	1
S093	093	1
S094	094	1
S095	095	1
S096	096	1
S097	097	1
S098	098	1
S099	099	1
S100	100	1
S101	101	1
S102	102	1

S103	103	1
S104	104	1
S105	105	1
S106	106	1
S107	107	1
S108	108	1
S109	109	1
S110	110	1
S111	111	1
S112	112	1
S113	113	1
S114	114	1
S115	115	1
S116	116	1
S117	117	1
S118	118	1
S119	119	1
S120	120	1
S121	121	1
S122	122	1
S123	123	1
S124	124	1
S125	125	1
S126	126	1
S127	127	1
S128	128	1
S129	129	1
S130	130	1
S131	131	1
S132	132	1
S133	133	1
S134	134	1
S135	135	1
S136	136	1
S137	137	1
S138	138	1
S139	139	1
S140	140	1
S141	141	1
S142	142	1
S143	143	1
S144	144	1
S145	145	1
S146	146	1
S147	147	1
S148	148	1
S149	149	1
S150	150	1
S151	151	1
S152	152	1
S153	153	1

S154	154	1
S155	155	1
S156	156	1
S157	157	1
S158	158	1
S159	159	1
S160	160	1
S161	161	1
S162	162	1
S163	163	1
S164	164	1
S165	165	1
S166	166	1
S167	167	1
S168	168	1
S169	169	1
S170	170	1
S171	171	1
S172	172	1
S173	173	1
S174	174	1
S175	175	1
S176	176	1
S177	177	1
S178	178	1
S179	179	1
S180	180	1
S181	181	1
S182	182	1
S183	183	1
S184	184	1
S185	185	1
S186	186	1
S187	187	1
S188	188	1
S189	189	1
S190	190	1
S191	191	1
S192	192	1
S193	193	1
S194	194	1
S195	195	1
S196	196	1
S197	197	1
S198	198	1
S199	199	1
S200	200	1
S201	201	1
S202	202	1
S203	203	1
S204	204	1

S205	205	1
S206	206	1
S207	207	1
S208	208	1
S209	209	1
S210	210	1
S211	211	1
S212	212	1
S213	213	1
S214	214	1
S215	215	1
S216	216	1
S217	217	1
S218	218	1
S219	219	1
S220	220	1
S221	221	1
S222	222	1
S223	223	1
S224	224	1
S225	225	1
S226	226	1
S227	227	1
S228	228	1
S229	229	1
S230	230	1
S231	231	1
S232	232	1
S233	233	1
S234	234	1
S235	235	1
S236	236	1
S237	237	1
S238	238	1
S239	239	1
S240	240	1
S241	241	1
S242	242	1
S243	243	1
S244	244	1
S245	245	1
S246	246	1
S247	247	1
S248	248	1
S249	249	1
S250	250	1
S251	251	1
S252	252	1
S253	253	1
S254	254	1
S255	255	1

S256	256	1
S257	257	1
S258	258	1
S259	259	1
S260	260	1
S261	261	1
S262	262	1
S263	263	1
S264	264	1
S265	265	1
S266	266	1
S267	267	1
S268	268	1
S269	269	1
S270	270	1
S271	271	1
S272	272	1
S273	273	1
S274	274	1
S275	275	1
S276	276	1
S277	277	1
S278	278	1
S279	279	1
S280	280	1
S281	281	1
S282	282	1
S283	283	1
S284	284	1
S285	285	1
S286	286	1
S287	287	1
S288	288	1
S289	289	1
S290	290	1
S291	291	1
S292	292	1
S293	293	1
S294	294	1
S295	295	1
S296	296	1
S297	297	1
S298	298	1
S299	299	1
S300	300	1
S301	301	1
S302	302	1
S303	303	1
S304	304	1
S305	305	1
S306	306	1

S307	307	1
S308	308	1
S309	309	1
S310	310	1
S311	311	1
S312	312	1
S313	313	1
S314	314	1
S315	315	1
S316	316	1
S317	317	1
S318	318	1
S319	319	1
S320	320	1
S321	321	1
S322	322	1
S323	323	1
S324	324	1
S325	325	1
S326	326	1
S327	327	1
S328	328	1
S329	329	1
S330	330	1
S331	331	1
S332	332	1
S333	333	1
S334	334	1
S335	335	1
S336	336	1
S337	337	1
S338	338	1
S339	339	1
S340	340	1
S341	341	1
S342	342	1
S343	343	1
S344	344	1
S345	345	1
S346	346	1
S347	347	1
S348	348	1
S349	349	1
S350	350	1
S351	351	1
S352	352	1
S353	353	1
S354	354	1
S355	355	1
S356	356	1
S357	357	1

S358	358	1
S359	359	1
S360	360	1
S361	361	1
S362	362	1
S363	363	1
S364	364	1
S365	365	1
S366	366	1
S367	367	1
S368	368	1
S369	369	1
S370	370	1
S371	371	1
S372	372	1
S373	373	1
S374	374	1
S375	375	1
S376	376	1
S377	377	1
S378	378	1
S379	379	1
S380	380	1
S381	381	1
S382	382	1
S383	383	1
S384	384	1
S385	385	1
S386	386	1
S387	387	1
S388	388	1
S389	389	1
S390	390	1
S391	391	1
S392	392	1
S393	393	1
S394	394	1
S395	395	1
S396	396	1
S397	397	1
S398	398	1
S399	399	1
S400	400	1
S401	401	1
S402	402	1
S403	403	1
S404	404	1
S405	405	1
S406	406	1
S407	407	1
S408	408	1

S409	409	1
S410	410	1
S411	411	1
S412	412	1
S413	413	1
S414	414	1
S415	415	1
S416	416	1
S417	417	1
S418	418	1
S419	419	1
S420	420	1
S421	421	1
S422	422	1
S423	423	1
S424	424	1
S425	425	1
S426	426	1
S427	427	1
S428	428	1
S429	429	1
S430	430	1
S431	431	1
S432	432	1
S433	433	1
S434	434	1
S435	435	1
S436	436	1
S437	437	1
S438	438	1
S439	439	1
S440	440	1
S441	441	1
S442	442	1
S443	443	1
S444	444	1
S445	445	1
S446	446	1
S447	447	1
S448	448	1
S449	449	1
S450	450	1
S451	451	1
S452	452	1
S453	453	1
S454	454	1
S455	455	1
S456	456	1
S457	457	1
S458	458	1
S459	459	1

S460	460	1
S461	461	1
S462	462	1
S463	463	1
S464	464	1
S465	465	1
S466	466	1
S467	467	1
S468	468	1
S469	469	1
S470	470	1
S471	471	1
S472	472	1
S473	473	1
S474	474	1
S475	475	1
S476	476	1
S477	477	1
S478	478	1
S479	479	1
S480	480	1
S481	481	1
S482	482	1
S483	483	1
S484	484	1
S485	485	1
S486	486	1
S487	487	1
S488	488	1
S489	489	1
S490	490	1
S491	491	1
S492	492	1
S493	493	1
S494	494	1
S495	495	1
S496	496	1
S497	497	1
S498	498	1
S500	500	2
S503	503	3

