



Guangzhou Huaxi C&T Co.,Ltd.

Add: Room 1203 NO.66, Huadi South Ave, Liwan District, Guangzhou, Guangdong Province, China

E-mail: info@choicybeauty.com Tel:+86-20-38263199 Website: www.choicybeauty.com

Choicy Beauty Equipment Series

-- IPL System



Model: CB-102A

Product Description



System Characteristics

1. IPL System has been proved to be safety and reliable technology according to clinic research for more than ten years both in domestic and abroad.
2. Multi-function machine, different treatment handles with various functions: hair removal, vascular lesions, spots removal, etc.
3. Multi professional optional treatment handles promote the machine up to the best results: 400-1200nm, 530-1200nm, 595-1200nm, etc.
4. Sapphire cooling head can make patient much more comfortable and promote the permanence of light guide.
5. The design based on Human Engineering, which can reduce operator's work, easy for operation and mastering .
6. No downtime — back into work straightly after treatment.

Treatment Range

1. Skin photoaging: Remove wrinkles, tiny veins and acne, bringing excellent skin rejuvenation effect.
2. Benign pigmented problem, such as flecks, pigment spots, freckles etc.
3. Benign vascular problem, such as flush, telangiectasia, spider nevus etc.
4. Unwanted hair removal

Before and After Treatment





Guangzhou Huaxi C&T Co.,Ltd.

Add: Room 1203 NO.66, Huadi South Ave, Liwan District, Guangzhou, Guangdong Province,
China

E-mail: info@choicybeauty.com Tel:+86-20-38263199 Website: www.choicybeauty.com

Technical Specifications

Model	CB-102A
Output power	800W
Handpiece	IPL*2(hair removal & skin rejuvenation)
Spot size	10x45mm, 8x34mm
Standard handpiece (wavelength)	560-1200nm(skin rejuvenation), 695nm-1200nm(hair removal)
Optional handpiece(wavelength)	400-1200nm, 530-1200nm, 595-1200nm
Energy density	10-60J/cm ²
Pulse number	1-6
Pulse delay	5-100ms
Pulse width	1-10ms
Operate Interface	8 Inch Color Touch Screen
Cooling system	Semiconductor cooling & Water cooling & Air cooling system
Power Supply	AC110V/15A/60Hz; AC220V/8A/50Hz
Frequency	1-3Hz
Dimensions	42cm*65cm*107cm
Weight	55KG

NOTE:

The detailed instruction will be sent with the equipment.