





KYFEN[®]
Make the difference

慈溪市清风电子有限公司
CIXI KYFEN ELECTRONICS CO.,LTD,

Add: East Industrial Zone, Guanhaiwei Town, Cixi, Zhejiang, China 315314
Tel: 0574-63668446 Phone: +86-15888086702
Fax: 0574-63668428
Web: www.kyfen.com
E-mail: shen@kyfen.com



 **KYFEN**[®]
Make the difference



ABOUT KYFEN WE PURSUE QUALITY FIRST

CIXI KYFEN ELECTRONICS CO., LTD. ("Kyfen") was founded in 2007, and located in Ningbo Cixi With 45,000 m² building area. The company has 16 registered trademarks. At present, the company possesses nine major products: Power strip, Cable reel, Extension cord, Adapter, Plug, PDU. Now we aim to combine our products with smart technology and modern design for furniture and Smart Home.

We have achieved great cooperation with over 500 partners. Our turnover made in 2018 was beyond 32,000,000 USD with the effort of our 250 employees.



R&D CAPABILITIES AND QUALITY CONTROL

KYFEN adheres to the principle of ISO9001. In order to improve the quality and performance of products, we established a powerful R&D team with our own laboratory. The team has invented over 105 patents with the use of professional checkout equipment as follows: Load tester, Flame tester, USB life tester, Tumbling tester, Ball pressure tester, Resistance to heater, Lifetest for switch, Temperature rise tester, Flexing tester, Life test for plug and unplug, Low Temperature impact tester. Besides, we test the protective conductor resistance and run touch salt mist test to ensure the best quality control.



Cable workshop



Injection workshop



SMT workshop



Laboratory

CERTIFICATION





Brand new power cube

Fast charger / One to three sockets



USB+Type-C




Back light switch



mounting hole




KY-G903Y




- H05V-F 3G1.0mm²/ 1.5mm²
- 16A,250V~ Max 3680W
- USB Charger DC 5V Max.2.4A/3.1A
- With Children protectors(shutter)
- PC plastic

KY-G903YU



- H05V-F 3G1.0mm²/ 1.5mm²
- 16A,250V~ Max 3680W
- USB Charger DC 5V Max.2.4A/3.1A
- With Children protectors(shutter)
- PC plastic

KY-G903YC




- H05V-F 3G1.0mm²/ 1.5mm²
- 16A,250V~ Max 3680W
- USB Charger DC 5V Max.2.4A/3.1A
- With Children protectors(shutter)
- PC plastic



Table power strip fast charger


USB / Type-C

KY-G605Y




- H05V-F 3G1.0mm²/ 1.5mm²
- 16A,250V~ Max 3680W
- USB Charger DC 5V Max.2.4A/3.1A
- With Children protectors(shutter)

KY-G604YU



- H05V-F 3G1.0mm²/ 1.5mm²
- 16A,250V~ Max 3680W
- USB Charger DC 5V Max.2.4A/3.1A
- With Children protectors(shutter)

KY-G604YC



- H05V-F 3G1.0mm²/ 1.5mm²
- 16A,250V~ Max 3680W
- USB Charger DC 5V Max.2.4A/3.1A
- With Children protectors(shutter)

KY-G1603S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- One pole independent switch

KY-G1604S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- One pole independent switch

KY-G1605S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- One pole independent switch

KY-G1606S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- One pole independent switch

KY-G503S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G504S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G505S




- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G506S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G503SL



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G504SL



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G505SL




- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G506SL



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G503SU




- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G504SU



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G505SU



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G506SU



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G503SC



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G504SC



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G505SC



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection

KY-G506SC




- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Two pole independent switch
- Overload protection



Lighted switch



Mounting Hole



overload protection



surge protection




USB A+C 2.4A/3.1A

Protect electricity safety

surge protection / Overload protection




Surge protection



Overload protection




KY-G703Y



surge protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Surge protection
- Mounting hole

KY-G704Y



surge protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Surge protection
- Mounting hole


KY-G705Y



surge protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Surge protection
- Mounting hole


KY-G706Y



surge protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Surge protection
- Mounting hole

KY-G703S



surge protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Surge protection
- Mounting hole


KY-G704S



surge protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Surge protection
- Mounting hole


KY-G705S



surge protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Surge protection
- Mounting hole

KY-G706S



surge protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Surge protection
- Mounting hole


KY-G803S



Overload protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Overload protection
- Mounting hole

KY-G804S



Overload protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Overload protection
- Mounting hole


KY-G805S



Overload protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Overload protection
- Mounting hole


KY-G806S



Overload protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Overload protection
- Mounting hole


KY-G803Y



Overload protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Overload protection
- Mounting hole


KY-G804Y



Overload protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Overload protection
- Mounting hole


KY-G805Y



Overload protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Overload protection
- Mounting hole

KY-G806Y



Overload protection

- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)
- Overload protection
- Mounting hole

KY-G102



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G102S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G103



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G103S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G104



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G104S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G105



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G105S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G106



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G106S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)



KY-G02/02



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G02/02S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G04/04



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G04/04S




- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G203



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G203S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G204



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G204S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G205



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G205S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G206



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-G206S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-SA03S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-SA04L



- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-SA08SG



- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-SA06S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-SA06LP



- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-SA07S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-SA08S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)



Modular Design
more in one



KY-GX04-10



- H05VV-F 3G1.0mm² Max12
- H05VV-F 3G1.5mm² Max10
- 16A, 250V~Max 3680W
- Overload protection
- With Children protectors(shutter)

KY-GX04-15



- H05VV-F 3G1.0mm² Max15
- H05VV-F 3G1.5mm² Max15
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-GX04-30



- H05VV-F 3G1.0mm² Max15
- H05VV-F 3G1.5mm² Max15
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-GX04-50



- H05VV-F 3G1.0mm² Max15
- H05VV-F 3G1.5mm² Max15
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-GY01-30



- H05VV-F 3G1.0mm² Max15
- H05VV-F 3G1.5mm² Max15
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-GY01-50



- H05VV-F 3G1.0mm² Max15
- H05VV-F 3G1.5mm² Max15
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-GC01



- H05VV-F 3G1.0mm² Max50
- H05VV-F 3G1.5mm² Max50
- 16A, 250V~Max 3680W
- With Children protectors(shutter)

KY-GC02



- H05VV-F 3G1.0mm² Max50
- H05VV-F 3G1.5mm² Max50
- 16A, 250V~Max 3680W
- With Children protectors(shutter)

KY-GC03



- With Children protectors(shutter)

Compact and portable

Fashion atmosphere



USB+Type-C




Back light switch




mounting hole

KY-F903Y




- H05V-F 3G1.0mm²/ 1.5mm²
- 16A,250V~ Max 3680W
- USB Charger DC 5V Max.2.4A/3.1A
- With Children protectors(shutter)
- PC plastic

KY-F903YU



- H05V-F 3G1.0mm²/ 1.5mm²
- 16A,250V~ Max 3680W
- USB Charger DC 5V Max.2.4A/3.1A
- With Children protectors(shutter)
- PC plastic

KY-F903YC




- H05V-F 3G1.0mm²/ 1.5mm²
- 16A,250V~ Max 3680W
- USB Charger DC 5V Max.2.4A/3.1A
- With Children protectors(shutter)
- PC plastic




No longer worry about the lack of electricity in the equipment

KY-F605Y




- H05V-F 3G1.0mm²/ 1.5mm²
- 16A,250V~ Max 3680W
- USB Charger DC 5V Max.2.4A/3.1A
- With Children protectors(shutter)

KY-F604YU



- H05V-F 3G1.0mm²/ 1.5mm²
- 16A,250V~ Max 3680W
- USB Charger DC 5V Max.2.4A/3.1A
- With Children protectors(shutter)

KY-F604YC



- H05V-F 3G1.0mm²/ 1.5mm²
- 16A,250V~ Max 3680W
- USB Charger DC 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F303SU

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F304SU

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F305SU

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F306SU

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F303YU

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F304YU

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F305YU

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F306YU

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F303SC

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F304SC

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F305SC

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F306SC

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F303YC

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F304YC

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F305YC

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F306YC

- H05V-F 3G1.0mm²/1.5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



KY-F303S

- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- With Children protectors(shutter)



KY-F304S

- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- With Children protectors(shutter)



KY-F305S

- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- With Children protectors(shutter)



KY-F306S

- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- With Children protectors(shutter)



KY-F303Y

- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- With Children protectors(shutter)



KY-F304Y

- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- With Children protectors(shutter)



KY-F305Y

- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- With Children protectors(shutter)



KY-F306Y

- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- With Children protectors(shutter)

KY-F103



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F103S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F104



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F104S




- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F105



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F105S




- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F106



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F106S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)



KY-F203



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F203S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F204



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F204S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F205



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F205S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F206



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)

KY-F206S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A,250V~Max 3680W
- With Children protectors(shutter)



KY-FA03S




- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-FA04L



- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-FA05S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-FA06S




- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-FA06LP




- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-FA07S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-FA08S



- H05VV-F 3G1.0mm²/1.5mm²
- 16A, 250V~Max 3680W
- PC Module, Aluminium Shell
- With Children protectors(shutter)

KY-FA08SG



Modular Design
more in one



KY-FX04-10



- H05VV-F 3G1.0mm² Max12
- H05VV-F 3G1.5mm² Max10
- 16A, 250V~Max 3680W
- Overload protection
- With Children protectors(shutter)

KY-FX04-15



MINI

- H05VV-F 3G1.0mm² Max15
- H05VV-F 3G1.5mm² Max15
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-FX04-30



- H05VV-F 3G1.0mm² Max30
- H05VV-F 3G1.5mm² Max30
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-FX04-50



- H05VV-F 3G1.0mm² Max50
- H05VV-F 3G1.5mm² Max50
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-FY01-30



- H05VV-F 3G1.0mm² Max30
- H05VV-F 3G1.5mm² Max30
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-FY01-50



- H05VV-F 3G1.0mm² Max50
- H05VV-F 3G1.5mm² Max50
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-FC01



- H05VV-F 3G1.0mm² Max50
- H05VV-F 3G1.5mm² Max50
- 16A, 250V~Max 3680W
- With Children protectors(shutter)

KY-FC02



- H05VV-F 2G1.0mm² Max50
- H05VV-F 2G1.5mm² Max50
- 16A, 250V~Max 3680W
- With Children protectors(shutter)

KY-FC03



- With Children protectors(shutter)

KY-W103



- H05VV-F 3G0. 75mm²/1. 0mm²
- 10A, 250V~Max 2500W
- With Children protectors(shutter)

KY-W104



- H05VV-F 3G0. 75mm²/1. 0mm²
- 10A, 250V~Max 2500W
- With Children protectors(shutter)

KE-W105



- H05VV-F 3G0. 75mm²/1. 0mm²
- 10A, 250V~Max 2500W
- With Children protectors(shutter)

KY-W106



- H05VV-F 3G0. 75mm²/1. 0mm²
- 10A, 250V~Max 2500W
- With Children protectors(shutter)

KY-W103K



- H05VV-F 3G0. 75mm²/1. 0mm²
- 10A, 250V~Max 2500W
- With Children protectors(shutter)

KY-W104K



- H05VV-F 3G0. 75mm²/1. 0mm²
- 10A, 250V~Max 2500W
- With Children protectors(shutter)

KY-W105K



- H05VV-F 3G0. 75mm²/1. 0mm²
- 10A, 250V~Max 2500W
- With Children protectors(shutter)

KY-W106K



- H05VV-F 3G0. 75mm²/1. 0mm²
- 10A, 250V~Max 2500W
- With Children protectors(shutter)

KY-W103U



- H05V-F 3G1.0mm²/1. 5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)

KY-W104U



- H05V-F 3G1.0mm²/1. 5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)

KY-W105U



- H05V-F 3G1.0mm²/1. 5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)

KY-W106U



- H05V-F 3G1.0mm²/1. 5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)

UNIVERSAL SOCKETS



Independent switch



USB



Type-C



KY-W103C



- H05V-F 3G1.0mm²/1. 5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)

KY-W104C



- H05V-F 3G1.0mm²/1. 5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)

KY-W105C



- H05V-F 3G1.0mm²/1. 5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)

KY-W106C



- H05V-F 3G1.0mm²/1. 5mm²
- 16A, 250V~ Max 3680W
- USB Charger 5V Max.2.4A/3.1A
- With Children protectors(shutter)



Overload protection



With Children protectors(shutter)

CABLE REEL

Professional quality



KY-BX03-10



- H05VV-F 3G1.0mm² Max12
- H05VV-F 3G1.5mm² Max10
- 16A, 250V~Max 3680W
- Overload protection
- With Children protectors(shutter)

KY-BX03-15



MINI

- H05VV-F 3G1.0mm² Max15
- H05VV-F 3G1.5mm² Max15
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-BX03-30



- H05VV-F 3G1.0mm² Max30
- H05VV-F 3G1.5mm² Max30
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-BX03-50



- H05VV-F 3G1.0mm² Max50
- H05VV-F 3G1.5mm² Max50
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-T103S



- H05VV-F 3G0.75mm²
- 16A, 250V~Max 2300W
- With Children protectors(shutter)

KY-T104S



- H05VV-F 3G0.75mm²
- 16A, 250V~Max 2300W
- With Children protectors(shutter)

KY-T105S



- H05VV-F 3G0.75mm²
- 16A, 250V~Max 2300W
- With Children protectors(shutter)

KY-T106S



- H05VV-F 3G0.75mm²
- 16A, 250V~Max 2300W
- With Children protectors(shutter)

KY-TZ01



- 5V 2.4A USB
- 10A, 250V~Max 2300W
- With Children protectors(shutter)

KY-TZ02



- 5V 2.4A USB
- 10A, 250V~Max 2300W
- With Children protectors(shutter)

KY-TX04-10



- H05VV-F 3G1.0mm² Max12
- H05VV-F 3G1.5mm² Max10
- 16A, 250V~Max 3680W
- Overload protection
- With Children protectors(shutter)

KY-TX04-15



MINI

- H05VV-F 3G1.0mm² Max15
- H05VV-F 3G1.5mm² Max15
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-TX04-30



- H05VV-F 3G1.0mm² Max50
- H05VV-F 3G1.5mm² Max50
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-TX04-50



- H05VV-F 3G1.0mm² Max30
- H05VV-F 3G1.5mm² Max30
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-TX03-10



- H05VV-F 3G1.0mm² Max15
- H05VV-F 3G1.5mm² Max15
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-TX03-15



- H05VV-F 3G1.0mm² Max50
- H05VV-F 3G1.5mm² Max50
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-TX03-30



MINI

- H05VV-F 3G1.0mm² Max30
- H05VV-F 3G1.5mm² Max30
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)

KY-TX03-50



- H05VV-F 3G1.0mm² Max15
- H05VV-F 3G1.5mm² Max15
- 16A, 250V~Max 3680W
- Over-land protection
- With Children protectors(shutter)