

Product Catalogue

2022 >>>>

MR International Healthcare Technology Co.,Ltd

C Contents

Urianalysis Products

YD-200 Urine Analyzer	01
Production profile	02
Test parameters	03

Chemistry Analyzer

PKL PPC-125 Full-auto Chemistry Analyzer	04
HTSH-2000 Fully Automatic Chemistry Analyzer	05
HTSH-2400 Fully Automatic Chemistry Analyzer	06

Hematology Analyzer

DH-36 3-part Auto Hematology Analyzer	07
BHA-3000 Hematology Analyzer	08
PKL PPC 610H 3-part Auto Hematology Analyzer	12
DF50 Blockbuster Mini 5-part Hematology Analyzer	13
BHA-5000 Hematology Analyzer	16
PKL PPC 1150H 5-part Auto Hematology Analyzer	20
DH-76 Auto Hematology Analyzer	21

Poct System

Getein1100 Immunofluorescence Quantitative Analyzer	22
Test Reagents(Getein1100)	23
HTY-100 Poct Analyzer test Reagents	25
Test Reagents(HTY-100)	26

Rapid Test

.....27

VET Products

Urine Strips For Pets	40
DH36 Vet 3-part Auto Hematology Analyzer for Vet	41
DF50 Vet 5-part Auto Hematology Analyzer for Vet	43

Consumables

.....45

YD-200

Urine Analyzer



Urine analyzer is an semi auto equipment which can determination some chemical composition of the urinary.It is an important tool of medical laboratory for urine automated examination, this instrument has the advantages of simple operation, fast and so on.

Specification and Technical Parameters

Test Items	WBC,NIT,URO,PRO,PH,BLD,SG,VC,KET,BIL,GLU
Principle	Photoelectric colorimetry
Suitable Strips	YD-11A
Test speed	Fast mode 120strips/h, slow mode 60 strips/h
Data memory	1000 test reports
Wavelength	470nm,525nm,625nm
Data Communication	RS-232 port, Parallel printing port
Display	192 ×64 LCD screen
Input mode	Keyboard
Language	Chinese, English
Power Supply	~220/110V 50/60Hz
Power	30VA
Dimensions	253mm×237mm×171mm
Weight	2kgs
Printing	Built in thermal printer





PRODUCTION PROFILE

REAGENT STRIPS FOR URINALYSIS



Product Number	Urinalysis Strip Description	Use method	Urine Analyzer	Test parameters														
				Leucocyte	Nitrite	Urobilinogen	Protein	PH	Blood	SG	Ketone	Bilirubin	Glucose	Ascorbic acid	Microalbumin	Creatinine	Calcium	
2510201089	MR U14-Ca	Reader&Visual	YD-200 (MR)	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201037	MR U13-Cr	Reader&Visual	YD-200 (MR)	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201021	MR U11-MA	Reader&Visual	YD-200 (MR)	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201001	MR U11	Reader&Visual	YD-200 (MR)	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201004	MR U10	Reader&Visual	YD-200 (MR)	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201002	MR A10	Visual	N/A	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201007	MR 8 ITEMS	Visual	N/A			⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201008	MR5ITEMS(PRO,PH,BLD,KET,GLU)	Visual	N/A				⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201009	MR 4ITEMS(PRO,PH,SG,GLU)	Visual	N/A				⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201010	MR 4ITEMS(PRO,PH,BLD,GLU)	Visual	N/A				⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201011	MR 3ITEMS(PRO,PH,GLU)	Visual	N/A				⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201013	MR 2ITEMS(KET,GLU)	Visual	N/A				⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201014	MR 2ITEMS(PRO,GLU)	Visual	N/A				⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201019	MR 1ITEM(PRO)	Visual	N/A				⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201018	MR 1ITEM(KET)	Visual	N/A															
2510201016	MR 1ITEM(GLU)	Visual	N/A												⊙			

Packing 100strips/bottle

MR International Healthcare Technology Co.,Ltd

ADD:Unit 83 on 3rd Floor, Yau Lee Center, No.45, Ho Yuen Road, Kwun Tong, Kowloon, HK

Tel: +86-431-81317781 / +86-431-81317079

E-mail: sales@mr-healthcare.com

Website: http://www.mr-healthcare.com



PKL PPC –125

Full-auto Chemistry Analyzer



- Bench top, Floor Model optional
- Throughput: Random access, 200T/H
- Probe, sample & reagent position: 2 probes, 40 sample positions, 40 reagent positions and 60 cuvettes
- Cooling system: On board cooling by ON/OFF switch
- 8-step washing system
- Optical system: 9 wavelengths

Specifications


- Assay method: End Point, Kinetic, Fix time etc.
- Principle: Photoelectric colorimetry
- Light Source: Halogen-Tungsten lamp with long life
- Photometry:0~4.0Abs
- Wavelength: 9 wavelengths optional (300nm~700nm)
- Throughput: 200 tests per hour
- Probes: 2 probes. Reagent dispense and Sample mixing.
- Reagent tray: 40 reagent positions, 10~400ul, with 1ul increment
- Sample tray: 40 sample positions, including standard, QC, STAT positions, 2~50ul, with 0.1ul increment
- Reaction tray: 60 reusable reaction cuvettes
- Refrigeration: On board cooling for Reagents, Samples, Calibrators, Standards, Controls with ON/OFF Switch
- Minimum reaction volume: 150ul
- Clean unit: 8-step auto-washing system
- Water Consumption: Less than 2L/hour under working status
- Quality Control: Quality Control program with Levy Jennings, Multiple lots, QC charts, etc.
- Temperature control: incubator 37±0.1℃
- Power supply: AC 220V, 50Hz
- Dimension: 560mm*410mm*360mm
- Weight:30Kgs



HTSH-2000

Fully automatic chemistry analyzer

- Space saving:** Carry-on baggage size.
- Comprehensive:** More than 30 online test projects, Up to 100 tests /hour.
- Accurate:** Accurate system and reliable results.
- Friendly:** Powerful and convenient software



Corollary Reagent

87 kinds of reagents, more than 100 kinds of packing sizes, provide more choices for you.

Specifications

Module	Full automatically, discrete, optional working mode
Throughput	100 tests/h
Analyze Method	End point, Two point, Kinetic method, etc. Open to various reagents.
Sample Tray	30 positions, 1.5-50 μ l with 0.1 μ l/step
Reagent Tray	30 positions, 10-400 μ l with 1.0 μ l/step, Automatic liquid level detect
Reaction Tray	50 reusable reaction cuvettes
Temperature Control	Incubator 37 \pm 0.1 $^{\circ}$ C
Reaction Cuvette	optical length 5.0mm, 50cups
Minimum Reaction Volume	180 μ l
Water Consumption	4-step automatic water washing, Water Consumption: 3L/h
Light Source	Halogen Tungsten lamp ,12V, 20W
Wavelength	9 wavelengths (300nm-700nm)
Photometry Range	0.0000-4.0000Abs
Calibration	Linear/nonlinear multi-point calibration, One point/ multi-point calibration
Software	English intellectualized analysis progress with Windows
Input and Output	RS232, LDP/IP, multi-format printout
Power Supply	AC 100/220V \pm 10%, 50/60Hz
Dimension	483mm \times 313mm \times 425mm
Weight	21.5kg

Features:


1. Intelligent test program, high speed fiber transmission system.
2. Accurate sample adding and automatic washing system.
3. Automatic dilution for multi-calibration.
4. Wide range of test items.
5. Friendly and convenient software.



HTSH-2400

Fully automatic chemistry analyzer

- Space saving:** Carry-on baggage size.
- Comprehensive:** More than 40 online test projects, Up to 200 tests /hour.
- Accurate:** Accurate system and reliable results.



Corollary Reagent

87 kinds of reagents, more than 100 kinds of packing.

Specifications

Module	Full automatically, discrete, optional working mode
Throughput	200 tests/h
Analyze Method	End point, two point, Kinetic method, etc. Open to various reagents.
Sample Tray	50 positions, 1.5-50 μ l with 0.1 μ l/step
Reagent Tray	40 positions, 10-400 μ l with 1.0 μ l/step, Automatic liquid level detect
Reaction Tray	80 reusable reaction cuvettes
Refrigeration	Cooling by Peltier and liquid cooling system
Temperature Control	Incubator 37 \pm 0.1 C
Reaction Cuvette	Optical length 5.0mm, 80cups
Minimum Reaction Volume	180 μ l
Clean unit	7-step automatic water washing
Water Consumption	Water Consumption: 6L/h
Light Source	Halogen Tungsten lamp ,12V, 20W
Wavelength	9 wavelengths (300nm-700nm)
Software	English intellectualized analysis progress with Windows, output with LIS
Input and output	RS232, LDP/IP, multi-format printout
Power Supply	AC 100/220V, 50/60Hz
Dimension	660mmx450mmx440mm
Weight	39kg

Features:

1. Intelligent test program, high speed fiber transmission system.
2. Accurate sample adding and automatic washing system.
3. Automatic dilution for multi-calibration.
4. Wide range of test items.
5. Friendly and convenient software.

Technology and Innovation to Improve the Quality of Life.



ADD:Unit 83 on 3rd Floor,Yau Lee Center No.45,Hoi Yuen Road,Kwun Tong Kowloon,HK
 Tel:+86-431-81317781 / +86-431-81317079
 E-mail:sales@mr-healthcare.com Website:http://www.mr-healthcare.com



DH-36


3-Part Auto Hematology Analyzer



10.4 inch LCD touch screen, more visible.
Humanized interface, smooth operation.



No need flushing fluid



Excellent repeatability
and wider linearity range.



Both thermal printer and USB
external printer are supported

Product Specifications

Detection speed: 60 samples/hour. Automatic sleep/wakeup function is supported

Detection channel: Dual-channel is used for counting

Leading technology: Pulse baseline tracking technology, waveform discrimination technology, digital sheath flow technology, and intelligent floating threshold technology

Detection principle: Electrical impedance method (WBC/RBC/PLT) and cyanide free (HGB) method

Detection items: The detection items include 21 parameters: report parameters (WBC, Lym#, Mid#, Gran#, Lym%, Mid%, Gran%, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-CV, RDW-SD, PLT, MPV, PDW, PCT, P-LCR, and P-LCC), 3 histograms, alarm for abnormal erythrocytes, leukocyte, and platelet.

Sample volume: minimum volume 9ul

Counting modes: Venous whole blood, Anticagulant peripheral whole blood, and pre-diluted blood

Reference value setting: Pediatrics, male adult, female adult, general and user-defined.

Alarm system: Reliable alarm system with customized function

Quality control system: L-J and X-B

Printout: Built-in thermal recorder supports various types of printer. Large numbers of built-in print templates are available

Storage: 5000 sample results, including parameter, histogram, and patient information

Input/output: For USB ports and Bi-directional LIS connection

Operating environment: temperature 10 °C to 30 °C; relative humidity ≤85%

Power requirement: 100V to 240V; 50/60 Hz

Dimensions: 410mm*353mm*471mm


Weight: ≤25KG

Innovation
Makes
Excellent



BHA-3000 HEMATOLOGY ANALYZER

■ Double-channel Test, 60T/h ■ Mode with Whole Blood & Pre-dilution ■ Only 6 μ L for Each Test




BHA-3000 HEMATOLOGY ANALYZER

- Double-channel Test with Rate of 60 Samples per Hour
- Specific On-off Program with Automatic Cleaning & Maintenance of the Liquid System at Regular Time
- 3 Histograms & 21 Test Parameters with Alarm of Abnormal Sample
- Extra Large LCD Touch Screen, High Definition Color Display, Simple & Convenient Operation without External Computer
- Fast & Accurate Printing of Result Report with Built-in Printer

Classical Electrical Impedance Method

Load the constant current power supply at both ends of the small hole. When the cell passes through the hole, a voltage pulse will appear at both ends of the hole. The pulse height is proportional to the cell size, and the number of pulses is equal to the number of cells passing through. Accordingly, the cells will be counted and classified.



Mature Photoelectric Colorimetry

520 nm Sensitive Green Light High Sensitivity Photodiode

Innovation Makes Excellent

Optimized Liquid Path:

Low Failure Probability &
Excellent Maintainability

Floating Boundary Mark:

Accurate Classification &
Reliable Result

Linear Fitting:


Breakthrough of Test Threshold
of Platelet Volume of 2 fL

No Residue of Reagent:

The Best Choice of Cost Performance
with No Residue of Diluent/Hemolytic Agent

6 μ L Micro Blood Sample:

Satisfaction of requirements of various scenes with
Venous Blood/Capillary Blood/Pre-diluted Samples



BHA-3000
HEMATOLOGY ANALYZER

Technical Parameters

BHA-3000 HEMATOLOGY ANALYZER

Test Items	White Blood Cell	WBC	Mean Corpuscular Hemoglobin Concentration	MCHC
	Neutrophil #	NEU#	Red Cell Volume Distribution Width–Coefficient of Variation	RDW–CV
	Intermediate Cell #	MXD#	Red Cell Volume Distribution Width–Standard Deviation	RDW–SD
	Lymphocyte #	LYM#	Red Blood Cell Specific Volume	HCT
	Neutrophil %	NEU%	Platelet	PLT
	Intermediate Cell %	MXD%	MeanPlatelet Volume	MPV
	Lymphocyte %	LYM%	Platelet Distribution Width	PDW
	Red Blood Cell	RBC	Plateletcrit	PCT
	Hemoglobin(Concentration)	HGB	Platelet–Large Cell Ratio	P–LCR
	Mean Cell Volume	MCV	Platelet–Large Cell Count	P–LCC
	Mean Corpuscular Hemoglobin	MCH		

Parameter	White Blood Cells with 3 Categories 21 Parameters to Be Tested 3 Histograms Function of Alarming and Prompting Abnormal Conditions
Electrical Safety	Standard: GB 4793.1–2007, GB 4793.9–2013, YY 0648–2008
Electromagnetic Compatibility	Standard: GB/T 18268.1–2010, GB/T 18268.26–2010
Test Mode	Whole Blood Mode, Pre–dilution Mode
Quality Control	L–J QC, X–B QC
Power	40 W
Weight	16 kg
Overall Dimension	328 mm(L) 425 mm(W) 446 mm(H)
Registration Information	(需替换为国外注册信息)



MR International Healthcare Technology Co.,Ltd

ADD:Unit 83 on 3rd Floor,Yau Lee Center No.45,Hoi Yuen Road,Kwun Tong Kowloon,HK

Tel: +86-431-81317781 / +86-431-81317079

E-mail:sales@mr-healthcare.com

Website:http://www.mr-healthcare.com

PKL PPC 610H
3-Part Auto Hematology Analyzer

PKL
POKLER ITALIA

Parameters	21 reportable parameters: WBC, Gran#, Lym#, Mid#, Gran%, Lym%, Mid%, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-SD, RDW-CV, PLT, MPV, PDW, PCT, P-LCR, P-LCC
Principles	Impedance method for WBC, RBC and PLT test Cyanide free colorimetry for HGB test
Test mode	Whole blood, capillary blood and pre-diluted modes
Test volume	9µL
Throughput	Up to 60 tests per hour
Repeatability	WBC: $\leq 2.0\% (7.00-15.00 \times 10^9/L)$ $\leq 3.5\% (4.00-6.90 \times 10^9/L)$ RBC: $\leq 1.5\% (3.50-6.50 \times 10^{12}/L)$ HGB: $\leq 1.5\% (100-180g/L)$ MCV: $\leq 0.5\% (70.0-110.0fL)$ PLT: $\leq 4.0\% (150-500 \times 10^9/L)$ $\leq 5.0\% (100-149 \times 10^9/L)$
Linearity range	WBC: 0.00-300 $\times 10^9/L$ RBC: 0.00-8.50 $\times 10^{12}/L$ HGB: 0-250g/L PLT: 0-3000 $\times 10^9/L$ HCT: 0.0-67%
Printout	Internal printer
Display	10.4 inches TFT touch screen
Storage	Up to 50,000 records
Interface	4 USB ports, 1 LAN port
Power requirement	100V-240V~, 50/60Hz, $\leq 200VA$
Net weight	26kg
Dimension	362mm*427mm*470mm

PKL PPC 610H
3-Part Auto Hematology Analyzer



The product specifications are changed without notice, the latest technical data and test results shall prevail.



PKL PPC 610H
3-Part Auto Hematology Analyzer



- Friendly To End Users**
- ✔ **Small footprint & built-in lyse**
Make space-use more efficient in lab
 - ✔ **10.4" touch screen**
Easy to operate and read
 - ✔ **Clear and intuitive interface**
Click and test, easy to go




- Powerful Data Management System**
- ✔ 50,000 records storage
 - ✔ International standard transfer protocol
 - ✔ USB & LAN ports for data output



- Affordable Care**
- ✔ Less reagent cost making bloodworks affordable
 - ✔ 2 reagents only, lyse inside



- Less Maintenance**
- ✔ Imported key parts and integrated design
 - ✔ Strict international quality control system
 - ✔ One key error clear maintenance
 - ✔ Experienced technical team for your smooth start



- **Parameters**
21 reportable parameters: WBC, Gran#, Lym#, Mid#, Gran%, Lym%, Mid%, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-SD, RDW-CV, PLT, MPV, PDW, PCT, P-LCR, P-LCC
- **Throughput**
Up to 60 tests per hour
- **Principle**
Impedance method, Colorimetry (Cyanide-Free)



Expert for Small Lab



DF50

Blockbuster Mini 5-Part Hematology Analyzer


DF50

Blockbuster Mini 5-Part Hematology Analyzer

10.4 inches TFT touch screen, easy to operate.


12.5° leaning angle of the screen is easy for operator to view.

User friendly operation software.



4 USB ports for data transmitting and connection

with printer, keyboard, mouse, barcode scanner etc.



No barrier around the needle

Suitable for either left hand or right hand



4 reagents totally,
3 are routine use.
2 years shelf life

**All key components are imported, high quality and longer life.
Syringe maintenance free.**

Valve from Japan


Liquid pump from Germany

Reliable component

Needle from Switzerland

Long-life syringe

**Real double optical channel test, both for Diff and BASO.
BASO channel with optical counting, more precise.**



DF50

Blockbuster Mini 5-Part Hematology Analyzer

Principles	Flow Cytometry (FCM) + Tri-angle laser scatter + Chemical staining method for WBC differentiation Impedance method for RBC and PLT test Cyanide free colorimetry for HGB test	Sample Volume	20µL
Parameters	23 reportable parameters: WBC, Neu#, Lym#, Mon#, Eos#, Bas#, Neu%, Lym%, Mon%, Eos%, Bas%, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-SD, RDW-CV, PLT, MPV, PDW, PCT 4 research parameters: ALY#,ALY%,LIC#,LIC% 3 histograms for WBC, RBC and PLT Four 2D scattergrams for WBC differentiation	Linearity Range	WBC: 0.00-300.00×10 ⁹ /L RBC: 0.00-8.50×10 ¹² /L HGB: 0-250g/L PLT: 0-3000×10 ⁹ /L HCT: 0.0-67.0%
		Repeatability	WBC≤2.5%(4.0-15.0×10 ⁹ /L) RBC≤1.5%(3.5-6.0×10 ¹² /L) HGB≤1.5%(70-120g/L) MCV≤1%(70-120fL) PLT≤6.0%(100-149×10 ⁹ /L) ≤4.0%(150-500×10 ⁹ /L)
Throughput	Up to 60 tests per hour	Sample mode	Whole blood, capillary whole blood and pre-diluted modes
Display	10.4 inches high resolution TFT touch screen	Interface	4 USB ports, 1 LAN port
Printout	External printer, compatible with multiply laser / inkjet printers, compatible with various formats and user-defined formats	Power requirement	100V-240V~, 50/60Hz, ≤200VA
Storage	Up to 50,000 records	Dimension	364mm(W)*498mm(H)*431mm(D)
		Net weight	28kg



Innovation Makes Excellence



BHA-5000 Hematology Analyzer



50 µm Hole

Accurate test of blood cells with 50 µm gem holes



Digital Filtering

Effectively remove interference

More Reliable

- Multi-segment counting method, high anti-interference.
- Automatic maintenance and one-click trouble shooting.
- Automatic cleaning & maintenance of the liquid system at regular intervals.
- Intelligent anti-clogging, burning, back flushing and soaking.
- More durable columnar Pt electrode.





Coincidence Calibration

Enhance analytical capabilities




Double Channels

WBC double channels
2D classification,
faster and more accurate



Laser Scattering Method

- Blood cell was irradiated by laser one by one when passing through the detection area and the information of cell size & internal composition was obtained by measuring the scattered light. Cells were classified against each information.



Test Items

White Blood Cell	WBC	Red Blood Cell Specific Volume	HCT
Neutrophil#	NEU#	Mean Cell Volume	MCV
Lymphocyte#	LYM#	Mean Corpuscular Hemoglobin	MCH
Monocyte#	MON#	Mean Corpuscular Hemoglobin Concentration	MCHC
Eosinophil#	EOS#	Red Cell Volume Distribution Width-Coefficient of Variation	RDW-CV
Basophil#	BAS#	Red Cell Volume Distribution Width-Standard Deviation	RDW-SD
Neutrophil%	NEU%	Platelet	PLT
Lymphocyte%	LYM%	Mean Platelet Volume	MPV
Monocyte%	MON%	Platelet Distribution Width	PDW
Eosinophil%	EOS%	Plateletcrit	PCT
Basophil%	BAS%	Platelet-Large Cell Ratio	P-LCR
Red Blood Cell	RBC	Platelet-Large Cell Count	P-LCC
Hemoglobin(Concentration)	HGB		

Technical Specifications

Parameters

5-part WBC Differential
 25 Reportable Parameters
 2 Histograms
 2 Scatter Grams
 Abnormal Sample Alarm

Sample Mode

Whole Blood (Venous/Capillary), Pre-dilution

QC Methods

L-J QC, X-B QC



PKL PPC 1150H
5-Part Auto Hematology Analyzer

Parameters	25 reportable parameters: WBC, Neu#, Lym#, Mon#, Eos#, Bas#, Neu%Lym%, Mon%, Eos%, Bas%, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-SD, RDW-CV, PLT, MPV, PDW, PCT, P-LCR, P-LCC 6 research parameters: ALY#, ALY%, LIC#, LIC%, NRBC#, NRBC% 3 histograms for WBC, RBC and PLT Three DIFF scattergrams and one BASO scattergram for WBC differentiation
Principles	Flow Cytometry (FCM) + Tri-angle laser scatter + chemical staining method for WBC differentiation, Impedance method for RBC and PLT test, Cyanide free colorimetry for HGB test
Test mode	Whole blood, capillary whole blood and pre-diluted modes
Test volume	20µL
Throughput	Up to 60 tests per hour
Repeatability	WBC: $\leq 2.5\% (4.0-15.0 \times 10^9/L)$ RBC: $\leq 1.5\% (3.5-6.0 \times 10^{12}/L)$ HGB: $\leq 1.5\% (110-180\text{g/L})$ MCV: $\leq 1\% (70-120\text{fL})$ PLT: $\leq 6.0\% (100-149 \times 10^9/L)$ $\leq 4.0\% (150-500 \times 10^9/L)$
Linearity range	WBC: 0.00-300.00 $\times 10^9/L$ RBC: 0.00-8.50 $\times 10^{12}/L$ HGB: 0-250g/L MCV: 0-300 $\times 10^3/L$ PLT: 0.0-67.0%
Printout	Internal printer, 57 mm thermal printer with various formats
Display	10.4 inches TFT touch screen
Storage	Up to 100,000 records
Interface	4 USB ports, 1 LAN port
Communication	LAN port supports HL7 protocol Support bi-directional LIS
Power requirement	100V-240V~, 50/60Hz, $\leq 200\text{VA}$
Net weight	28kg
Dimension	362mm*427mm*470mm

PKL
POKLER ITALIA

PKL PPC 1150H
5-Part Auto Hematology Analyzer





The product specifications are changed without notice. The latest technical data and test results shall prevail.

PKL PPC 1150H
5-Part Auto Hematology Analyzer

Accurate with laser technology

- 3-angle laser technology applied
- Independent baso channel delivers more accurate result



Friendly to end users

- Space saving:
Compact design with small footprint;
Built-in lyse inside
- 10.4" touch screen: Easy to operate
- RF card for one-touch reagents replacement
- Smart QC: Simply scan and automatically get all data



Affordable care

- Less reagent cost making more informative bloodworks affordable
- 3 reagents only, lyse inside

Less maintenance

- Imported key parts and integrated design
- Strict international quality control system
- One key error clear maintenance
- Experienced technical team for your smooth start



- **Parameters**
25 reportable parameters: WBC, Neu#, Lym#, Mon#, Eos#, Bas#, Neu%Lym%, Mon%, Eos%, Bas%, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-SD, RDW-CV, PLT, MPV, PDW, PCT, P-LCR, P-LCC
6 research parameters: ALY#, ALY%, LIC#, LIC%, NRBC#, NRBC%
3 histograms for WBC, RBC and PLT
Three DIFF scattergrams and one BASO scattergram for WBC differentiation
- **Throughput**
Up to 60 tests per hour





DH-76

Auto Hematology Analyzer

- 29 parameters
- 3D scattergram
- Expanded linearity
- 80 samples per hour
- Only 20 uL sampling volume for 5-part differential

Product Specifications

• **Detection principle:**

3-angle semiconductor laser scatter, flow cytometry(WBC Diff)
Impedance method (WBC/RBC/PLT)
Cyanide free(HGB)

• **Parameters:**

29 parameters are provided, including 25 report parameters(WBC,LYM%,LYM#,NEU%,NEU#,MON%,MON#,EOs%,EOs#,BAS#,BAS#,RBC,HGB,HCT,MCV,MCH,MCHC,RDW-CV,RDW-SD,PLT,PDW,MPV,PCT,P-LCR, and P-LCC) and 4 research parameters (ALY#,ALY%,LIC#,LIC%), a 3D scattergram, three 2D scattergrams, three histograms.

• **Throughput:**

Up to 80 samples per hour with antiloader

• **Data storage:**

Up to 100,000 results including scattergram, histograms, and patient information

• **Test mode:**

CBC and CBC+Diff

• **Counting modes:**

whole blood, pre-diluted blood, and peripheral blood

• **Sample volume:**

≤20uL

• **Power requirement:**

100-240V, ≤259VA, 50/60 Hz

• **Weight:**

56kg

• **Dimension:**

620mm(L)*620m(W)*535mm(H)

+ **Fully Automatic Intelligent Technology**

- Visual self-tests (working status self-test and reagent volume self-detection)
- Automatic test re-run, with re-run rules inside
- One-click error removal and automatic sleep/wakeup function
- Intelligent WBC/RBC/PLT floating threshold technology



+ **Excellent Date Management System**

- A wide range of abnormal sample alarms and up to 20 user-defined alarm ranges
- Customized templates print and help to customize the final report according to requirements
- Bi-directional LIS connection
- QC and calibration management



Customized print templates



Barcode scanning




Loading up to 40 samples simultaneously and support continuous sample loading



Multiple counting modes: peripheral blood, venous blood, and pre-diluted blood




Closed and open vial modes, 100 function available



80 samples per hour, Auto-loading arm fully simulates manual sample mixing by technician





OPTIMIZED POINT-OF-CARE SOLUTION

MAKING TEST EASY

Getein1100

Immunofluorescence Quantitative Analyzer



Getein1100

Immunofluorescence Quantitative Analyzer



HIGHLY EFFICIENT & ACCURATE

Advanced fluorescence immunoassay

Multiple quality control



REAL-TIME AND RAPID TEST


One-step test

3-15 min/test

5 sec/test for multiple tests

OPERATION MODES

Inside Mode (single sample rapid test mode)



Sample Dispense



Test Card Insert



Click "Start" Icon



Result Show and Print

Quick mode (mass samples rapid test mode)



Sample Dispense



Timing the Reaction Manually



Click "Start" Icon



Result Show and Print



CONVENIENT OPERATION

RFID card calibration

Keyboard and mouse connectivity through USB port

Handwriting input available

Continuous test for 3 hours with lithium battery



USER-FRIENDLY INTERFACE

Android system

7 inch touch screen



TECHNICAL PARAMETERS

Methodology

Immunofluorescence

Result

Quantitative

Sample Type

WB, plasma, serum, urine

Storage Capacity

10000 data

Language

English/Chinese/Spanish/Portuguese

Screen

7 inch touch screen

Power Supply

100-240 V~50 Hz/60 Hz, 60 VA

Working Environment

Temperature: 10-35°C
Relative humidity ≤70%
Air pressure 70.0~106.0 kpa

Dimension

261 mm×241 mm×115 mm (D×W×H)

Weight


2.0 kg



POCT SYSTEM

Immunofluorescence Assay System

POCT system is a diagnostic system that using fluorescence immunoassay to quantify analytes with high sensitivity by measuring laser-induced epifluorescence of test cartridges. It can be used to screen lifestyle-related diseases from cardiac diseases, cancers, diabetes, infectious diseases to hormonal disorder.



Reliable
— QC Available

Rapid
— Result in 15 mins

Easy-to-use
— Detect Automatically



- Rapid
- Sensitive
- Reliable

Model	◆ HTY-100
Interface	Connected to LIS by COM/USB
Screen	LCT Touch Screen
Printer	Internal Thermal Printer
Size	230mm*175mm*305mm
Weight	About 2.4kg
Test Speed	Over 200 Tests/hour

POCT System

Cat.No	Category	Test Item	Kit Size	Diseases	Specimen	CE status
H611	Inflammation	 CRP C-reactive Protein	25T/Box	Inflammation	WB/S/P	CE
H612		PCT Procalcitonin	25T/Box	Inflammation	WB/S/P	CE
H613		SAA Serum Amyloid A	25T/Box	Inflammation	WB/S/P	CE
H614		CRP/SAA Combo	25T/Box	Inflammation	WB/S/P	
H615		HB P Heparin-binding Protein	25T/Box	Inflammation	Plasma	
H616		CCP IgG Cyclic Citrullinated Peptide IgG	25T/Box	Inflammation	WB/S/P	
H617		RF/ASO/CRP Combo	25T/Box	Inflammation	Serum	
H621	Cardiac Markers	 cTnI Cardiac Troponin I	25T/Box	Mycocardial Infarction	WB/S/P	CE
H622		CK-MB Creatine Kinase Muscle B	25T/Box	Mycocardial Infarction	WB/S/P	CE
H623		Myoglobin	25T/Box	Mycocardial Infarction	WB/S/P	CE
H624		D-dimer	25T/Box	Heart Failure	WB/P	CE
H625		NT-proBNP	25T/Box	Heart Failure	WB/S/P	
H626		H-FABP	25T/Box	Mycocardial Infarction	S/P	CE
H627		 CTNI/CK-MB/MYO Combo	25T/Box	Mycocardial Infarction	WB/S/P	
H628		cTnI/NT-proBNP/D-D Combo	25T/Box	Heart Failure	WB/P	
H629		ST2 Growth Stimulation Expressed Gene 2	25T/Box	Heart Failure	WB/S/P	
H6291		NT-proBNP/ST2 Combo	25T/Box	Heart Failure	WB/S/P	CE
H6292		Lp-PLA2	25T/Box	Mycocardial Infarction	WB/S/P	
H631		Tumor Markers	AFP Alpha-Fetoprotein	25T/Box	Liver Cancer	S/P
H632	T-PSA Total Prostate Specific Antigen		25T/Box	Prostate Cancer	S/P	CE
H633	CEA Carcinoembryonic Antigen		25T/Box	Cancer	S/P	CE
H634	PgI Pepsinogen I		25T/Box	Gastric Cancer	Serum	CE
H635	PgII Pepsinogen II		25T/Box	Gastric Cancer	Serum	CE
H636	 FOB Fecal Occult Blood		25T/Box	Colorectal Cancer	Feces	CE
H641	Diabetic&Renal Injury Markers	CysC Cystatin C	25T/Box	Diabetes Mellitus	S/P	CE
H642		β 2-MG β 2 -Microglobulin	25T/Box	Diabetes Mellitus	S/P	CE
H643		NGAL	25T/Box	Diabetes Mellitus	Serum	CE
H644		MAU Microalbumin	25T/Box	Diabetes Mellitus	Urine	CE
H645		 HbA1C	25T/Box	Diabetes Mellitus	Whole Blood	
H651	Infectious Diseases	MP-IgM Mycoplasma Pneumoniae IgM	25T/Box	Respiratory Disease	WB/S/P	
H652		MP IgG Mycoplasma Pneumoniae IgG	25T/Box	Respiratory Disease	WB/S/P	
H653		Cpn IgM Chlamydia Pneumoniae IgM	25T/Box	Respiratory Disease	WB/S/P	CE
H654		 SARS-CoV-2 Neutralizing Antibody	25T/Box	Respiratory Disease	WB/S/P	CE
H661	Hormon Markers	Total β -HCG	25T/Box	Pregnancy	Serum	
H671	Others	HB/TF Combo Hemoglobin/Transferrin Combo	25T/Box	Digestive Disease	Feces	

RAPID TESTS

>> FERTILITY TESTS

hCG - Pregnancy Test

CE 0123



The hCG Rapid Test is a rapid chromatographic immunoassay, used for early detecting human chorionic gonadotropin (hCG) in human urine and/or serum to indicate pregnancy.

Features

- Serum/urine hCG test in one strip/cassette
- Cut-off available: 10mIU/mL, 20mIU/mL, 25mIU/mL
- CE certified by European Notified Body TUV (CE0123)

hCG Pregnancy Test

Cat. No.	Product Description	Specimen	Format	Kit size	Cut-Off	CE status
H111-11U	hCG Pregnancy Test Strip	Urine	Strip	50T	10mIU/ml 25mIU/ml	CE0123,FDA
H111-14U	hCG Pregnancy Test Strip	Urine	Strip	1T		CE0123,FDA
H111-23U	hCG Pregnancy Test Cassette	Urine	Cassette	25T		CE0123,FDA
H111-24U	hCG Pregnancy Test Cassette	Urine	Cassette	1T		CE0123,FDA
H111-35U	hCG Pregnancy Test Midstream	Urine	Midstream	20T		CE0123,FDA
H111-36U	hCG Pregnancy Test Midstream	Urine	Midstream	1T	25mIU/ml 100mIU/ml 500mIU/ml	CE0123,FDA
H111-37U <small>NEW</small>	hCG Pregnancy Weekly Test Midstream	Urine	Midstream	1T		CE
H111-11P	hCG Pregnancy Test Strip	Serum	Strip	50T	10mIU/ml 25mIU/ml	CE
H111-23P	hCG Pregnancy Test Cassette	Serum	Cassette	25T		CE
H111-11B	hCG Pregnancy Test Strip	Urine/Serum	Strip	50T		CE
H111-23B	hCG Pregnancy Test Cassette	Urine/Serum	Cassette	25T		CE

Lh Ovulation Test

Cat. No.	Product Description	Specimen	Format	Kit size	Cut-Off	CE status
H112-11U	Lh Ovulation Test Strip	Urine	Strip	50T	10mIU/ml	CE0123
H112-23U	Lh Ovulation Test Cassette	Urine	Cassette	25T		CE0123
H112-35U	Lh Ovulation Test Midstream	Urine	Midstream	20T	25mIU/ml	CE0123
H112-36U	Lh Ovulation Test Midstream	Urine	Midstream	1T		CE0123

FSH Menopause Test

Cat. No.	Product Description	Specimen	Format	Kit size	Cut-Off	CE status
H113-11U	FSH Menopause Test Strip	Urine	Strip	50T	25mIU/ml	CE
H113-23U	FSH Menopause Test Cassette	Urine	Cassette	25T		CE

RAPID TESTS

>> INFECTIOUS DISEASES TESTS

HIV 1/2



Sexually Transmitted Disease Tests

Treponema Pallidum



* Note: Both for Professional and OTC Use (With lancet and alcohol pad)

Sexually Transmitted Disease Tests

Cat. No.	Product Description	Specimen	Format	Kit Size	Sensitivity	Qualification
H131-11W	HIV 1/2 Ab Test Strip	WB/S/P	Strip	50T	99.70%	
H131-23W	HIV 1/2 Ab Test Cassette	WB/S/P	Cassette	25T		
H132-11W	HIV 1/2 Ab Test Strip (Tri-lines)	WB/S/P	Strip	50T		
H132-23W	HIV 1/2 Ab Test Cassette (Tri-lines)	WB/S/P	Cassette	25T		
H133-11W	Syphilis (TP) Ab test strip	WB/S/P	Strip	50T	99.40%	CE
H133-23W	Syphilis (TP) Ab test Cassette	WB/S/P	Cassette	25T		
H134-11S	Gonorrhea Ag Test Strip	Swab	Strip	50T	98.23%	CE
H134-23S	Gonorrhea Ag Test Cassette	Swab	Cassette	20T		
H135-11S	Chlamydia Trachomatis Ag Test Strip	Swab	Strip	50T	97.55%	CE0123
H135-23S	Chlamydia Trachomatis Ag Test Cassette	Swab	Cassette	20T		
H136-11W	HIV Ag/Ab Test Strip	WB/S/P	Strip	50T	—	
H136-23W	HIV Ag/Ab Test Cassette	WB/S/P	Cassette	25T	—	
H137-43W	HIV/HBsAg/HCV 3-in-1 Test Panel	WB/S/P	Panel	20T	—	
H138-43W	HIV/HBsAg/HCV/Syphilis 4-in-1 Test Panel	WB/S/P	Panel	20T	—	

RAPID TESTS

>> INFECTIOUS DISEASES TESTS

Hepatitis Virus Tests

Anti - HCV



HBsAg




Hepatitis Virus Tests

Cat. No.	Product Description	Specimen	Format	Sensitivity	Kit Size	Qualification
H121-11WM	HAV Hepatitis A Virus Ab IgM Test Strip	WB/S/P	Strip	98.9%	50T	CE
H121-23WM	HAV Hepatitis A Virus Ab IgM Test Cassette	WB/S/P	Cassette	98.9%	25T	CE
H121-23W	HAV Hepatitis A Virus Ab IgM/IgG Test Cassette	WB/S/P	Panel	—	25T	CE
H122-43W	HBV Hepatitis B Virus 5-in-1 Test Panel	WB/S/P	Panel	—	20T	—
H123-11W	HBsAg Hepatitis B Surface Ag Test Strip	WB/S/P	Strip	98.2%	50T	—
H123-23W	HBsAg Hepatitis B Surface Ag Test Cassette	WB/S/P	Cassette	98.2%	25T	—
H124-11W	HBsAb Hepatitis B Surface Ab Test Strip	WB/S/P	Strip	99.6%	50T	—
H124-23W	HBsAb Hepatitis B Surface Ab Test Cassette	WB/S/P	Cassette	99.6%	25T	—
H125-11W	HBeAg Hepatitis B Envelope Ag Test Strip	WB/S/P	Strip	99.6%	50T	—
H125-23W	HBeAg Hepatitis B Envelope Ag Test Cassette	WB/S/P	Cassette	99.6%	25T	—
H126-11W	HBeAb Hepatitis B Envelope Ab Test Strip	WB/S/P	Strip	91.5%	50T	—
H126-23W	HBeAb Hepatitis B Envelope Ab Test Cassette	WB/S/P	Cassette	91.5%	25T	—
H127-11W	HBcAb Hepatitis B Core Ab Test Strip	WB/S/P	Strip	93.5%	50T	—
H127-23W	HBcAb Hepatitis B Core Ab Test Cassette	WB/S/P	Cassette	93.5%	25T	—
H128-11W	HCV Hepatitis C Virus Ab Test Strip	WB/S/P	Strip	99.8%	50T	—
H128-23W	HCV Hepatitis C Virus Ab Test Cassette	WB/S/P	Cassette	99.8%	25T	—
H129-11W	HEV Hepatitis E Virus Ab IgM Test Strip	WB/S/P	Strip	98.91%	50T	CE
H129-23W	HEV Hepatitis E Virus Ab IgM Test Cassette	WB/S/P	Cassette	98.91%	25T	CE
H1210	HBsAg/HCV Test Panel	WB/S/P	Panel	—	20T	—

RAPID TESTS

>> INFECTIOUS DISEASES TESTS

Malaria Antigen Test



Dengue NS1/IgM/IgG Test

Hepatitis Virus Tests

Cat. No.	Product Description	Specimen	Format	Kit size	Qualification
H141-23W	Dengue Ag NS1 Test Cassette	WB/S/P	Cassette	25T	CE
H142-23W	Dengue Ab IgM/IgG Test Cassette	WB/S/P	Cassette	25T	CE
H143-43W	Dengue NS1/IgM/IgG Test Panel	WB/S/P	Panel	20T	CE
H144-11W	H.Pylori Ab Test Strip	WB/S/P	Strip	50T	CE
H144-23W	H.Pylori Ab Test Cassette	WB/S/P	Cassette	25T	CE
H145-11F	H.Pylori Ag Test Strip	Feces	Strip	20T	—
H145-23F	H.Pylori Ag Test Cassette	Feces	Cassette	20T	—
H146-11W	Malaria Pf. Ag Test Strip	Whole Blood	Strip	50T	—
H146-23W	Malaria Pf. Ag Test Cassette	Whole Blood	Cassette	25T	—
H147-11W	Malaria Pv. Ag Test Strip	Whole Blood	Strip	50T	—
H147-23W	Malaria Pv. Ag Test Cassette	Whole Blood	Cassette	25T	—
H148-11W	Malaria Pan Ag Test Strip	Whole Blood	Strip	50T	—
H148-23W	Malaria Pan Ag Test Cassette	Whole Blood	Cassette	25T	—
H149-11W	Malaria Pf./Pv. Ag Test Strip	Whole Blood	Strip	50T	CE
H149-23W	Malaria Pf./Pv. Ag Test Cassette	Whole Blood	Cassette	25T	CE
H1410-11W	Malaria Pf./Pan Ag Test Strip	Whole Blood	Strip	50T	CE
H1410-23W	Malaria Pf./Pan Ag Test Cassette	Whole Blood	Cassette	25T	CE
H1411-23W	Typhoid Ab IgM/IgG Test Cassette	WB/S/P	Cassette	25T	CE
H1413-23P	Chikungunya Ab IgM Test Cassette	S/P	Cassette	25T	CE
H1414-23F	Cholera Ag O1 Rapid Test Cassette	Feces	Cassette	20T	CE
H1415-23F	Cholera Ag O139 Rapid Test Cassette	Feces	Cassette	20T	—
H1417-23P	Leishmania Ab IgM/IgG Test Cassette	S/P	Cassette	25T	CE
H1418-23P	Leptospira Ab IgM/IgG Test Cassette	S/P	Cassette	25T	CE
H1419-11F	Adenovirus Ag Test Strip	Feces	Strip	20T	CE
H1419-23F	Adenovirus Ag Test Cassette	Feces	Cassette	20T	CE

RAPID TESTS

>> INFECTIOUS DISEASES TESTS

Cat. No.	Product Description	Specimen	Format	Kit size	Qualification
H1420-11F	Rotavirus Ag Test Strip	Feces	Strip	20T	CE
H1420-23F	Rotavirus Ag Test Cassette	Feces	Cassette	20T	CE
H1421-43F	Adenovirus/Rotavirus Ag Test Panel	Feces	Panel	20T	CE
H1422-23F	Salmonella Typhi Ag Test Cassette	Feces	Cassette	20T	CE
H1423-11W <small>NEW</small>	C-Reactive Protein Semi-Quantitative Test Strip	WB/S/P	Strip	50T	CE
H1423-23W <small>NEW</small>	C-Reactive Protein Semi-Quantitative Test Cassette	WB/S/P	Cassette	25T	CE
H1424-11W <small>NEW</small>	Anti-cyclic citrullinated peptide (CCP) antibody detection Test Strip	WB/S/P	Strip	50T	—
H1424-23W <small>NEW</small>	Anti-cyclic citrullinated peptide (CCP) antibody detection Test Cassette	WB/S/P	Cassette	25T	—
H1425-11WG	TB Tuberculosis Ab IgG Test Strip	WB/S/P	Strip	50T	CE
H1425-23WG	TB Tuberculosis Ab IgG Test Cassette	WB/S/P	Cassette	25T	CE

Malaria P.f. /P.v. Ag Test

			
Malaria P.f. /P.v. Ag Test	Test Cassette	Buffer	Dropper

Typhoid G/M Ab Test

			
Typhoid G/M Ab Test	Test Cassette	Buffer	Dropper

H. Pylori Ag Test

		
H. Pylori Ag Test	Test Cassette	Sample Tube

Dengue NS1/G/M Test

			
Dengue NS1/G/M Test	Test Cassette	Buffer	Dropper

RAPID TESTS

>> CARDIAC MARKERS TESTS



Troponin I Test



Myoglobin Test



CK-MB Test

Cat. No.	Product Description	Specimen	Format	Kit size	Cut-off	Qualification
H161-11W	cTnI Troponin I Test Strip	WB/S/P	Strip	50T	1ng/ml	CE
H161-23W	cTnI Troponin I Test Cassette	WB/S/P	Cassette	25T	1ng/ml	CE
H162-11W	MYO Myoglobin Test Strip	WB/S/P	Strip	50T	80ng/ml	CE
H162-23W	MYO Myoglobin Test Cassette	WB/S/P	Cassette	25T	80ng/ml	CE
H163-11W	CK-MB Creative Kinase-MB Test Strip	WB/S/P	Strip	50T	5ng/ml	CE
H163-23W	CK-MB Creative Kinase-MB Test Cassette	WB/S/P	Cassette	25T	5ng/ml	CE
H164-43W	CTNI/MYO/CK-MB Test Panel	WB/S/P	Panel	20T	—	CE

>> TUMOR MARKERS TESTS

CE0123



PSA Test



FOB Test



CEA Test

Cat. No.	Product Description	Specimen	Format	Kit size	Cut-off	Qualification
H171-11P	AFP Alpha Fetoprotein Test Strip	S/P	Strip	50T	20ng/ml	CE
H171-23P	AFP Alpha Fetoprotein Test Cassette	S/P	Cassette	25T	20ng/ml	CE
H172-11P	CEA Carcinoma Embryonic Ag Test Strip	S/P	Strip	50T	5ng/ml	CE
H172-23P	CEA Carcinoma Embryonic Ag Test Cassette	S/P	Cassette	25T	5ng/ml	CE
H173-11F	FOB Fecal Occult Blood Test Strip	Feces	Strip	20T	50ng/ml	CE
H173-23F	FOB Fecal Occult Blood Test Cassette	Feces	Cassette	20T	50ng/ml	CE
H174-11P	PSA Prostate Specific Ag Test Strip	S/P	Strip	50T	4ng/ml	CE0123
H174-23P	PSA Prostate Specific Ag Test Cassette	S/P	Cassette	25T	4ng/ml	CE0123
H175-43P	AFP/CEA/PSA Test Panel	S/P	Panel	20T		
H176-23F	TF Transferrin Test Cassette	Feces	Cassette	25T	40ng/ml	CE
H177-43F	FOB/TF Test Panel	Feces	Cassette	20T		
H178-43F	Hemoglobin (Hb)/Transferrin (TF) Test Panel	Feces	Panel	20T		CE

RAPID TESTS

>> TORCH PANEL

The first company around the world to obtain CE certificate for TORCH rapid test .

UNIQUE FEATURES



Multiplex POCT design

- 5 tests in 1 panel
- 1 test procedure for 10 parameter results
- detection and differentiation of both IgM and IgG in all 5 tests

Differentiate HSV-1 and HSV-2

Whole blood compatible

Allows for testing in various settings, such as

- emergency
- physician office without centrifuge
- remote area without skilled lab technicians and stable electricity

Cat. No.	Product Description	Specimen	Format	Kit size	CE status
H181-23WM	TOXO Toxoplasma Ab IgM Test Cassette	WB/S/P	Cassette	25 T	CE 0123
H181-23WG	TOXO Toxoplasma Ab IgG Test Cassette	WB/S/P	Cassette	25 T	CE 0123
H181-23W	TOXO Toxoplasma Ab IgM/IgG Test Cassette	WB/S/P	Cassette	25 T	CE 0123
H182-23WM	RV Rubella Ab IgM Test Cassette	WB/S/P	Cassette	25 T	CE 0123
H182-23WG	RV Rubella Ab IgG Test Cassette	WB/S/P	Cassette	25 T	CE 0123
H182-23W	RV Rubella Ab IgM/IgG Test Cassette	WB/S/P	Cassette	25 T	CE 0123
H183-23WM	CMV Cytomegalovirus Ab IgM Test Cassette	WB/S/P	Cassette	25 T	CE 0123
H183-23WG	CMV Cytomegalovirus Ab IgG Test Cassette	WB/S/P	Cassette	25 T	CE 0123
H183-23W	CMV Cytomegalovirus Ab IgM/IgG Test Cassette	WB/S/P	Cassette	25 T	CE 0123
H184-23WM	HSV-I Herpes Simplex Virus I Ab IgM Test Cassette	WB/S/P	Cassette	25 T	CE
H184-23WG	HSV-I Herpes Simplex Virus I Ab IgG Test Cassette	WB/S/P	Cassette	25 T	CE
H184-23W	HSV-I Herpes Simplex Virus I Ab IgM/IgG Test Cassette	WB/S/P	Cassette	25 T	CE
H185-23WM	HSV-II Herpes Simplex Virus II Ab IgM Test Cassette	WB/S/P	Cassette	25 T	CE
H185-23WG	HSV-II Herpes Simplex Virus II Ab IgG Test Cassette	WB/S/P	Cassette	25 T	CE
H185-23W	HSV-II Herpes Simplex Virus II Ab IgM/IgG Test Cassette	WB/S/P	Cassette	25 T	CE
H186-43WM	TORCH 5-in-1 Ab IgM Test Panel	WB/S/P	Panel	20 T	
H186-43WG	TORCH 5-in-1 Ab IgG Test Panel	WB/S/P	Panel	20 T	
H186-43W	TORCH 10-in-1 Ab IgM/IgG Test Panel	WB/S/P	Panel	20 T	

RAPID TESTS

>> RESPIRATORY TESTS




MP IgM Test



Cat. No.	Product Description	Specimen	Format	Kit size	Qualification
H191-43S	Influenza A+B Ag Test Panel	Swab	Cassette	20T	CE
H191-23S	Influenza A/B Ag Test Cassette (Tri-lines)	Swab	Cassette	25T	CE
H192-23S	Strep A Ag Test Cassette	Swab	Cassette	25T	CE
H193-23S	ADV Respiratory Adenovirus Ag Test Cassette	Swab	Cassette	25T	
H194-23S	RSV Respiratory Syncytial Virus Ag Test Cassette	Swab	Cassette	25T	
H195-43S	ADV/RSV Ag 2-in-1 Test Panel	Swab	Panel	20T	
H196-43S	Influ A+B/ADV/RSV Ag 4-in-1 Test Panel	Swab	Panel	20T	
H197-23WM	MP Mycoplasma Pneumoniae Ab IgM Test Cassette	WB/S/P	Cassette	25T	
H197-23WG	MP Mycoplasma Pneumoniae Ab IgG Test Cassette	WB/S/P	Cassette	25T	
H197-43W	MP Mycoplasma Pneumoniae Ab IgM/IgG Test Panel	WB/S/P	Panel	25T	
H198-23S	MP Mycoplasma Pneumoniae Ag Test Cassette	Swab	Cassette	25T	
H199-23WM	CPn Chlamydia Pneumoniae Ab IgM Test Cassette	WB/S/P	Cassette	25T	
H199-23WG	CPn Chlamydia Pneumoniae Ab IgG Test Cassette	WB/S/P	Cassette	25T	

>> OTHER RAPID TESTS

Alcohol Screening Test



Cat. No.	Product Description	Specimen	Format	Kit size
H001-11B	Alcohol Screening Test Strip	Saliva	Strip	50T
H001-23B	Alcohol Screening Test Cassette	Saliva	Cassette	25T
H001-11U	Alcohol Screening Test Strip	Urine	Strip	50T
H001-23U	Alcohol Screening Test Cassette	Urine	Cassette	25T
H002-11P	Serum Cholinesterase Test Strip	Serum	Strip	50T

RAPID TESTS

>> DRUG OF ABUSE TESTS



Cat. No.	Product Description	Specimen	Format	Kit size	Cut-Off	CE status
H151-11U	AMP Amphetamine Test Strip	Urine	Strip	50T	1000 ng/mL, 500ng/ mL, 300ng/mL	CE
H151-23U	AMP Amphetamine Test Cassette	Urine	Cassette	25T	1000 ng/mL, 500ng/mL, 300ng/mL	CE
H152-11U	BAR Barbiturate Test Strip	Urine	Strip	50T	300 ng/mL	CE
H152-23U	BAR Barbiturate Test Cassette	Urine	Cassette	25T	300 ng/mL	CE
H153-11U	BUP Buprenorphine Test Strip	Urine	Strip	50T	10 ng/mL	CE
H153-23U	BUP Buprenorphine Test Cassette	Urine	Cassette	25T	10 ng/mL	CE
H154-11U	BZO Benzodiazepines Test Strip	Urine	Strip	50T	300 ng/mL, 200ng/mL	CE
H154-23U	BZO Benzodiazepines Test Cassette	Urine	Cassette	25T	300 ng/mL, 200ng/mL	CE
H155-11U	COC Cocaine Test Strip	Urine	Strip	50T	300 ng/mL, 150ng/mL	CE
H155-23U	COC Cocaine Test Cassette	Urine	Cassette	25T	300 ng/mL, 150ng/mL	CE
H156-11U	COT Cotinine Test Strip	Urine	Strip	50T	200 ng/mL	CE
H156-23U	COT Cotinine Test Cassette	Urine	Cassette	25T	200 ng/mL	CE

Cat. No.	Product Description	Specimen	Format	Kit size	Cut-Off	CE status
H157-11U	EDDP Ethylenediamine-dimethylphosphinic acid Test Strip	Urine	Strip	50T	300 ng/mL	CE
H157-23U	EDDP Ethylenediamine-dimethylphosphinic acid Test Cassette	Urine	Cassette	25T	300 ng/mL	CE
H158-11U	KET Ketamine Test Strip	Urine	Strip	50T	1000 ng/mL,500ng/mL	CE
H158-23U	KET Ketamine Test Cassette	Urine	Cassette	25T	1000 ng/mL,500ng/mL	CE
H159-11U	MDMA Ecstasy Test Strip	Urine	Strip	50T	1000ng/mL,500 ng/mL	CE
H159-23U	MDMA Ecstasy Test Cassette	Urine	Cassette	25T	1000ng/mL,500 ng/mL	CE
H1510-11U	MET Methamphetamine Test Strip	Urine	Strip	50T	1000ng/mL,500 ng/mL	CE
H1510-23U	MET Methamphetamine Test Cassette	Urine	Cassette	25T	1000ng/mL,500 ng/mL	CE
H1511-11U	MOP Morphine Test Strip	Urine	Strip	50T	1000ng/mL,500 ng/mL	CE
H1511-23U	MOP Morphine Test Cassette	Urine	Cassette	25T	300 ng/mL,100ng/mL	CE
H1512-11U	MTD Methadone Test Strip	Urine	Strip	50T	300 ng/mL,200ng/mL	CE
H1512-23U	MTD Methadone Test Cassette	Urine	Cassette	25T	300 ng/mL,200ng/mL	CE
H1513-11U	OPI Opiates Test Strip	Urine	Strip	50T	2000 ng/mL	CE
H1513-23U	OPI Opiates Test Cassette	Urine	Cassette	25T	2000 ng/mL	CE
H1514-11U	OXY Oxycodone Test Strip	Urine	Strip	50T	300ng/mL,100 ng/mL	CE
H1514-23U	OXY Oxycodone Test Cassette	Urine	Cassette	25T	300ng/mL,100 ng/mL	CE
H1515-11U	PCP Phencyclidine Test Strip	Urine	Strip	50T	25 ng/mL,10ng/mL	CE
H1515-23U	PCP Phencyclidine Test Cassette	Urine	Cassette	25T	25 ng/mL,10ng/mL	CE
H1516-11U	PPX Propoxyphene Test Strip	Urine	Strip	50T	300 ng/mL,100ng/mL	CE
H1516-23U	PPX Propoxyphene Test Cassette	Urine	Cassette	25T	300 ng/mL,100ng/mL	CE
H1517-11U	K2 Synthetic Marijuana Test Strip	Urine	Strip	50T	50 ng/mL	CE
H1517-23U	K2 Synthetic Marijuana Test Cassette	Urine	Cassette	25T	50 ng/mL	CE
H1518-11U	TCA Tricyclic Antidepressants Test Strip	Urine	Strip	50T	1000 ng/mL,500ng/mL	CE
H1518-23U	TCA Tricyclic Antidepressants Test Cassette	Urine	Cassette	25T	1000 ng/mL,500ng/mL	CE
H1519-11U	THC Marijuana Test Strip	Urine	Strip	50T	50 ng/mL	CE
H1519-23U	THC Marijuana Test Cassette	Urine	Cassette	25T	50 ng/mL	CE
H1520-11U	TML Tramadol Test Strip	Urine	Strip	50T	300 ng/mL,200ng/mL	CE
H1520-23U	TML Tramadol Test Cassette	Urine	Cassette	25T	300 ng/mL,200ng/mL	CE
H1524-11U	FYL Fentanyl Test Strip	Urine	Strip	50T	200ng/mL	NEW
H1524-23U	FYL Fentanyl Test Cassette	Urine	Cassette	25T	200ng/mL	NEW
H1521-53U	Multi-Drug Test Panel(2 - 12 Para)	Urine	Panel	20T	—	CE
H1522-67U	Multi-Drug Test Cup (5-16 Para)	Urine	L-Cup	1T	—	CE
H1523-67U	Multi-Drug Test Cup (5-16 Para)	Urine	Key-Cup	1T	—	CE

ELISA KITS

Cat.No.	Product Name	Package	CE status
Blood Screening Tests			
H3113	HIV 1/2 Antibody(3rd) Test	96T/Box, 480T/Box	
H3114	HIV 1/2 Antibody/Antigen(4th) Test	96T/Box, 480T/Box	
H312	HBsAg Hepatitis B Surface Antigen Test	96T/Box, 480T/Box	
H313	HCV Hepatitis C Virus Antibody Test	96T/Box, 480T/Box	
H314	Syphilis Antibody Test	96T/Box, 480T/Box	CE
H315	HBsAb Hepatitis B Surface Antibody Test	96T/Box, 480T/Box	
H316	HBeAg Hepatitis B Envelope Antigen Test	96T/Box, 480T/Box	
H317	HBeAb Hepatitis B Envelope Antibody Test	96T/Box, 480T/Box	
H318	HBcAb Hepatitis B Core Antibody Test	96T/Box, 480T/Box	
Quantitative Tests			
H321	AFP Alpha Fetoprotein Antigen Test	96T/Box, 480T/Box	
H322	CEA Carcinoma Embryonic Antigen Test	96T/Box, 480T/Box	
H323	T3 3,5,3'-Triiodo-Thyronine Test	96T/Box, 480T/Box	CE
H324	T4 Thyroxine Test	96T/Box, 480T/Box	CE
H325	TSH Thyroid Stimulating Hormone Test	96T/Box, 480T/Box	CE
H326	LH Luteinizing Hormone Test	96T/Box, 480T/Box	CE
H327	FSH Follicle Stimulating Hormone Test	96T/Box, 480T/Box	
H328	SF Serum Ferritin Test	96T/Box, 480T/Box	
H329	PSA Prostate Specific Antigen Test	96T/Box, 480T/Box	
H3210	VEGF Vascular Endothelial Growth Factor Test	96T/Box, 480T/Box	
H3211	Total IgE Antibody Test	96T/Box, 480T/Box	
H3212	β 2 Glycoprotein Antibody Test	96T/Box, 480T/Box	
H3213	AMH Anti-mullerian Hormone Test	96T/Box, 480T/Box	
Prenatal and Postnatal Care Tests			
H331M	TOXO Toxoplasma Ab IgM Test Test	96T/Box, 480T/Box	
H331G	TOXO Toxoplasma Ab IgG Test Test	96T/Box, 480T/Box	
H332M	RV Rubella Virus Ab IgM Test Test	96T/Box, 480T/Box	
H332G	RV Rubella Virus Ab IgG Test Test	96T/Box, 480T/Box	
H333M	CMV Cytomegalovirus Ab IgM Test	96T/Box, 480T/Box	
H333G	CMV Cytomegalovirus Ab IgG Test	96T/Box, 480T/Box	
H334M	HSV-I Herpes Simplex Virus I Ab IgM Test	96T/Box, 480T/Box	
H334G	HSV-I Herpes Simplex Virus I Ab IgG Test	96T/Box, 480T/Box	
H335M	HSV-II Herpes Simplex Virus II Ab IgM Test	96T/Box, 480T/Box	
H335G	HSV-II Herpes Simplex Virus II Ab IgG Test	96T/Box, 480T/Box	
Immunological Infertility Tests			
H341A	ASA Anti-sperm Ab IgA Test	96T/Box, 480T/Box	
H341M	ASA Anti-sperm Ab IgM Test	96T/Box, 480T/Box	
H341G	ASA Anti-sperm Ab IgG Test	96T/Box, 480T/Box	
H342A	EM Anti-endometrial Ab IgA Test	96T/Box, 480T/Box	
H342M	EM Anti-endometrial Ab IgM Test	96T/Box, 480T/Box	
H342G	EM Anti-endometrial Ab IgG Test	96T/Box, 480T/Box	
H343A	ACA Anticardiolipin Ab IgA Test	96T/Box, 480T/Box	
H343M	ACA Anticardiolipin Ab IgM Test	96T/Box, 480T/Box	

Cat.No.	Product Name	Package	CE status
Immunological Infertility Tests			
H343G	ACA Anticardiolipin Ab IgG Test	96T/Box, 480T/Box	
H344A	AOA Anti-ovary Ab IgA Test	96T/Box, 480T/Box	
H344M	AOA Anti-ovary Ab IgM Test	96T/Box, 480T/Box	
H344G	AOA Anti-ovary Ab IgG Test	96T/Box, 480T/Box	
H345A	HCG Anti-Human Chorionic Gonadotrophin Ab IgA Test	96T/Box, 480T/Box	
H345M	HCG Anti-Human Chorionic Gonadotrophin Ab IgM Test	96T/Box, 480T/Box	
H345G	HCG Anti-Human Chorionic Gonadotrophin Ab IgG Test	96T/Box, 480T/Box	
H346A	ZP Anti-Zona Pellucida Ab IgA Test	96T/Box, 480T/Box	
H346M	ZP Anti-Zona Pellucida Ab IgM Test	96T/Box, 480T/Box	
H346G	ZP Anti-Zona Pellucida Ab IgG Test	96T/Box, 480T/Box	
H347A	TA Anti-Trophoblast Membrane Ab IgA Test	96T/Box, 480T/Box	
H347M	TA Anti-Trophoblast Membrane Ab IgM Test	96T/Box, 480T/Box	
H347G	TA Anti-Trophoblast Membrane Ab IgG Test	96T/Box, 480T/Box	
H348	EHF Epidemic Hemorrhagic Fever Virus Ab IgM Test	96T/Box, 480T/Box	
Hepatitis Virus Tests			
H351	HAV Hepatitis A Virus Ab IgM Test	96T/Box, 480T/Box	CE
H352	HEV Hepatitis E Virus Ab IgM Test	96T/Box, 480T/Box	CE
Other Tests			
H361M	TB Mycobacterium Tuberculosis Ab IgM Test	96T/Box, 480T/Box	
H361G	TB Mycobacterium Tuberculosis Ab IgG Test	96T/Box, 480T/Box	
H362	ds-DNA Double-stranded DNA Ab IgG Test	96T/Box, 480T/Box	
H363	ANA Antinuclear Ab IgG Test	96T/Box, 480T/Box	
H364	HP H.Pylori Antigen Test	96T/Box, 480T/Box	CE
H365	Ct Chlamydia Trachomstis Ab IgG Test	96T/Box, 480T/Box	
H366	SARS-CoV-2 Neutralizing Antibody Test	96T/Box, 480T/Box	CE






DOT Kits

Cat.No.	Product Name	Detection	Kit Size	Specimen
Respiratory Tract Tests				
H211	TB (Mycobacterium Tuberculosis) Antibody Test	IgG	20T/Box	serum
H212	MP (Mycoplasma Pneumoniae) Antibody Test	IgM/IgG	20T/Box	serum
H213	Cpn (Chlamydia Pneumoniae) Antibody Test	IgM/IgG	20T/Box	serum
H214	RSV (Respiratory Syncytial Virus) Antibody Test	IgM/IgG	20T/Box	serum
H215	Adv (Adenovirus) Antibody Test	IgM/IgG	20T/Box	serum
H216	MV (Measles Virus) Antibody Test	IgM/IgG	20T/Box	serum
H217	PFV (Parainfluenza Virus) Antibody Test	IgM/IgG	20T/Box	serum
H218	FLU-A (Influenza Virus A) Antibody Test	IgM	20T/Box	serum
H219	FLU-B (Influenza Virus B) Antibody Test	IgM	20T/Box	serum
H2110	CVB (Coxsackievirus B) Antibody Test	IgM/IgG	20T/Box	serum
H2111	EBV (Epstein-Barr Virus) Antibody Test	IgA/IgM/IgG	20T/Box	serum
H2112	HPV B19 (Human Parvovirus B19) Antibody Test	IgM/IgG	20T/Box	serum
Sexually Transmitted Disease Tests				
H221	Uu (Urea Plasma Urealyticum) Antibody Test	IgM/IgG	20T/Box	serum
H222	Ct (Chlamydia Trachomatis) Antibody Test	IgM/IgG	20T/Box	serum
H223	HPV (Human Papilloma Virus) Antibody Test	IgM/IgG	20T/Box	serum
Hepatitis Tests				
H231	HCV Antibody Test	IgM	20T/Box	serum
H232	HAV Antibody Test	IgM	20T/Box	serum
Infectious Disease Tests				
H241	HantaVirus Antibody Test	IgM/IgG	20T/Box	serum
H242	Enterovirus 71 Antibody Test	IgM	20T/Box	serum
H243	CV16 (Coxsackievirus A16) Antibody Test	IgM	20T/Box	serum
Rheumatic Diseases Tests				
H251	ds-DNA (Double-stranded DNA Antibody Test	IgG	20T/Box	serum
H252	ss-DNA (Single-stranded DNA Antibody Test	IgG	20T/Box	serum
H253	RF (Rheumatoid Factor) Antibody Test	IgM/IgG	20T/Box	serum
H254	ASO (Anti-streptolysin O) Antibody Test	IgG	20T/Box	serum
H255	ANA (Antinuclear) Antibody TestE	IgG	20T/Box	serum
H256	NA (Extractable Nuclear Antigen) Antibody Test	IgG	20T/Box	serum
H257	CCP (Cyclic citrullinated peptide) Antibody Test	IgG	20T/Box	serum
Immunological Infertility Tests				
H261	ASA (Anti-sperm) Antibody Test	IgA/IgM/IgG	20T/Box	serum
H262	EM (Anti-endometrial) Antibody Test	IgA/IgM/IgG	20T/Box	serum
H263	ACA (Anticardiolipin) Antibody Test	IgA/IgM/IgG	20T/Box	serum
H264	AOA (Anti-ovary) Antibody Test	IgA/IgM/IgG	20T/Box	serum
H265	HCG (Anti-Human Charionic Gonadotropin) Antibody Test	IgG	20T/Box	serum
H266	TA (Anti-Trophoblast Membrane) Antibody Test	IgA/IgM/IgG	20T/Box	serum
H267	ZP (Anti-Zona Pellucida) Antibody Test	IgA/IgM/IgG	20T/Box	serum
Other Tests				
H271	HP (Helicobacter Pylori) Antibody Test	IgM/IgG	20T/Box	serum



Urine Strips For Pets



Product Number	Urinalysis Strip Description	Use method	Urine Analyzer	Test parameters														
				Leucocyte	Nitrite	Urobilinogen	Protein	PH	Blood	SG	Ketone	Bilirubin	Glucose	Ascorbic acid	Microalbumin	Creatinine	Calcium	
2510201002	MR A10	Visual	N/A	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙	⊙
2510201007	MR 8 ITEMS	Visual	N/A	⊙														
2510201008	MR5ITEMS(PRO.PH.BLD.KET.GLU)	Visual	N/A															
2510201009	MR 4ITEMS(PRO.PH.SG.GLU)	Visual	N/A															
2510201010	MR 4ITEMS(PRO.PH.BLD.GLU)	Visual	N/A															
2510201011	MR 3ITEMS(PRO.PH.GLU)	Visual	N/A															
2510201013	MR 2ITEMS(KET.GLU)	Visual	N/A															
2510201014	MR 2ITEMS(PRO.GLU)	Visual	N/A															
2510201019	MR 1ITEM(PRO)	Visual	N/A															
2510201018	MR 1ITEM(KET)	Visual	N/A															
2510201016	MR 1ITEM(GLU)	Visual	N/A															




Healthcare for Vet



DH36 Vet

3-Part Auto Hematology Analyzer for Vet



Multi-animal modes available, cat, dog and rabbit

(cow, horse and sheep mode can be customized.)

Excellent repeatability and wider linearity range

Internal lyse reagents position

Built-in thermal printer, external printer supported

Small package and size reagents customized as your truly needs

Parameters

19 reportable parameters: WBC, Gran#, Lym#, Mid#, Gran%, Lym%, Mid%, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-SD, RDW-CV, PLT, MPV, PDW, PCT
3 histograms for WBC, RBC and PLT

Principles

Impedance method for WBC, RBC and PLT test
Cyanide free colorimetry for HGB test

Repeatability

WBC: $\leq 3.0\%$ ($4.00-15.00 \times 10^9/L$)
RBC: $\leq 2.0\%$ ($>3.50 \times 10^{12}/L$)
HGB: $\leq 2.0\%$ (110-180g/L)
MCV: $\leq 1.0\%$ (70.0-110.0fL)
PLT: for dog $\leq 6.0\%$ ($100-500 \times 10^9/L$);
for cat $\leq 10.0\%$ ($100-500 \times 10^9/L$)

Display

10.4 inches TFT touch screen

Communication

Support bi-directional LIS

Interface

4 USB ports, 1 LAN port

Throughput

Up to 40 tests per hour

Sample volume

17 μ L

Sample mode

Whole blood mode and pre-diluted mode

Storage

Up to 50,000 records

Linearity range

WBC: $0.00-200 \times 10^9/L$
RBC: $0.00-17.00 \times 10^{12}/L$
HGB: 0-250g/L
PLT: $0-3000 \times 10^9/L$
HCT: 0.0-67%

Dimension

364mm(W) \times 477mm(D) \times 417mm(H)

Net weight

26kg

Power requirement

100V-240V~, 50/60Hz


MR INTERNATIONAL HEALTHCARE TECHNOLOGY CO., LTD.

ADD:Unit 83 on 3rd Floor,Yau Lee Center No.45,Hoi Yuen Road,Kwun Tong Kowloon,HK

Tel:+86-431-81317781 / +86-431-81317079

E-mail:sales@mr-healthcare.com

Website:http://www.mr-healthcare.com



*Intelligent
Choice for Vet*



DF50 Vet

5-Part Auto Hematology Analyzer for Vet



Multi-animal test modes: available for cat, dog, and rabbit, and cow, horse and sheep can be customized



Easy operation: 10.4 inches TFT touch screen, 12.5° leaning angle of the screen



Saving space: small footprint, build-in reagent position

Principles	Flow Cytometry (FCM) + Tri-angle laser scatter + Chemical staining method for WBC differentiation Impedance method for RBC and PLT test Cyanide free colorimetry for HGB test	Repeatability	WBC: $\leq 2.0\%$ (4.0-15.0) $\times 10^9/L$ RBC: $\leq 1.5\%$ (5.0-10.0) $\times 10^{12}/L$ HGB: $\leq 1.5\%$ (110-180) g/L MCV: $\leq 1\%$ (40-110) fL PLT: $\leq 6.0\%$ (100-149) $\times 10^9/L$; $\leq 4.0\%$ (150-500) $\times 10^9/L$
Parameters	23 parameters: WBC, Neu#, Lym#, Mon#, Eos#, Bas#, Neu%, Lym%, Mon%, Eos%, Bas%, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-SD, RDW-CV, PLT, MPV, PDW, PCT 3 histograms for WBC, RBC, and PLT, 4 scattergrams for WBC differentiation	Linearity range	WBC: 0.00-300.00 $\times 10^9/L$ RBC: 0.00-14.50 $\times 10^{12}/L$ HGB: 0-250 g/L PLT: 0-3000 $\times 10^9/L$ HCT: 0.0-67.0%
Throughput	Up to 60 tests per hour	Power requirement	100V-240V~, 50/60Hz
Sample volume	20 μ L	Dimension	364mm(W)*498mm(D)*431mm(H)
Communication	Supporting Bi-directional LIS	Net weight	27kg

MR INTERNATIONAL HEALTHCARE TECHNOLOGY CO., LTD.

ADD:Unit 83 on 3rd Floor, Yau Lee Center No.45, Hoi Yuen Road, Kwun Tong Kowloon, HK

Tel: +86-431-81317781 / +86-431-81317079

E-mail: sales@mr-healthcare.com

Website: <http://www.mr-healthcare.com>

Consumables



Blood Collection tube



Lancets



Blood Collection Needles




centrifuge tube



Virus Specimen Collection Tube



Urine Container



Stool Container



MR International Healthcare Technology Co.,Ltd

ADD:Unit 83 on 3rd Floor,Yau Lee Center No.45,Hoi Yuen Road,Kwun Tong Kowloon,HK

Tel:+86-431-81317781 / +86-431-81317079

E-mail:sales@mr-healthcare.com

Website:<http://www.mr-healthcare.com>