



Model	φ d	φ D	H	L
BA	3	8.5	4	4.4
BA	4.7	11	5	5.5
BA	4.8	11.1	6.4	7
BA	6	14	5.7	6.3
BA	6.4	12.7	6.4	7
BA	7.9	14.3	6.4	7
BA	8	16	5.7	6.3
BA	10	18	5.7	6.3
BA	10	20	7.3	8
BA	11.1	17.5	6.4	7
BA	12	20	5.7	6.3
BA	12	22	7.3	8
BA	12.7	19.1	6.4	7
BA	13	20	5	5.5
BA	13	23	7.3	8
BA	14	22	5.7	6.3
BA	14	24	7.3	8
BA	14.3	20.6	6.4	7
BA	15	23	5.7	6.3
BA	15.9	22.2	6.4	7
BA	16	22.2	4.5	5
BA	16	24	5.7	6.3
BA	16	26	7.3	8
BA	18	24	5	5.5
BA	18	26	5.7	6.3
BA	18	28	7.3	8
BA	19	29	7.3	8
BA	19.1	25.4	4.5	5
BA	19.1	25.4	6.4	7
BA	19.1	28.6	7.9	8.7
BA	20	28	5.5	6
BA	20	28	5.7	6.3
BA	20	28	6.5	7.2
BA	20	30	7.3	8
BA	20	32.7	9.5	10.5
BA	20.6	26.8	4.8	5.3

Model	φ d	φ D	H	L
BA	22	30	5.7	6.3
BA	22	32	7.3	8
BA	22.2	28.6	6.4	7
BA	24	30	5	5.5
BA	24	32	7	7.7
BA	25	33	5.7	6.3
BA	25	35	7.3	8
BA	25	40	10	11
BA	25.4	31.8	4.5	5
BA	25.4	31.8	6.4	7
BA	25.4	34.9	7.9	8.7
BA	25.4	38.1	9.5	10.5
BA	28	35	6.5	7.2
BA	28	36	5.7	6.3
BA	28	38	7.3	8
BA	28	43	11.4	12.5
BA	28.6	34.9	6.4	7
BA	28.6	41.3	9.5	10.5
BA	30	38	5.7	6.3
BA	30	38	7	7.7
BA	30	40	7	7.7
BA	30	40	7.5	8.3
BA	30	42	10	11
BA	30	45	8	8.8
BA	30	45	11.4	12.5
BA	30.2	39.7	7.9	8.7
BA	31.8	38.1	4.5	5
BA	31.8	41.3	6.8	7.5
BA	31.8	41.3	7.9	8.7
BA	31.8	44.5	9.5	10.5
BA	31.8	47.6	12.7	14
BA	32	40	5.7	6.3
BA	32	40	6	6.6
BA	32	42	6.3	6.9
BA	32	42	7.3	8
BA	32	47	11.4	12.5



Model	φ d	φ D	H	L
BA	34.9	41.3	4.8	5.3
BA	34.9	44.5	7.9	8.7
BA	35	43	5.7	6.3
BA	35	43	6.5	7.2
BA	35	45	8	8.8
BA	35	45	10	11
BA	35	47	10	11
BA	35	50	11.4	12.5
BA	36	44	5.7	6.3
BA	36	46	7.3	8
BA	36	51	11.4	12.5
BA	38	50	7	7.7
BA	38.1	44.5	6.4	7
BA	38.1	47.6	6.4	7
BA	38.1	47.6	9.5	10.5
BA	38.1	50.8	9.5	10.5
BA	38.1	54	12.7	14
BA	38.1	57.2	15.9	17.5
BA	40	48	5.7	6.3
BA	40	50	7.3	8
BA	40	50	10	11
BA	40	52	10	11
BA	40	55	10	11
BA	40	55	11.4	12.5
BA	41.3	50.8	7.9	8.7
BA	41.3	57.2	12.7	14
BA	41.7	50.7	7.1	7.8
BA	42	50	6.5	7.2
BA	44.5	54	6.8	7.5
BA	44.5	57.2	9.5	10.5
BA	44.5	60.3	12.7	14
BA	45	53	7.3	8
BA	45	55	7.3	8
BA	45	55	8	8.8
BA	45	55	10	11
BA	45	60	11.4	12.5
BA	45	65	11.4	12.5
BA	47.6	57.2	4.8	5.3
BA	47.6	57.2	9.5	10.5
BA	47.6	60.3	9.5	10.5
BA	47.6	63.5	9.5	10.5
BA	48	60	10	11
BA	50	58	8	8.8
BA	50	60	7.3	8
BA	50	60	7.5	8.3
BA	50	60	10	11
BA	50	60	11.4	12.5
BA	50	62	9.5	10.5
BA	50	63	10	11
BA	50	65	11.4	12.5

Model	φ d	φ D	H	L
BA	50	70	14.6	16.1
BA	50.4	69.9	15.9	17.5
BA	50.8	60.3	7.9	8.7
BA	50.8	60.3	9.5	10.5
BA	50.8	63.5	9.5	10.5
BA	50.8	66.7	12.7	14
BA	52	62	7.3	8
BA	53	63	7.3	8
BA	54	63.5	6.8	7.5
BA	54	63.5	9.5	10.5
BA	54	66.7	9.5	10.5
BA	54	69.9	12.7	14
BA	55	65	7.3	8
BA	55	65	11	12.1
BA	55	70	11	12.1
BA	55	75	14.5	16
BA	56	66	10	11
BA	56	71	11.4	12.5
BA	56	76	14.6	16
BA	57.2	66.7	6.8	7.5
BA	57.2	66.7	9.5	10.5
BA	57.2	69.6	9.5	10.5
BA	57.2	76.2	15.9	17.5
BA	60	68	7	7.7
BA	60	68	11.4	12.5
BA	60	68	13	14.5
BA	60	70	7.3	8
BA	60	70	10.5	11.6
BA	60	70	12	13.2
BA	60	72	9	9.9
BA	60	72	10	11
BA	60	75	13.5	14.9
BA	60	80	12	13.2
BA	60	80	14	15.4
BA	63	73	5.5	6
BA	63	75	8.7	9.6
BA	63	78	11.4	12.5
BA	63	83	14.5	16
BA	63.5	73	9.5	10.5
BA	63.5	76.2	6.4	7
BA	63.5	76.2	9.5	10.5
BA	63.5	79.4	12.7	14
BA	64	80	12	13.2
BA	65	73	7	7.7
BA	65	75	10	11
BA	65	85	12	13.2
BA	65	85	15	16.5
BA	66.7	76.2	6.8	7.5
BA	66.7	76.2	9.5	10.5
BA	66.7	79.4	9.5	10.5



Model	φ d	φ D	H	L
BA	68	88	15	16.5
BA	69.9	82.6	9.5	10.5
BA	69.9	85.7	12.7	14
BA	69.9	88.9	15.9	17.5
BA	70	80	11.4	12.5
BA	70	82	8.7	9.6
BA	70	82	9.5	10.5
BA	70	85	9.5	10.5
BA	70	85	11.4	12.5
BA	70	90	12	13.2
BA	70	90	14.5	16
BA	73	80	7	7.7
BA	73	82.6	6.8	7.5
BA	73	82.6	9.5	10.5
BA	73	85.7	9.5	10.5
BA	75	83	6.5	7.2
BA	75	85	10.5	11.6
BA	75	90	11.4	12.5
BA	76.2	85.7	7.9	8.7
BA	76.2	85.7	9.5	10.5
BA	76.2	88.9	9.5	10.5
BA	76.2	92.1	9.5	10.5
BA	76.2	92.1	12.7	14
BA	76.2	95.3	15.9	17.5
BA	78	86	13	14.5
BA	79.4	88.9	9.5	10.5
BA	79.4	92.1	9.5	10.5
BA	80	88	6.5	7.2
BA	80	90	11.4	12.5
BA	80	92	9	9.9
BA	80	92.7	9.5	10.5
BA	80	95	11.4	12.5
BA	80	100	9.5	10.5
BA	80	100	12	13.2
BA	80	100	13.5	14.8
BA	80	100	15	16.5
BA	81.3	95.8	12.7	14
BA	82	92	10	11
BA	82.6	95.3	9.5	10.5
BA	82.6	101.6	12.7	14
BA	82.6	101.6	15.9	17.5
BA	85	95	9.5	10.5
BA	85	100	9.5	10.5
BA	85	100	12	13.2
BA	85	105	14.5	16
BA	85.7	95.3	9.5	10.5
BA	85.7	101.6	12.8	14.1
BA	85.7	104.8	15.9	17.5
BA	88.5	108.5	15	16.5
BA	88.9	98	9.5	10.5

Model	φ d	φ D	H	L
BA	88.9	101.6	9.5	10.5
BA	88.9	108	15.9	17.5
BA	90	100	11.4	12.5
BA	90	105	11.4	12.5
BA	90	110	12	13.2
BA	90	110	14.5	16
BA	92.1	111.1	15.9	17.5
BA	94	108.5	12.7	14
BA	95	105	11.4	12.5
BA	95	110	11.4	12.5
BA	95.3	104.8	9.5	10.5
BA	95.3	108	9.5	10.5
BA	95.3	108	14.3	15.7
BA	95.3	114.3	12.7	14
BA	95.3	114.3	15.9	17.5
BA	98.4	123.8	19.1	21
BA	100	108	6.5	7.2
BA	100	110	11.4	12.5
BA	100	115	11	12.1
BA	100	115	14.6	16
BA	100	120	12	13.2
BA	100	120	14.5	16
BA	101.6	111.1	9.5	10.5
BA	101.6	114.3	9.5	10.5
BA	101.6	117.5	14.3	15.7
BA	101.6	120.7	15.9	17.5
BA	101.6	127	19.1	21
BA	104.8	123.8	15.9	17.2
BA	105	115	10	11
BA	105	120	11.4	12.5
BA	105	125	14.5	16
BA	108	120.7	9.5	10.5
BA	108	120.7	14.3	15.7
BA	108	127	15.9	17.5
BA	110	120	10.5	11.6
BA	110	125	11.4	12.5
BA	110	130	12	13.2
BA	110	130	14.5	16
BA	110	135	18.2	20
BA	111.1	127	12.7	14
BA	114.3	127	9.5	10.5
BA	114.3	127	14.3	15.7
BA	114.3	130.2	15.9	17.5
BA	114.3	133.4	15.9	17.5
BA	114.3	139.7	19.1	21
BA	115	125	11.4	12.5
BA	115	130	11.4	12.5
BA	117.5	136.5	15.9	17.5
BA	120	130	11.4	12.5
BA	120	135	11.4	12.5



Model	φ d	φ D	H	L
BA	120	140	15	16.5
BA	120.7	133.4	14.3	15.7
BA	120.7	136.5	15.9	17.5
BA	120.7	139.7	15.9	17.5
BA	123.8	142.9	15.9	17.5
BA	125	135	11.4	12.5
BA	125	140	11.4	12.5
BA	125	145	14.5	16
BA	127	139.7	9.5	10.5
BA	127	139.7	14.3	15.7
BA	127	146.1	15.9	17.5
BA	127	152.4	19.1	21
BA	130	145	9	9.9
BA	130	145	14.5	16
BA	133.4	146.1	14.3	15.7
BA	133.4	152.4	15.9	17.5
BA	135	155	14.5	16
BA	139.7	152.3	9.5	10.5
BA	139.7	152.4	14.3	15.7
BA	139.7	158.8	15.9	17.5
BA	139.7	165.1	19.1	21
BA	140	150	10.5	11.6
BA	140	150	11.4	12.5
BA	140	160	14.5	16
BA	140	165	18.2	20
BA	142.9	161.9	15.9	17.5
BA	145	155	11.4	12.5
BA	145	160	12	13.5
BA	145	165	14.5	16
BA	146.1	158.8	14.3	15.7
BA	146.1	165.1	15.9	17.5
BA	150	160	11.4	12.5
BA	150	170	14.5	16
BA	152.4	165.1	11.1	12.2
BA	152.4	165.1	14.3	15.7
BA	152.4	171.5	15.9	17.5
BA	155	175	15	16.5
BA	160	168	13	14.5
BA	160	180	15	16.5
BA	160	185	18.2	20
BA	165	190	18.2	20
BA	165.1	177.8	14.3	15.7
BA	165.1	184.2	12.7	14
BA	167	177	14	15.5
BA	170	180	11.4	12.5
BA	170	190	15	16.5
BA	170	195	19	21
BA	171.5	184.2	14.3	15.7
BA	171.5	187.3	15.9	17.5
BA	175	185	11.4	12.5

Model	φ d	φ D	H	L
BA	175	195	15.9	17.5
BA	177.8	190.5	14.3	15.7
BA	177.8	196.3	12.7	14
BA	177.8	196.9	15.9	17.5
BA	180	190	11.4	12.5
BA	180	200	15	16.5
BA	180	210	22.7	25
BA	184.2	203.2	15.9	17.5
BA	187.3	206.4	12.7	14
BA	190.5	203.2	14.3	15.7
BA	196.9	215.9	12.7	14
BA	200	210	11.4	12.5
BA	200	220	15	16.5
BA	200	220	18	19.8
BA	200	225	18.2	20
BA	200	230	22.7	25
BA	203.2	215.9	14.3	15.7
BA	203.2	222.3	15.9	17.5
BA	203.2	228.6	19.1	21
BA	204	220	16	17.6
BA	206.4	219.1	14.3	15.7
BA	210	230	14.5	16
BA	215.9	228.6	14.3	15.7
BA	215.9	235	15.9	17.5
BA	218	230	9	9.9
BA	220	240	15	16.5
BA	220	250	22.7	25
BA	222.3	241.4	19.1	21
BA	235	260.4	19.1	21
BA	238.1	254	15.9	17.5
BA	240	260	14.5	16
BA	250	280	22.7	25
BA	254	279.4	19.1	21
BA	260	290	22.7	25
BA	260.4	279.4	12.7	14
BA	266.7	285.8	15.9	17.5
BA	273.1	292.1	15.9	17.5
BA	279.4	304.8	19.1	21
BA	280	310	22.7	25
BA	290	320	22.5	25
BA	300	325	15	16.5
BA	330	355	20	22
BA	360	385	20	22
BA	381	406.4	19.1	21
BA	419.1	444.5	19.1	21
BA	501.7	533.4	25.4	285