



绣 / 出 / 你 / 的 / 美

EMBROIDERS THE BEAUTY OF YOU

+008618094554206



www.enjoymysew.com



embroiderymachine@163.com



美尔绣在把美观实用的产品带给广大用户的同时，也把美尔绣的缝纫文化传播到了世界各地  
美尔绣将继续坚持并不懈努力：教全球人民学缝纫，用先进的缝纫机技术吸引顾客  
使顾客享受到缝纫的乐趣

Mysew not only brings beautiful and practical products to all over the world  
but also spreads our sewing culture to all over the world, so that customers  
can enjoy sewing and life

# 目录 contents

**01** / MHS系列  
MHS machine series

**29** / MFS系列  
MFS machine series

**32** / MFGS系列  
MFGS machine series

**37** / MYS系列  
MYS machine series



Cap embroidery



Clothes embroidery

## MHS-100(240\*320)

(12 Needles 1 Head)

### SPECIFICATION:

- \* Emb area:240\* 320mm
- \* Suitable for cap and finished garments embroidery
- \* Max working speed 1000RPM
- \* 80V-260V adapted to all electricity environment
- \* Auto color changing ,auto thread trimming and sel-lubrication system
- \* Memory stitches: 100.00. 000, single pattern stitches at most 4.000.000
- \* Special structure supports bigger base space .Which make sure embroider on different kinds of finished products,e.g T-shirt,bag, pillow covers
- \* Adjustable take up lever spring force adapted to various thread and fabric with nice stitches
- \* 17 languages: Chinese,English,Turkish,Spanish,Portuguese, Hindi,Russian,French,Italian,Arabic,Dutch,German,Vietnamese, Polish,Thai,Korean,Romanian
- \* Carton packing
- \* The best choice for home use and mini studio



型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-100	240*320mm	12	1	Machine box:39/41kgs.	74.5*55.5*70.5cm
				Stand box:35/38kgs.	79*22*79cm
				Cap device box:7.5/8kgs.	50*32*27cm

### MHS-100(240\*320)

◎ 配置绣框  
Hoops included

- 1个32\*24cm的绣框
- 1个12cm的绣框
- 1个15cm的绣框
- 1个20cm的绣框
- 1\*rectangular hoop 32\*24
- 1\*round hoop 12cm
- 1\*round hoop 15cm
- 1\*round hoop 20cm



1\*rectangular hoop 32\*24



1\*round hoop 12cm



1\*round hoop 15cm



1\*round hoop 20cm

◎ 帽绣附件  
Hoops included

- 帽座一套
- 帽圈两个
- 270度帽驱动一套
- 1\*cap station
- 1\*cap ring
- 1\*cap driver



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件  
Accessories included

- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器
- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbin winder



工具包 tool kit



绕线器 bobbin winder

◎ 可选装置  
Additional device



鞋绣 shoes device



磁力绣框 magnet frame



口袋框 pocket frame

## MHS-1201(300\*350)

(12 Needles 1 Head)

### SPECIFICATION:

- \* Intelligent full color touch screen.slide mode for switching details,and the button will change as the screen change
- \* 9 kind of embroidery frame visualization options
- \* U disk or network mode input
- \* Supported batch mode for pattern input,output,and delete
- \* 600,000,000 needles storage capacity,support up to 20000 patterns,and 250 times color change
- \* Perfect supported sequin embroidery,cording embroidery,rhinestone hot fix and other special functional devices.(optional)
- \* Finnished garment embroidery speed up to 1200rpm,cap embroidery 800rpm,support 15 needles color change
- \* 12 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French, Arabic, Dutch, German, Vietnamese,Thai
- \* AC80-AC260V input voltage adapted
- \* 34V working power protect the operator safety



Cap embroidery



Clothes embroidery

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1201(300*350)	300*350mm	12	1	85kgs./175kgs.	88*74*99cm
MHS-1501(300*350)	300*350mm	15	1	85kgs./175kgs.	88*74*99cm



## MHS-1201(350\*500)

(12 Needles 1 Head)

### SPECIFICATION:


- \* Auto thread trimmer, auto color change
- \* 270°Wide cap frame unit
- \* Max speed 1200RPM
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Wide voltage AC80V-260V input ,adapt to any unstable electricity
- \* DC36V safe voltage output
- \* Machine max power consumption:150W
- \* Automatic external thread winding device
- \* 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian, Polish, Hebrew



Clothes embroidery



Cap embroidery



Embroidery area 350\*500mm

## MHS-1201(400\*600)


(12 Needles 1 Head)

### SPECIFICATION:


- \* Auto thread trimmer, auto color change
- \* 270°Wide cap frame unit
- \* Max speed 1200RPM
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Wide voltage AC80V-260V input ,adapt to any unstable electricity
- \* DC36V safe voltage output
- \* Machine max power consumption:150W
- \* Automatic external thread winding device
- \* 16 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish, Hebrew



Clothes embroidery



Cap embroidery



Embroidery area 400\*600mm

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1201(350*500)	350*500mm	12	1	95kgs./195kgs.	113*83*89cm
MHS-1501(350*500)	350*500mm	15	1	95kgs./195kgs.	113*83*89cm

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1201(400*600)	400*600mm	12	1	117kgs./207kgs.	120*113*89cm
MHS-1501(400*600)	400*600mm	15	1	117kgs./207kgs.	120*113*89cm



## MHS-1201(500\*800)

(12 Needles 1 Head)

### SPECIFICATION:

- \* Auto thread trimmer, auto color change
- \* 270°Wide cap frame unit
- \* Max speed 1200RPM
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Wide voltage AC80V-260V input ,adapt to any unstable electricity
- \* DC36V safe voltage output
- \* Machine max power consumption:150W
- \* Automatic external thread winding device
- \* 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian, Polish, Hebrew



Clothes embroidery



Cap embroidery




Embroidery area 500\*800mm

## MHS-1201(500\*1200)

(12 Needles 1 Head)

### SPECIFICATION:

- \* Auto thread trimmer, auto color change
- \* 270°Wide cap frame unit
- \* Max speed 1200RPM
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Wide voltage AC80V-260V input ,adapt to any unstable electricity
- \* DC36V safe voltage output
- \* Machine max power consumption:150W
- \* Automatic external thread winding device
- \* 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian, Polish, Hebrew



Embroidery area 500\*800mm



Clothes embroidery



Cap embroidery

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1201(500*800)	500*800mm	12	1	125kgs./265kgs.	120*113*89cm
MHS-1501(500*800)	500*800mm	15	1	125kgs./265kgs.	120*113*89cm

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1201(500*1200)	500*1200mm	12	1	117kgs./207kgs.	120*113*89cm
MHS-1501(500*1200)	500*1200mm	15	1	117kgs./207kgs.	120*113*89cm



Embroidery area 700\*1200mm

# MHS-1201(700\*1200)


(12 Needles 1 Head)

### SPECIFICATION:

- \* Auto thread trimmer, auto color change
- \* 270°Wide cap frame
- \* Max speed 1200RPM
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Wide voltage AC80V-260V input ,adapt to any unstable electricity
- \* DC36V safe voltage output
- \* Machine max power consumption:150W
- \* Automatic external thread winding device
- \* 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian, Polish, Hebrew



Clothes embroidery



Cap embroidery



型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1201(700*1200)	700*1200mm	12	1	320kgs./420kgs.	220*113*89cm
MHS-1501(700*1200)	700*1200mm	15	1	320kgs./420kgs.	220*113*89cm

## MHS-1201

(300\*350) / (350\*500) / (400\*600) / (500\*800) / (500\*1200)

### 配置绣框 Hoops included

- 1个铝框, FT-1201(300\*350)除外  
1个椭圆绣框58\*36cm  
2个30\*30cm的绣框  
2个19cm的绣框  
2个15cm的绣框  
2个12cm的绣框  
2个9cm的绣框

- 1\*aluminum frame,except FT-1201(300\*350)  
1\*oval hoops 58\*36cm  
2\*square hoops 30\*30cm  
2\*round hoops 19cm  
2\*round hoops 15cm  
2\*round hoops 12cm  
2\*round hoops 9cm



Aluminum frame  
except FT-1201(300\*350)



30\*35cm only  
for FT-1201(300\*350)



58\*36cm



30\*30cm



19cm



15cm



12cm



9cm

### 帽绣附件 Hoops included

- 帽座一套  
帽圈两个  
270度帽驱动一套  
1\*cap station  
1\*cap ring  
1\*cap driver



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

### 其他附件 Accessories included

- 工具箱  
操作手册  
台板和带有轮子的支架  
绕线器  
Tool kit  
Operation Manual  
Table and stand with wheels  
Bobbin winder



工具包 tool kit



绕线器 bobbin winder



## MHS-1201HC(400\*500)

(12 Needles 1 Head High-speed embroidery machine )

### SPECIFICATION:

- \* Suitable for flat, cap and finished garments embroidery
- \* Auto thread trimmer, auto color change
- \* 270°Wide cap frame unit
- \* Max speed 1200RPM
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Wide voltage AC80V-260V input ,adapt to any unstable electricity
- \* DC36V safe voltage output
- \* Machine max power consumption:150W
- \* Automatic external thread winding device
- \* 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian, Polish, Hebrew



Cap embroidery



Clothes embroidery

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1201HC	400*500mm	12	1	215kgs./330kgs.	95*113*110cm
MHS-1501HC	400*500mm	15	1	215kgs./330kgs.	95*113*110cm



Clothes embroidery



Cap embroidery

## MHS-1202HC(400\*500)

(12 Needles 2 Heads High-speed embroidery machine )

### SPECIFICATION:

- \* Suitable for flat, cap and finished garments embroidery
- \* Auto thread trimmer, auto color change
- \* 270°Wide cap frame unit
- \* Max speed 1200RPM
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Wide voltage AC80V-260V input ,adapt to any unstable electricity
- \* DC36V safe voltage output
- \* Machine max power consumption:150W
- \* Automatic external thread winding device
- \* 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian, Polish, Hebrew



型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1202HC	400*500mm	12	2	350kgs./470kgs.	146*113*110cm
MHS-1502HC	400*500mm	15	2	350kgs./470kgs.	146*113*110cm



## MHS-1203HC(400\*500)

(12 Needles 3 Heads High-speed embroidery machine )

### SPECIFICATION:

- \* Suitable for flat, cap and finished garments embroidery
- \* Auto thread trimmer, auto color change
- \* 270°Wide cap frame unit
- \* Max speed 1200RPM
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Wide voltage AC80V-260V input ,adapt to any unstable electricity
- \* DC36V safe voltage output
- \* Machine max power consumption:150W
- \* Automatic external thread winding device
- \* 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian, Polish, Hebrew



Cap embroidery



Clothes embroidery

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1203HC	400*500mm	12	3	540kgs./760kgs.	195*113*130cm
MHS-1503HC	400*500mm	15	3	540kgs./760kgs.	195*113*130cm



Cap embroidery



Clothes embroidery


## MHS-1204HC(400\*430)

(12 Needles 4 Heads High-speed embroidery machine )

### SPECIFICATION:

- \* Suitable for flat, cap and finished garments embroidery
- \* Auto thread trimmer, auto color change
- \* 270°Wide cap frame unit
- \* Max speed 1200RPM
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Wide voltage AC80V-260V input ,adapt to any unstable electricity
- \* DC36V safe voltage output
- \* Machine max power consumption:150W
- \* Automatic external thread winding device
- \* 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian, Polish, Hebrew

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1204HC	400*430mm	12	4	800kgs./880kgs.	220*113*130cm
MHS-1504HC	400*430mm	15	4	800kgs./880kgs.	220*113*130cm




Embroidery area 200\*500mm

## MHS-905HC(200\*500)

(9 Needles 5 Heads High-speed embroidery machine)

### SPECIFICATION:

- \* Suitable for flat embroidery
- \* Auto thread trimmer, auto color change
- \* Max speed 1200RPM
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Wide voltage AC80V-260V input ,adapt to any unstable electricity
- \* DC36V safe voltage output
- \* 16 languages:  
Chinese,English,Turkish,Spanish,Portuguese,Russian,  
French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,  
Polish, Hebrew



型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-905HC	200*500mm	9	5	540kgs./770kgs.	195*113*130cm

## MHS-1201HC/1202HC/1203HC/1204HC

### 配置绣框 Hoops included

- 1个铝框
- 1个椭圆绣框31\*39cm/40\*40cm
- 2个30\*30cm的绣框
- 2个19cm的绣框
- 2个15cm的绣框
- 2个12cm的绣框
- 2个9cm的绣框

- 1\*aluminum frame(size changed according to different machine)
- 1\*square hoop 31\*39cm /40\*40cm per head
- 2\*square hoops 30\*30cm per head
- 2\*round hoops 19cm per head
- 2\*round hoops 15cm per head
- 2\*round hoops 12cm per head
- 2\*round hoops 9cm per head



Aluminum frame



40\*40cm per head for FT-1201HC/1202HC  
31\*39cm per head for FT-1203HC/1204HC



30\*30cm



19cm



15cm




12cm



9cm

### 帽绣附件 Hoops included

- 帽座一套
- 帽圈两个
- 270度帽驱动一套
- 1\*cap station
- 1\*cap ring
- 1\*cap driver



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

### 其他附件 Accessories included

- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器
- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbin winder



工具包 tool kit



绕线器 bobbin winder



## MHS-1206H(400\*450)

(12 Needles 6 Heads High-speed embroidery machine)



Embroidery area 400\*450mm

## MHS-1208H(400\*450)

(12 Needles 8 Heads High-speed embroidery machine)



Embroidery area 400\*450mm



Embroidery area 400\*450mm

## MHS-1204H(400\*450)

(12 Needles 4 Heads High-speed embroidery machine)

### SPECIFICATION:

- \* 8 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic
- \* Memory Capacity: 100 million stitches
- \* Color-changing Times: 1000
- \* The best function combination: high-speed head control, automatic presser foot movement, self-holding upper thread holding solenoid, stepping motor closed loop lead screw color-changing function, and stepping thread trimming function
- \* Support thick thread embroidery with rotating shuttle, maximum of 2000D
- \* Support presser foot movement control function



型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1204H	400*450mm	12	4	850kgs./1050kgs.	280*90*150cm
MHS-1504H	400*450mm	15	4	850kgs./1050kgs.	280*90*150cm

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1206H	400*450mm	12	6	1050kgs./1300kgs.	350*90*150cm
MHS-1506H	400*450mm	15	6	1050kgs./1300kgs.	350*90*150cm
MHS-1208H	400*450mm	12	8	1450kgs./1600kgs.	430*90*150cm
MHS-1508H	400*450mm	15	8	1450kgs./1600kgs.	430*90*150cm





Embroidery area 400\*450mm

## MHS-1212H(400\*450)

(12 Needles 12 Heads High-speed embroidery machine)

### SPECIFICATION:

- \* Multi language are available,Chinses,English,Spain,Turkey,France, Portuguese,Russian,Arabic
- \* Memory Capacity:100 million stitches
- \* Color-changing Times:1000
- \* The best function combination:high-speed head control,automatic presser foot movement,self-holding upper thread holding solenoid,stepping motor closed loop lead screw color-changing function ,and stepping thread trimming function
- \* Support thick thread embroidery with rotating shuttle,maximum of 2000D
- \* Support presser foot movement control function



型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-1212H	400*450mm	12	12	2400kgs./2500kgs.	655*90*150cm
MHS-1512H	400*450mm	15	12	2400kgs./2500kgs.	655*90*150cm

## MHS-1204H/1206H/1208H/1212H

### 配置绣框 Hoops included

- 1个铝框
- 1个椭圆绣框31\*39cm
- 2个30\*30cm的绣框
- 2个19cm的绣框
- 2个15cm的绣框
- 2个12cm的绣框
- 2个9cm的绣框

- 1\*aluminum frame(size changed according to different machine)
- 1\*square hoop 31\*39cm per head
- 2\*square hoops 30\*30cm per head
- 2\*round hoops 19cm per head
- 2\*round hoops 15cm per head
- 2\*round hoops 12cm per head
- 2\*round hoops 9cm per head



Aluminum frame



31\*39cm



30\*30cm



19cm



15cm




12cm



9cm

### 帽绣附件 Hoops included

- 帽座一套
- 帽圈两个
- 270度帽驱动一套
- 1\*cap station
- 1\*cap ring
- 1\*cap driver



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

### 其他附件 Accessories included


- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器
- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbin winder



工具包 tool kit



绕线器 bobbin winder



Embroidery area 560\*1200mm

## MHS-901F+1PD(560\*1200)

(9 Needles 1 Head ,1Flat+Coiling&Taping )

### SPECIFICATION:

- \* Suitable for flat, cap and finished garments embroidery, rhinestone embroidery, beads embroidery, coiling and taping embroidery
- \* Convenient power failure recovery function, prevent embroidery half-way off cause misalignment
- \* Max speed 1200RPM
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Machine max power consumption:150W
- \* Automatic external thread winding device.
- \* Multiple languages supported:Chinese,English,French,Spanish, Turkish,Portuguese,Russian,Arabic,Thai,Dutch,German,Italian,Vietnames
- \* Thread break detection and prevnetion



型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-901F+1PD	560*1200mm	9	1+1	650kgs./800kgs.	195*113*130cm
MHS-1201F+1PD	560*1200mm	12	1+1	650kgs./800kgs.	195*113*130cm



Embroidery area 560\*1200mm

## MHS-901F+1CT(560\*1200)

(9 Needles 1 Head + 1 )


### SPECIFICATION:

- \* Suitable for flat, chenille & chainstitch embroidery
- \* Max speed 1200RPM
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Machine max power consumption:150W
- \* Automatic external thread winding device.
- \* 8 languages:Chinese,English,Turkish,Spanish, Portuguese ,Russian,French, Arabic
- \* Thread break detection and prevnetion



型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-901F+1CT	560*1200mm	9	1+1	650kgs./800kgs.	195*133*130cm
MHS-1201F+1CT	560*1200mm	12	1+1	650kgs./800kgs.	195*133*130cm





Embroidery area 800\*1700mm


## MHS-901F+1LPD(800\*1700)

(9 Needles 1 Head ,Flat+Coiling&Taping )

### SPECIFICATION:

- \* Suitable for flat&cording&taping embroidery
- \* Auto thread trimmer, auto color change
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Multiple languages supported:Chinese,English,French,Spanish, Turkish,Portuguese,Russian,Arabic,Thai,Dutch,German,Italian, Vietnames

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-901F+1LPD	800*1700mm	9	1+1	900kgs./1000kgs.	230*190*150cm



Embroidery area 600\*850mm

## MHS-902F+2LPD(600\*850)


(9 Needles 2 Heads , 2Flat+Coiling&Taping )

### SPECIFICATION:

- \* Suitable for flat&cording&taping embroidery
- \* Auto thread trimmer, auto color change
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Multiple languages supported:Chinese,English,French,Spanish, Turkish,Portuguese,Russian,Arabic,Thai,Dutch,German,Italian, Vietnames

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-902F+2LPD	600*850mm	9	2+2	900kgs./1000kgs.	250*165*150cm





Embroidery area 600\*850mm

## MHS-902F+2PD(600\*850)

(9 Needles 2 Heads ,2Flat+Coiling&Taping )

### SPECIFICATION:

- \* Suitable for flat&cording&taping embroidery
- \* Auto thread trimmer, auto color change
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Multiple languages supported:Chinese,English,French,Spanish, Turkish,Portuguese,Russian,Arabic,Thai,Dutch,German,Italian, Vietnames



型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-902F+2PD	600*850mm	9	2+2	900kgs./1000kgs.	230*190*150cm



Embroidery area 600\*850mm

## MHS-606F+6PD(600\*850)

(6 Needles 6 Heads + 6Coiling&Taping )

### SPECIFICATION:

- \* Suitable for flat&cording&taping embroidery
- \* Auto thread trimmer, auto color change
- \* Memory size:20,000,000 stithes,200 designs
- \* LCD display showing real time stitching
- \* Full screen pre-view design function support
- \* Auto start and color change,200 times color change
- \* Multiple languages supported:Chinese,English,French,Spanish, Turkish,Portuguese,Russian,Arabic,Thai,Dutch,German,Italian, Vietnames



型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-606F+6PD	600*850mm	6	6+6		
MHS-906F+6PD	600*850mm	9	6+6		





Embroidery area 400\*800mm

## MHS-912F(400\*400\*800)

(9 Needles 12 Heads Flat Embroidery Machine)

### SPECIFICATION:

- \* Needles,heads,embroidery area could be done according to exact needs
- \* Finished garments frame could be matched
- \* Free changing from finished garments and big flat embroidery working
- \* Convenient power failure recovery function
- \* Big LCD display showing real time stitching
- \* Full screen pre-view design trace capable
- \* Auto start and color change
- \* Thread break detection and prevention


型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MHS-912F	400*800mm	9	12	2490kgs./2584kgs.	610*230*160cm
MHS-1212F	400*800mm	12	12	2490kgs./2584kgs.	610*230*160cm
MHS-1512F	400*800mm	15	12	2490kgs./2584kgs.	610*230*160cm

## More device,more choice


◎ 八合一磁铁绣框 8 in 1 magnetic frame





◎ 口袋框 Pocket frame




◎ 鞋夹 Robot frame



◎ 亮片装置 Sequins device




◎ 简易绳绣 Easy cording device





More device, more choice

◎ 晶石绣 Rhinestone device



◎ 珠子装置 Beads device



◎ 激光切割装置 Red light location system



Cap embroidery



Clothes embroidery



Embroidery area 360\*200mm

**MFS-800(360\*200)**  
(8 Needles 1 Head)

**SPECIFICATION:**

- \* Function: cap, flat, T-shirts
- \* Wid power supply: 110~220V
- \* Automatic color change
- \* Automatic thread trimmer
- \* Thread break detection
- \* Adopt Japanese imported bearings
- \* Built-in LED light and red light positioning system

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MFS-800	360*200mm	8	1	110kgs./125kgs.	70*80*100cm





Cap embroidery



Clothes embroidery



Embroidery area 360\*200mm



Cap embroidery



Clothes embroidery

## MFS-1200(360\*200)

(12 Needles 1 Head)

### SPECIFICATION:

- \* Function:cap,flat,T-shirts
- \* Wid power supply:110~220V
- \* Automatic color change
- \* Automatic thread trimmer
- \* Thread break detection
- \* Adopt Japanese imported bearings

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MFS-1200	360*200mm	12	1	110kgs./125kgs.	70*80*100cm

## MFS-1500(360\*200)

(15 Needles 1 Head)

### SPECIFICATION:

- \* Emb area:360\*200mm
- \* Max speed:1200rpm
- \* Automatic color change
- \* Automatic thread trimmer
- \* Thread break detection
- \* Usb disk or net mode input
- \* High definition dahao 10 inch A15 touch screen
- \* 270° wide cap system
- \* Build-in universal power supply,110V/60HZ and 220V/50HZ self-adaptable worldwide
- \* 14 languages:Chinese,English,Arabic,Turkish, Spanish,Russian,Portugese,French,Thai,Dutch, German,Italian,Polish,Iran

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MFS-1500	360*200mm	15	1	110kgs./125kgs.	70*80*100cm



Clothes embroidery



Cap embroidery



Clothes embroidery



Cap embroidery

## MFGS-1501(360\*510)

(15 Needles 1 Head)

### SPECIFICATION:

- \* Emb area:360\*510mm
- \* Max speed:1200rpm
- \* Automatic color change
- \* Automatic thread trimmer
- \* Thread break detection
- \* Usb disk or net mode input
- \* Machine reads DST,DSB file
- \* Suitable for cap and flat and garments
- 14 languages:Chinese,English,Arabic,Turkish, Spanish,Russian,Portugese,French,Thai,Dutch, German,Italian,Polish,Iran



Embroidery area 360\*200mm



Embroidery area 400\*450mm

## MFGS-1502(400\*450)

(15 Needles 2 Heads)

### SPECIFICATION:

- \* Emb area:400\*450mm
- \* Max speed:1200rpm
- \* Automatic color change
- \* Automatic thread trimmer
- \* Thread break detection
- \* Usb disk or net mode input
- \* Machine reads DST,DSB file
- \* Suitable for cap and flat and garments
- 14 languages:Chinese,English,Arabic,Turkish, Spanish,Russian,Portugese,French,Thai,Dutch, German,Italian,Polish,Iran

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MFGS-1501	360*510mm	15	1	160kgs./180kgs.	113*85*90cm

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MFGS-1502	400*450mm	15	2	320kgs./350kgs.	130*85*90cm





Clothes embroidery




Embroidery area 400\*450mm



Embroidery area 500\*800mm

## MFGS-1503C(400\*450)

(15 Needles 3 Heads)



Cap embroidery

### SPECIFICATION:

- \* Emb area:400\*450mm
- \* Max speed:1200rpm
- \* Automatic color change
- \* Automatic thread trimmer
- \* Thread break detection
- \* Usb disk or net mode input
- \* Machine reads DST,DSB file
- \* Suitable for cap and flat and garments
- \* 14 languages:Chinese,English,Arabic,Turkish, Spanish,Russian,Portugese,French,Thai,Dutch, German,Italian,Polish,Iran

## MFGS-P1501(500\*800)

(15 Needles 1 Head)

### SPECIFICATION:

- \* Emb area:500\*800mm
- \* Max speed:1200rpm
- \* Automatic color change
- \* Automatic thread trimmer
- \* Thread break detection
- \* Usb disk or net mode input
- \* Machine reads DST,DSB file
- \* Suitable for cap and flat and garments
- \* 14 languages:Chinese,English,Arabic,Turkish, Spanish,Russian,Portugese,French,Thai,Dutch, German,Italian,Polish,Iran

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MFGS-1503C	400*450mm	15	3	520kgs./550kgs.	180*113*90cm

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MFGS-P1501	500*800mm	15	1		



Embroidery area 500\*1200mm

## MFGS-P1501(500\*1200)

(15 Needles 1 Head)

### SPECIFICATION:

- \* Emb area:500\*1200mm
- \* Max speed:1200rpm
- \* Automatic color change
- \* Automatic thread trimmer
- \* Thread break detection
- \* Usb disk or net mode input
- \* Machine reads DST,DSB file
- \* Suitable for cap and flat and garments
- \* 14 languages:Chinese,English,Arabic,Turkish, Spanish,Russian,Portugese,French,Thai,Dutch, German,Italian,Polish,Iran

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MFGS-P1501	500*1200mm	15	1		



Embroidery area 600\*1200mm

## MYS-1201+1PD(600\*1200)

(12 Needles 1 Head,Flat+Cording)

### SPECIFICATION:

- \* Working area: 600\*1200mm
- \* Needles: 9/12/15 (flat); 5 colors (cording)
- \* Speed: 1000 RPM (flat); 850 rotation (cording)
- \* The embroidery is automatially controlled by computer without manual intervention to achieve automation and standardization of embroidery
- \* Realize automatic color change in embroidery according to the beautiful color configuration of patterns
- \* In the process of embroidery, if the thread or the bottom line is used up or broken, the machine will automatically stop and give analarm to report the position of the machine head
- \* After finishing the embroidery of a certain color or a certain area,the machine will automatically cut the thread, and thenautomatically change the color or continue the embroidery aftercrossing the frame according to the requirements of the setting;8. After input into the computer memory, the pattern fles can bestored permanently with a storage capacity of at least 2 millionstitches

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-1201+1PD	600*1200mm	12	1	480kgs./550kgs.	195*120*102cm





Embroidery area 400\*450mm

## MYS-1201+1MD(400\*450)

(12 Needles 1 Head, Flat+Chenille)

### SPECIFICATION:

- \* Working area : 400\*450mm
- \* Needles: 12 colors (1at), 6 colors (chenille)
- \* Speed: 1000 RPM (fiat), 700 RPM (chenille)
- \* High resolution color large screen LCD display, dynamic digital tracking display pattern;
- \* Chenille embroidery: it is a kind of embroidery, belonging to three-dimensional embroidery, the effect is very like towel fabric
- \* Can embroider any flower shape, any color, embroidered flowers and plants;The trees,Animal;Graphics, Comics, etc;It has the characteristics of gradation, novelty and stereoscopic sense
- \* It has the functions of rotation, scaling, editing and repeated embroidery of ptters;Stitch compensation function and complementary embroidery function
- \* Power failure protection, power failure recovery function and line break detection function
- \* Automatic conversion of embroidery mode: the Settings of towel embroidery and chain embroidery can be converted, and automatic and manual selection can also be carried out
- \* In the process of embroidery, if the thread or the bottom line is used up or broken, the machine will automatically stop and give an alarm to report the position of the machine head

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-1201+1MD	400*450mm	12	1	400kgs./450kgs.	180*113*90cm



Embroidery area 500\*800mm


## MYS-500(500\*800)

(AUTOMATIC TEMPLATE SEWING MACHINE)

### SPECIFICATION:

- \* Steady and elegant appearance (Patent Application),with max sewing speed of 3000RPM,Optimized thread-taking-up mechanism and feed mechanism is able to produce beautiful stitch and eliminate the defective stitch during reverse sewing
- \* Machine head is with high speed bearing technology and rotation shuttle is with oil molecules technology . Application of above two technologies has not only solved the issue of service life of machine under high-speed operation , but also avoided pollution of fabric by liquid lubricating
- \* When adopt tangent -pressure PVC clamping mechanism, it can make sure that the template can tighten no space tally , operate easily. Besides ,it can press the frame around not to need grip and elip band ,It cut the cost greatly for the simple template design
- \* Automatically identify template by bar-code scanner ,meanwhile ,automatically call the corresponding sewing program and conduct quick sewing. It is able to store and indentify 999 types of pattern programs and template

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-500	500*800mm	1	1	700kgs./780kgs.	155*100*135cm
MYS-900	900*1200mm	1	1	750kgs./830kgs.	190*130*135cm



embroidery

## MYS-120N(200\*300)

(12 Needles 1 Head)

### SPECIFICATION:

- \* Emb area:200\*300mm
- \* Max speed:1000rpm
- \* Suitable for flat embroidery, cap embroidery, garment embroidery
- \* XY stepper motor
- \* Spindle servo motor
- \* Automatic thread trimming
- \* Automatic disconnection
- \* Emergency stop
- \* 13 languages:Chinese,English,Arabic,Turkish, Spanish,Russian,Portugese,French,Thai,Dutch, German,Italian,Polish



(The tripod is optional)



Embroidery area 500\*400mm

## MYS-1502(500\*400)

(15 Needles 2 Heads)

### SPECIFICATION:

- \* Emb area:360\*400mm
- \* Max speed:1200rpm
- \* Suitable for flat embroidery, cap embroidery, garment embroidery
- \* XY stepper motor
- \* Spindle servo motor
- \* Automatic thread trimming
- \* Automatic disconnection
- \* Emergency stop
- \* 13 languages:Chinese,English,Arabic,Turkish, Spanish,Russian,Portugese,French,Thai,Dutch, German,Italian,Polish

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-120N	200*300mm	12	1	48KG./50KG.	65*57.5*76.5cm

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-1502	500*400mm	15	2	330kgs./320kgs.	105*100*80cm





Cap embroidery



Clothes embroidery



Embroidery area 360\*400mm

## MYS-1201(360\*510)

(12 Needles 1 Head)

### SPECIFICATION:

- \* Emb area:360\*510mm
- \* Max speed:1000rpm
- \* Suitable for flat embroidery, cap embroidery, garment embroidery
- \* XY stepper motor
- \* Spindle servo motor
- \* Automatic thread trimming
- \* Automatic disconnection
- \* Emergency stop
- \* 13 languages:Chinese,English,Arabic,Turkish, Spanish,Russian,Portugese,French,Thai,Dutch, German,Italian,Polish

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-1201	360*510mm	12	1	160kgs./130kgs.	92*88*85cm

## MYS-1202(360\*400)

(12 Needles 2 Heads)

### SPECIFICATION:

- \* Emb area:360\*400mm
- \* Max speed:1000rpm
- \* Suitable for flat embroidery, cap embroidery, garment embroidery
- \* XY stepper motor
- \* Spindle servo motor
- \* Automatic thread trimming
- \* Automatic disconnection
- \* Emergency stop
- \* 13 languages:Chinese,English,Arabic,Turkish, Spanish,Russian,Portugese,French,Thai,Dutch, German,Italian,Polish

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-1202	360*400mm	12	2	280kgs./320kgs.	157*102*93cm



Cap embroidery



Clothes embroidery



Cap embroidery



Clothes embroidery

## MYS-1202(400\*450)

(12 Needles 2 Heads)

### SPECIFICATION:

- \* Emb area:400\*450mm
- \* Max speed:1000rpm
- \* Suitable for flat embroidery, cap embroidery, garment embroidery
- \* XY stepper motor
- \* Spindle servo motor
- \* Automatic thread trimming
- \* Automatic disconnection
- \* Emergency stop
- \* 8 languages:Chinese,English,Arabic,Turkish,Spanish,Russian,Portugese,French

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-1202	400*450mm	12	2	480kgs./550kgs.	160*110*150cm

## MYS-1204(400\*450)

(12 Needles 4 Heads)

### SPECIFICATION:

- \* Emb area:400\*450mm
- \* Max speed:1000rpm
- \* Suitable for flat embroidery, cap embroidery, garment embroidery
- \* XY stepper motor
- \* Spindle servo motor
- \* Automatic thread trimming
- \* Automatic disconnection
- \* Emergency stop
- \* 8 languages:Chinese,English,Arabic,Turkish,Spanish,Russian,Portugese,French

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-1204	400*450mm	12	4	280kgs./320kgs.	157*102*93cm





Embroidery area 400\*450mm

## MYS-1206(400\*450)

(12 Needles 6 Heads)


### SPECIFICATION:

- \* Emb area:400\*450mm
- \* Max speed:1000rpm
- \* Suitable for flat embroidery, cap embroidery, garment embroidery
- \* XY stepper motor
- \* Spindle servo motor
- \* Automatic thread trimming
- \* Automatic disconnection
- \* Emergency stop
- \* 8 languages:Chinese,English,Arabic,Turkish,Spanish,Russian,Portugese,French

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-1206	400*450mm	12	6	480kgs./550kgs.	160*110*150cm



Cap embroidery



Clothes embroidery


## MYS-1208(400\*450)

(12 Needles 8 Heads)

### SPECIFICATION:

- \* Emb area:400\*450mm
- \* Max speed:1000rpm
- \* Suitable for flat embroidery, cap embroidery, garment embroidery
- \* XY stepper motor
- \* Spindle servo motor
- \* Automatic thread trimming
- \* Automatic disconnection
- \* Emergency stop
- \* 8 languages:Chinese,English,Arabic,Turkish,Spanish,Russian,Portugese,French

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-1208	400*450mm	12	8	1300kgs./1500kgs.	453*111*160cm



Embroidery area 800\*800mm

## MYS-908TF(800\*800)

(9 Needles 8 Heads)

(Cording ,bead tube ,flocking mixed function computer embroidery machine)

### SPECIFICATION:

- \* With compact structure and mixed function,include flat.cording bead tube and flocking function in one machine
- \* Compact structure cording device,It is Compatible with regular cording design, also it has function of mending in any head
- \* The bead tube device can up and down,automatic change all kinds of bead and tube
- \* The flocking device can make the all kinds of three-dimensional contouring in the base of the plate and the design of the production, and the density of the flocking can be adjustable in the range of 0.08mm, make the design more delicate

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-908TF	800*800mm	9	8	1600kgs./1750kgs.	568*225*167cm



Embroidery area 800\*2000mm

## MYS-L-8020(800\*2000)

(AUTOMATIC TEMPLATE SEWING MACHINE)

### SPECIFICATION:

- \* Double servo spindle, Separated servo control for machine head and shuttle, Simple mechanical action, Low maintenance rate, High stability, Stable & ultra-quiet running
- \* Machine head lift in: easy for thick material feeding and coming out, ensuring smooth embroidering
- \* Bar code scanning: automatic pattern selection and sewing confirmation
- \* Moveable machine head: large sewing range while machine taking less space
- \* No need to wait, realize left and right circular continuous sewing with seamless design match, greatly improve the work efficiency

型号 (Model)	刺绣面积 (Emb.Space)	针数 (Needle)	头数 (Head)	净重/毛重 (N.W/G.W)	包装尺寸 (MEAS)
MYS-L-8020	800*2000mm	1	1	1500kgs./1650kgs.	320*228*175cm