

Catalogue

目录



多功能家用缝纫机

Multi-function Domestic Sewing Machine

Domestic

E-mail: embroiderymachine@163.com

Website: www.enjoymysew.com

Mob/Whatsapp/Wechat: +008618094554206

·Sewing machine

·缝纫机

·Overlock machine

·包缝机

·Interlock machine

·绷缝机

·Embroidery machine

·电脑绣花机

·Sewing and embroidery machine

·缝绣一体机

WhatsApp





MRS-309


功能与特性

Functions and Features

- Professional drop-in bobbin system
- 专业的插入式梭芯系统
- Automatic thread winding
- 自动绕线
- Free arm
- 自由臂
- Low/Fast sewing selector
- 低速/快速缝纫选择器
- Foot pedal with low/fast sewing
- 低速/快速缝纫脚踏板
- LED sewing light
- LED缝纫灯
- AA alkaline batteries can be used
- 可以使用AA碱性电池
- Easy thread cutter
- 简易剪线器
- 4-step buttonhole
- 4步锁扣眼
- Tension adjustable of upper and lower thread
- 上下线张力可调
- Metal body
- 金属机身
- Reverse sewing
- 倒缝
- Horizontal spool
- 卧式线柱
- 12 built-in stitches
- 12个内置针迹
- Easy presser foot change
- 轻松更换压脚
- Built-in tension with accurate setting
- 内置张力，精确设置

标准配件

Standard accessories



参数


Specification

inner carton DIM cm			4 sets outer DIM cm			Weight (single) KG		Quantity		
L	W	H	L	W	H	G.W.	N.W.	20"	40 GP	40HQ"
32	14.8	29.2	61	33	30.5	3	2.4	1764	3724	4256

The above DIM/Quantity do not include extension table.

线迹

Stitches



Extension table is optional



MRS-988

功能与特性


Functions and Features

- 24 built-in stitches
- 24种内置线迹
- Four step buttonhole
- 4步锁扣眼
- Light weight free arm
- 轻型自由臂
- Automatic clutch for bobbin winding
- 绕线自动离合
- Telescopic spool pin
- 可伸缩线柱
- Easy thread cutter
- 单手割线器
- Snap on presser foot
- 快换压脚系统
- Portable handle
- 便携式提手
- Long life LED light
- 缝绉照明灯设计
- Electronic foot controller
- 电子式脚控器
- Drop feed system
- 落牙机构
- Twin needle function for straight stitch only (optional)
- 直线双针缝绉(选配)
- Automatic threader (optional)
- 自动穿线器(选配)



标准配件

Standard accessories




参数

Specification

11#-14#	700RPM ±50RPM	5.5mm	4.5mm
Needle Model 机针型号	Maximum speed 最高转速	Foot lifts height 压脚提升高度	Stitch width 最大线迹宽度
4mm	220~240 VAC	65W (电机: 50W, 灯: 15W)	7.5/6.5kg 390x150x295mm 445x235x345mm
Stitch length 最大线迹长度	Input Voltage 输入电压	Input Power 输入功率	GWNW Machine/Package Size 毛重/净重机器与包装尺寸

线迹

Stitches





MRS-989


功能与特性

Functions and Features

- 24 built-in stitches
- 24种内置线迹
- Four step buttonhole
- 4步锁扣眼
- Twin needle function (24 types)
- 双针缝纫功能 (24种)
- Light weight free arm
- 轻型自由臂
- Automatic clutch for bobbin winding
- 绕线自动离合
- Telescopic spool pin
- 可伸缩线柱
- Easy thread cutter
- 单手割线器
- Snap on presser foot
- 快换压脚系统
- Portable handle
- 便携式提手
- Long life LED light
- 长寿命LED照明灯
- Automatic threader
- 标配自动穿线器
- Electronic foot controller
- 电子式脚控器
- Drop feed system (optional)
- 落牙机构(选配)



标准配件



- Buttonhole foot 扣眼压脚*1
- Ripper/Brush 带刷挑线刀*1
- Screwdriver 多用开刀*1
- Twin Needle 双针机针*1
- Needle 机针*3
- Bobbins 梭芯*3
- Zipper foot 拉链压脚*1
- Button foot 钉扣压脚*1
- Hem guide foot 导向压脚*1
- Darning plate 绣花板*1


Specification

参数

11#-14#	2/90	700RPM ±50RPM	5.5mm	4mm
Needle Model 机针型号	Double Needle Model 双针型号	Maximum speed 最高转速	Foot lifts height 压脚提升高度	Stitch width 最大线迹宽度
4mm	220~240 VAC	62W (电机: 60W, 灯: 2W)	7.3/6.3kg 390x150x295mm 445x235x345mm	
Stitch length 最大线迹长度	Input Voltage 输入电压	Input Power 输入功率	GWMV Machine/Package Size 毛重/净重机器与包装尺寸	

线迹

Stitches



伸缩缝线迹(SS)

- A
- B
- C
- D
- E
- F
- G
- H
- I
- L
- K
- M




MRS-990
Household Sewing Machine

24种内置线迹
4步锁扣眼
双针缝纫功能 (24种)
轻型自由臂
绕线自动离合
可伸缩线柱
单手割线器
快换压脚系统
便携式提手
长寿命LED照明灯
标配自动穿线器
电子式脚控器
落牙机构

24 built-in stitches
Four step buttonhole
Twin needle function (24 types)
Light weight free arm
Automatic clutch for bobbin winding
Telescopic spool pin
Easy thread cutter
Snap on presser foot
Portable handle
Long life LED light
Automatic threader
Electronic foot controller
Drop feed system

标准配件



Buttonhole foot 扣眼压脚*1
Ripper/Brush 带刷挑线刀*1
Screwdriver 多用开刀*1
Twin Needle 双针机针*1
Needle 机针*3
Bobbins 梭芯*3
Zipper foot 拉链压脚*1
Button foot 钉扣压脚*1
Hem guide foot 导向压脚*1


参数

Specification

11#-14#	2/90	700RPM ±50RPM	5.5mm	4mm	4mm	220~240 VAC
Needle Model 机针型号	Double Needle Model 双针型号	Maximum speed 最高转速	Foot lifts height 压脚提升高度	Stitch width 最大线迹宽度	Stitch length 最大线迹长度	Input Voltage 输入电压
62W (电机: 60W, 灯: 2W)	7.1/5.8kg 420x170x300mm 480x215x335mm	Input Power GWNW Machine Package Size 输入功率 毛重/净重 机器与包装尺寸				

线迹

Stitches



MRS-1212

ELECTRONIC SEWING MACHINE



Technology Characteristics

- Aluminium body in side with plastic body outside
- Built-in light
- 12stitches
- 4 Step buttonholer
- Ocsillating hook
- Free arm lightweight
- Built-in powerful electric motor,upper thread tension
- Automatic clutch for bobbin winding
- Reverse stitch bottom
- Foldable handle



MRS-1212	9-18	4	3.6mm	5mm	700	70W	410*210*325
							6.5/5.5

MRS-588

Household Sewing Machine



特点

CHARACTERISTIC

- | | |
|----------|----------------------------|
| 12种内置线迹 | 12 built-in stitches |
| 四步锁扣眼 | Four step buttonhole |
| 轻型自由臂 | Light weight free arm |
| 上线张紧调节设计 | Upper thread tension |
| 倒缝按钮设计 | Easy reverse stitch lever |
| 单手割线器 | Easy thread cutter |
| 快换压脚系统 | Snap on presser foot |
| 便捷式提手 | Portable handle |
| 电子式脚控器 | Electronic foot controller |


线迹

STITCHES



标准配件

STANDARD ACCESSORIES



Extend table optional (扩展台选配)

参数

PECIFICATION

11#-14#	650RPM ±50RPM	5.5mm	4.5mm
Needle Model 机针型号	Maximum speed 最高转速	Foot lifts height 压脚提升高度	Stitch width 最大线迹宽度
3.6mm	220~240 VAC	71W (电机: 70W, 灯: 1W)	6/5kg 345x145x270mm 408x210x338mm
Stitch length 最大线迹长度	Input Voltage 输入电压	Input Power 输入功率	GWNW Machine/Package Size 毛重/净重机器与包装尺寸


MRS-590 Household Sewing Machine



特点 CHARACTERISTIC

- 12 built-in stitches
- Four-step locking grommets
- light free arm
- Adjustable thread tension
- Lower thread tension is adjustable
- One-handed thread cutter
- Quick change presser foot system
- Convenient carrying handle
- Winding automatic clutch
- Retractable line column
- electronic foot controller
- Long life LED lighting
- Double needle (optional)

线迹 STITCHES



标准配件 STITCHES



参数 PECIFICATION

11#~14#	650RPM ±50RPM	5.5mm	4.5mm	3.6mm	70w	1w(LED)	GW/NW KG 6/5	Package Size Machine size 405x210x335mm 345x145x270mm
---------	------------------	-------	-------	-------	-----	---------	--------------------	--

Needle Model 机针型号 Maximum speed 最高转速 Foot lifts height 压脚提升高度 Max stitch Width 最大线迹宽度 Max stitch Length 最大线迹长度 Motor Power 马达功率 Light Power 灯泡功率 Spec. 毛/净重 包装与机器尺寸

MRS-6624 Household Sewing Machine



技术特性 Technology Characteristics

- Aluminium body in side with plastic body outside
- Built-in light
- 24 Stitches
- 4 Step buttonholer
- Adjustable zigzag stitch width
- Automatic clutch for bobbin winding
- Telescopic spool pin
- Easy thread cutter
- Easy pass foot change
- Free arm
- Powerful electric motor
- Foldable handle



MRS-6624	9-18	4/5	5mm	5mm	700	70W	445*230*345	8/7	



MRS-2200 ELECTRONIC SEWING MACHINE

60 built-in stitches

60种内置线迹

Light weight free arm

轻型自由臂

4 step buttonhole

4步锁扣眼

LED display

LED显示屏

Convenient stitches selection button

方便的花样选择按钮

Upper and lower needle position

具有上/下停针位

Automatic clutch for bobbin winding

绕线自动离合

Telescopic Spool pins

可伸缩线柱

Easy thread cutter

单手割线器

Automatic threader

标配自动穿线器

Snap-on presser foot

快换压脚系统

Portable handle

便携式提手

Long life LED light

长寿命LED照明灯

Electronic foot controller

电子式脚控器


Twin needle function

双针缝纫功能

Mis-operation automatic alarm function

误操作提示及自动报警功能

标准配件




Specification

参数

11#-14#	2/90	700RPM±50RPM	5.5mm	5mm
Needle Model 机针型号	Double Needle Model 双针型号	Maximum speed 最高转速	Foot lifts height 压脚提升高度	Stitch width 最大线迹宽度
4mm	100~240 VAC	42W	6.8/5.5kg 430x180x300mm 480x255x345mm	
Stitch length 最大线迹长度	Input Voltage 输入电压	Input Power 输入功率	GWNW Machine Package Size 毛重/净重 机器与包装尺寸	

Stitches

线迹



Extend table optional
(扩展台选配)

Extend table optional
(扩展台选配)

MRS-2685A

ELECTRONIC SEWING MACHINE



200 built-in stitches (100 stitches for 2685)

200种内置花型 (2685为100种)

100 built-in Alphabets stitches (only for 2685A)

100种内置字符花型 (仅限2685A)

8 styles of one step buttonhole stitches

8种风格的单步扣眼缝

Manual start and speed control

手动启动和调速

Backlight LCD display

背光 LCD 显示屏

Convenient stitches selection button

方便的花样选择按钮

Upper and lower needle position

具有上下停针位

Twin needle function

双针缝纫功能

Security auto shut off

阻塞时自动停机

Top loading hook system

上入式梭线机构

Automatic threader

标配自动穿线器

Automatic clutch for bobbin winding

绕线自动离合

Drop feed system

标配落牙机构

Easy thread cutter

单手割线器

Snap-on presser foot

快换压脚系统

Portable handle

便携式提手


Long life LED light

长寿命 LED 照明灯

Electronic foot controller

电子式脚控器

标准配件




Specification

参数

11#-14#	3/90	700RPM± 50RPM	5.5mm	7mm
Needle Model 机针型号	Double Needle Model 双针型号	Maximum speed 最高转速	Foot lifts height 压脚提升高度	Stitch width 最大线迹宽度
4.5mm	100~240 VAC	36W	6.4/5.1kg 400x175x310mm 460x255x345mm	
Stitch length 最大线迹长度	Input Voltage 输入电压	Input Power 输入功率	GWMW Machine Package Size 毛重/净重 机器与包装尺寸	

Stitches

线迹



MRS-2600A

ELECTRONIC SEWING MACHINE



200 built-in stitches (100 stitches for 2600)

200种内置花型 (2600为100种)

100 built-in Alphabets stitches (only for 2600A)

100种内置字符花型 (仅限2600A)

8 styles of one step buttonhole stitches

8种风格的单步扣眼缝

Manual start button

手动启动

Backlight LCD display

背光 LCD 显示屏

Convenient stitches selection button

方便的花样选择按钮

Upper and lower needle position

具有上下停针位

Twin needle function

双针缝纫功能

Security auto shut off

阻塞时自动停机

Top loading hook system

上入式梭线机构

Automatic threader

标配自动穿线器

Automatic clutch for bobbin winding

绕线自动离合

Drop feed system

标配落牙机构

Easy thread cutter

单手割线器

Snap-on presser foot

快换压脚系统

Portable handle

便携式提手


Long life LED light

长寿命 LED 照明灯

Electronic foot controller

电子式脚踏器

标准配件





Specification

参数

11#-14#	3/90	700RPM± 50RPM	5.5mm	7mm
Needle Model 机针型号	Double Needle Model 双针型号	Maximum speed 最高转速	Foot lifts height 压脚提升高度	Stitch width 最大线迹宽度
4.5mm	100~240 VAC	30W	6.6/5.3kg 400x175x310mm 460x255x345mm	
Stitch length 最大线迹长度	Input Voltage 输入电压	Input Power 输入功率	GWNW Machine/Package Size 毛重/净重 机器与包装尺寸	

Stitches

线迹













GN 1-1 Interlock Sewing Machine




技术特性 Technology Characteristics

- 适用于缝制汗衫、绵毛衫、卫生衫等针、绵、化纤等织品的包缝、包边之用。
- Suitable for overlocking and over edging knit goods, chemical fibres, such as underwear, sweater, jersey etc.
- 本机造型紧凑，外观小巧，电机与机体为一整体，使用方便。
- With a built-in motor to form a complete set easy to operate.











				
GN 1-1D	81 × 19#-14#	1	3	3.5mm
				
2.5~3.8mm	3.5-4	2400	305 × 300 × 305	15/14

GN 1-6 Interlock Sewing Machine



技术特性 Technology Characteristics

- 适用于缝制汗衫、绵毛衫、卫生衫等针、绵、化纤等织品的包缝、包边之用。
- Suitable for overlocking and over edging knit goods, chemical fibres, such as underwear, sweater, jersey etc.
- 本机造型紧凑，外观小巧，电机与机体为一整体，使用方便。
- With a built-in motor to form a complete set easy to operate.

				
GN 1-6D	81 × 19#-14#	1	3	3.5mm
				
2.5~3.8mm	3.5-4	2400	305 × 300 × 305	15/14

MRS-04D

Multifunctional overlock machine

缝纫与特性 Sewing and Features

- 包缝针距密度范围1~4毫米
- The package needle is in the range of 1-4 mm from the density range
- 包缝宽度:3.0~6.7毫米
- Width of gap: 3.0-6.7 mm
- 旋钮调节线张力,线迹密度和宽度
- Knobs adjust wire tension, trace density and width
- 上刀可以移动,装饰缝纫时不切割布料
- The upper cutter can be moved and the cloth is not cut when decorating and sewing
- 快换压脚, 可以使用衍生压脚
- Press the presser foot fast, and you can use the derived presser foot
- LED照明
- LED lighting
- 缝纫速度1200针/分钟
- The sewing speed is 1200 stitches per minute
- 清晰的穿线图, 穿线方便容易
- Clear threading diagram, easy to thread



特点

CHARACTERISTIC

- **Special threading system**
特殊穿线系统
- **Maximum speed 1300 SPM**
最高速度1300 SPM
- **At the same time, the material can be thick and thin**
同时材质可厚可薄
- **The range of needle spacing density is 1 ~ 4mm**
针距密度范围为1~4mm
- **The knob adjusts the thread tension, stitch density and width**
旋钮调节线张力、线迹密度和宽度
- **The upper knife can be moved, and the cloth is not cut when sewing**
上刀可移动, 缝制时不切布
- **Quick change of presser foot, derivative presser foot can be used**
快速更换压脚, 可使用衍生压脚
- **LED lighting**
LED照明
- **Clear thread drawing, open structure, easy threading**
拉线清晰, 开放式结构, 轻松穿线
- **Multiple hemmed stitches**
多缝线
- **99% metal manufacturing**
99% 金属制造



PECIFICATION

参数

Cast iron and aluminum alloy 铸铁和铝合金	1300RPM	5mm	1-4mm	122W	80S/4 40S/4 42S/4	10/8.5 260*260*300mm 300*290*302mm
Material 材料	Maximum speed 最高转速	Foot lifts height 压脚提高高度	Gauge length 针距长度	Input power 输入功率	Sewing Specifications 缝切规格	GW/NW Machine Size Package Size 毛重/净重 机器/包装尺寸

MRS-535 Overlock machine



5-thread overlock



Stitches



特点

CHARACTERISTIC

- **Special threading system**
特殊穿线系统
- **Maximum speed 1300 SPM**
最高速度1300SPM
- **At the same time, the material can be thick and thin**
同时材质可厚可薄
- **The range of needle spacing density is 1 ~ 4mm**
针距密度范围为1~4mm
- **The knob adjusts the thread tension, stitch density and width**
旋钮调节线张力、线迹密度和宽度
- **The upper knife can be moved, and the cloth is not cut when sewing**
上刀可移动，缝制时不切布
- **Quick change of presser foot, derivative presser foot can be used**
快速更换压脚，可使用衍生压脚
- **LED lighting**
LED照明
- **Clear thread drawing, open structure, easy threading**
拉线清晰，开放式结构，轻松穿线
- **Multiple hemmed stitches**
多缝线
- **99% metal manufacturing**
99% 金属制造



PECIFICATION

参数

Cast iron and aluminum alloy 铸铁和铝合金	1300RPM	5mm	1-4mm	122W	80S/4 40S/4 42S/4	10/8.5 260*260*300mm 300*290*302mm
Material 材料	Maximum speed 最高转速	Foot lifts height 压脚提高高度	Gauge length 针距长度	Input power 输入功率	Sewing Specifications 缝切规格	GW/NW Machine Size Package Size 毛重/净重 机器/包装尺寸

MRS-320 Overlock Machine



功能与特性

Functions and Features

- Sewing table can be open, easy for threading lower loopers
- 敞开式穿线区域
- Differential fee for perfect sewing, eliminates puckering or stretching
- 差动送布
- Cut width gauge
- 切布宽度量规
- Built-in accessory storage
- 内置附件存储
- Lower knife driving mechanism
- 下刀驱动装置
- 4-3-2 threads configuration, 12 different stitch types
- 4-3-2线调节, 12种不同线迹类型
- Integral thread cutter
- 整体式割线刀
- Rotatable upper knife
- 可转动上切刀
- Adjustable stitch length
- 可调节的线迹长度
- Electronic foot controller
- 电子式脚控器



标准配件

Standard accessories




参数

Specification

11#-14#	1200RPM 以上	5mm	220~240 VAC	105W (电机: 90W, 灯: 15W)	10/9kg 320x280x320mm 390x325x360mm
Needle Model 机针型号	Maximum speed 最高转速	Foot lifts height 压脚提升高度	Input Voltage 输入电压	Input Power 输入功率	G/W/M/Package Size 毛重/净重 机器与包装尺寸

线迹

Stitches



MRS-325 Overlock Machine



功能与特性 Functions and Features

- Sewing table can be open, easy for threading lower loopers
- 敞开放式穿线区域
- Differential fee for perfect sewing, eliminates puckering or stretching
- 差动送布
- Cut width gauge
- 切布宽度量规
- Built-in accessory storage
- 内置附件存储
- Lower knife driving mechanism
- 下刀驱动装置

- 4-3-2 threads configuration, 12 different stitch types
- 4-3-2线调节, 12种不同线迹类型
- Integral thread cutter
- 整体式割线刀
- Rotatable upper knife
- 可转动上切刀
- Adjustable stitch length
- 可调节的线迹长度
- Long life LED light
- 长寿命 LED 照明灯
- Electronic foot controller
- 电子式脚控器



标准配件

Standard accessories




参数

Specification

11#-14#	1200RPM 以上	5mm	220~240 VAC	111W (电机: 110W, 灯: 1W)	10/9kg 320x280x320mm 390x325x360mm
Needle Model 机针型号	Maximum speed 最高转速	Foot lifts height 压脚提升高度	Input Voltage 输入电压	Input Power 输入功率	G.W.M.Machine Package Size 毛重/净重 机器与包装尺寸

线迹

Stitches



MRS-334 Overlock Machine



标准配件

STANDARD ACCESSORIES



参数

PECIFICATION

11#-14# Needle Model 机针型号	1200RPM ±50RPM Maximum speed 最高转速	4mm Foot lifts height 压脚提升高度	220~240 VAC Input Voltage 输入电压	91W (电机: 90W, 灯: 1W) Input Power 输入功率	6.5mm Stitch width 最大线迹宽度	8.5/6.8 300*220*320mm 380*355*380mm GWNW Machine/Package Size 毛重/净重机器与包装尺寸
---------------------------------	--	------------------------------------	---	---	---------------------------------	--

特点


CHARACTERISTIC

- 4-thread overlock
4线包缝
- Adjustable press foot pressure
压脚压力可调
- Differential feed for perfect sewing, eliminates puckering or stretching
差动送布功能
- Tension release assures accurate thread placement in tension discs
方便张力调节
- Easy fast looper threading
易用的穿线设计
- Colour coded for threading
穿线系统颜色标识
- Snap on presser foot
快换压脚
- Thread chain trimmer
内置割线刀
- Heavy duty cutting system
强大的切布系统,可切厚布



- Easy rolled hems
卷边功能
- Flatlock using 2 thread, 3 thread, 4 thread
2线/3线/4线包缝
- Gathering
打褶功能
- Decorative stitch functions with variety of thread combinations
多样化装饰线迹
- Free arm for sewing tubular items
悬臂式工作台
- Built in accessory storage
内置附件储存
- LED sewing light
长寿命LED灯
- Micro switch for safe operation
微动开关,保证安全操作
- PVC dust cover
PVC防尘罩

MRS-323 Overlock Machine



特点

CHARACTERISTIC

- **Special threading system**
特殊穿线系统
- **Top speed 1200 SPM**
最高速度1200 SPM
- **At the same time the material can be thick or thin**
同时材料可厚可薄
- **Needle pitch density range 1~4mm**
针距密度范围1~4mm
- **LED lighting**
LED照明
- **Clear thread pattern, open structure, easy to thread**
螺纹图清晰, 开放式结构, 易于穿线
- **Various interlocking stitches**
各种互锁针迹
- **99% metal manufacturing**
99%金属制造

PECIFICATION

参数

Cast iron and stainless steel 铸铁和不锈钢	1200RPM	5mm	2-4mm	134W	40s/2 40s/4 50s/2	10/8.5 260*260*300mm 340*340*340mm
Material 材料	Maximum speed 最高转速	Foot lifts height 压脚提高高度	Gauge length 标距长度	Input power 输入功率	Sewing Specifications 缝纫规格	GW/NW Machine Size Package Size 毛重/净重 机器/包装尺寸

MRS-300A Household Embroidery Machine



绣花机特性功能 Embroidery machine features

- 最大刺绣厚度达到3.5mm
• Maximum embroider thickness of 3.5mm
- 可以刺绣市面上大多数布料
• Most of the fabric can be embroidered on the market
- 无刷电机，可以连续工作
• Brushless motor can work continuously
- LED灯照明
• LED lamp lighting
- 花样刺绣位置可以调整
• The embroidery position can be adjusted
- 绣花最高速度400针/分钟
• The maximum speed of embroidery is 400 needles/minutes
- 可以绣制任何图案，拼接绣花
• You can embroider any pattern and stitch embroidery
- 花样可以旋转提供单/多色切换，刺绣色块顺序可以更换
• The pattern can be rotated to provide single/multicolor switching and the order of embroidery color blocks can be changed
- 提供刺绣进度针数实时显示
• Provide real-time display of embroidery progress needle number



240x135mm 100x120mm

- 两种绣花框: 240x135mm, 100x120mm
• Two embroidery frames: 240x135mm 100x120mm
- 断线检测自动停机
• Automatic shutdown for break detection
- 提供进/退针操作
• Provide in/out operation
- 上下停针位可选
• The upper and lower stop needle position is optional

机身展示 Machine display



绣花单元 Embroidery unit



Switch 开关



绣花框 Embroidery frame



性能参数 Specification

	SPECIFICATIONS	GENERAL	
型号 Model	MRS-300A	照明灯 Sewing lights	LED
最大速度 Embroidery Speed(Max)	500rpm	开关键 Power button	Yes
最大面积 Embroidery Area(Max)	240*135mm	脚踏控制器 Foot controller	Yes
快速设置梭芯 Quick setting bobbin	Yes	质保期 Warranty	1年 1 year
自动绕线 Auto Bobbin winding	Yes	尺寸 Packing size	60*39*31CM
断线报警 Thread Break Alarm	Yes	净重 Net weight	8.5KG
错误报警提示 Error alarm prompt	Yes	毛重 Gross weight	13KG
花样尺寸调整 Pattern size adjustment	Yes		
花样旋转 Pattern rotation	1度到360度		
绣花软件 Embroidery software	所有绣花软件		

MRS-400/500 Multifunctional sewing machine



MRS-400



MRS-500

操作简单 绣品精美

- 内置75个绣花图案, 5种文字字母, 10种花框
• it has 100 embroidery patterns, 5 letters, 10 flower frames
- 机针右侧20厘米空间; 大幅刺绣面积
• 20 cm space on the right side of the needle large embroidery area
- 上线张力调节器, 保持优美线迹
• Line tension regulator to keep perfect track
- 快速穿线器, 轻松穿针线
• Quick threading easy to wear needles
- 自动剪线, 轻点按钮即可剪断上下线
• Automatic trimming light button can cut off the upper and lower line
- 可按钮控制启动/停止机器
• Button control start stop machine
- LCD显示屏, 轻松调整缝纫设置
• LCD display easy to adjust sewing settings
- 最高车速650针/分钟
• Maximum speed 650 stitches min
- 薄厚通吃
• Thin and thick eating

自动穿线器




支持U盘读取




绕梭线芯装置



LED液晶显示器



机身展示 Machine display



性能参数 Specification

型号 Model	SPECIFICATIONS		GENERAL	
	MRS-400/500	自动穿线 Automatic threading	照明灯 Sewing lights	LED
最大速度 Embroidery Speed(Max)	650rpm	开关键 Power button	Yes	
最大面积 Embroidery Area(Max)	235*100mm	调速键 Speed key	Yes	
内置花样 Built-in pattern	75	绣花速度 Sewing speed	650rpm	
文字字母 Text letters	5	质保期 Warranty	1年 1 year	
U盘 U disk	Yes	尺寸 Packing size	45*37*39CM	
自动剪线 Auto Thread Cutter	Yes	净重 Net weight	8.5KG	
自动绕线 Auto Bobbin winding	Yes	毛重 Gross weight	12KG	
断线报警 Thread Break Alarm	Yes	花样旋转 Pattern rotation	1度到360度	
错误报警提示 Error alarm prompt	Yes	绣花软件 Embroidery software	所有绣花软件	
花样尺寸调整 Pattern size adjustment	Yes			


MRS800 Household embroidery machine



功能与特性 Sewing functions and features

- 内置312种刺绣设计，2种字体
• Built-in 312 embroidery designs, 2 fonts
- 7寸触摸彩色大屏显示
• 7-inch touch color large screen display
- 线张力调节器保持完美轨迹
• The thread tensioner keeps the perfect track
- 快速穿线易穿针
• Fast threading and easy needle threading
- LED照明明亮清晰柔和
• Bright, clear and soft LED lighting
- 最高速度 860 针
• Maximum speed 860 stitches
- 按钮控制启动停止机器
• Button control start stop machine

Accessories



机身展示 Machine display



性能参数 Specification

	SPECIFICATIONS	GENERAL	
型号 Model	MRS-800	自动穿线 Automatic threading	Yes
最大速度 Embroidery Speed(Max)	860rpm	照明灯 Sewing lights	LED
最大面积 Embroidery Area(Max)	200*280mm	开关键 Power button	Yes
刺绣花样 Embroidery pattern	312	质保期 Warranty	1年 1 year
缝纫线迹 Sewing stitches	162	尺寸 Packing size	67*54.5*55.5cm
U盘 U disk	Yes	净重 Net weight	14.5KG
自动剪线 Auto Thread Cutter	Yes	毛重 Gross weight	18.5KG
自动绕线 Auto Bobbin winding	Yes		
断线报警 Thread Break Alarm	Yes		
错误报警提示 Error alarm prompt	Yes		
花样尺寸调整 Pattern size adjustment	Yes		
花样旋转 Pattern rotation	1度到360度		
绣花软件 Embroidery software	所有绣花软件		

MRS-400B/500B

Household embroidery and sewing machine



MRS-400B

MRS-500B

功能与特性 Sewing functions and features

- 采用了双绣花框配置，操作更便捷
• The double embroidery frame configuration is adopted, which makes the operation more convenient
- 采用触摸屏控制，多种语言显示
• Using touch screen control, multi-language display
- 强大的编辑功能，包括旋转角度1度递增，镜成像和缩放
• Powerful editing functions, including 1 degree increment of rotation angle mirror imaging and zooming.
- 机器内存75种花样，花样采用为DST格式
• The machine has 72 patterns in memory, and the patterns are in DST format
- 67种可选缝纫花样
• 67 optional sewing patterns
- 5种字体连同3种型号供你选择
• 5 fonts and 3 models for your choice
- 刺绣面积 235 x 100 mm, 100x100mm
• Embroidery area 235 x 100 mm, 100x100mm



100x100mm

235 x 100 mm

部分展示 Partial display



性能参数 Specification

型号 Model	SPECIFICATIONS		GENERAL	
	MRS-400B/500B	自动穿线 Automatic threading	Yes	
最大速度 Embroidery Speed(Max)	650rpm	照明灯 Sewing lights	LED	
最大面积 Embroidery Area(Max)	235*100mm	开关键 Power button	Yes	
刺绣花样 Embroidery pattern	75	线迹宽度 Stitch width	7mm	
缝纫线迹 Sewing stitches	67	线迹长度 Stitch length	4mm	
U盘 U disk	Yes	调速键 Speed key	Yes	
自动剪线 Auto Thread Cutter	Yes	缝纫速度 Sewing speed	650rpm	
自动绕线 Auto Bobbin winding	Yes	扣眼缝纫 Buttonhole sewing	自动Auto	
断线报警 Thread Break Alarm	Yes	扣眼数 Buttonholes	10	
错误报警提示 Error alarm prompt	Yes	质保期 Warranty	1年 1 year	
花样尺寸调整 Pattern size adjustment	Yes	尺寸 Packing size	45*37*39CM	
花样旋转 Pattern rotation	1度到360度	净重 Net weight	8.5KG	
绣花软件 Embroidery software	所有绣花软件	毛重 Gross weight	12KG	

MRS-600 Household embroidery and sewing machine



缝纫功能与特性 Sewing functions and features


- 7寸高清触控彩屏
• 7-inch high-definition touch color screen
- 内置162种缝纫线迹, 2种字体
• Built-in 162 sewing stitches, 2 fonts
- 张力调节器
• Tension adjuster
- 快速穿线器
• Quick threader
- 自动剪线
• Automatic thread trimming
- 最高车速650针/分钟
• Maximum speed 650 stitches/min



绣花特性与功能 Embroidery Features and Functions

- 内置96个绣花花样, 3种英文字体, 3种数字及符号
30种花框, 26个花边字母
- Built-in 96 embroidery patterns, 3 English fonts, 3 numbers and symbols
30 flower frames, 26 lace letters
- 内置2幅绣花框: 235*100mm, 100*100mm
• Built-in 2 embroidery frames: 235*100mm, 100*100mm
- 支持U盘读取
• Support U disk reading
- 自动绕线装置
• Automatic winding device
- 上线传感器, 断线报警
• On-line sensor, disconnection alarm
- 最高绣花速度650针/分钟
• Maximum embroidery speed 650 stitches/min

机身展示 Machine display



性能参数 Specification

SPECIFICATIONS		GENERAL	
型号 Model	MRS-600	自动穿线 Automatic threading	Yes
最大速度 Embroidery Speed(Max)	650rpm	照明灯 Sewing lights	LED
最大面积 Embroidery Area(Max)	235*100mm	开关键 Power button	Yes
内置花样 Built-in pattern	96	线迹宽度 Stitch width	7mm
缝纫线迹 Sewing stitches	162	线迹长度 Stitch length	4mm
U盘 U disk	Yes	调速键 Speed key	Yes
自动剪线 Auto Thread Cutter	Yes	缝纫速度 Sewing speed	650rpm
自动绕线 Auto Bobbin winding	Yes	扣眼缝纫 Buttonhole sewing	自动Auto
断线报警 Thread Break Alarm	Yes	扣眼数 Buttonholes	9
错误报警提示 Error alarm prompt	Yes	质保期 Warranty	1年 1 year
花样尺寸调整 Pattern size adjustment	Yes	尺寸 Packing size	45*37*39cm
花样旋转 Pattern rotation	1度到360度	净重 Net weight	10KG
绣花软件 Embroidery software	所有绣花软件	毛重 Gross weight	12KG


V700

Household embroidery and sewing machine




功能与特性 Sewing functions and features

- 150种刺绣图案
• 96 embroidery patterns
- 内置162种缝纫线迹
• Built-in 162 sewing stitches
- 10种刺绣字体
• 10 Embroidery Fonts
- 最大刺绣速度650针/分钟
• Maximum embroidery speed 650 stitches/min
- 彩色液晶显示器
• Color LCD
- 自动剪线
• Automatic thread trimming
- 薄厚通吃
• All thin and thick
- 刺绣面积 235 x 100 mm
• Embroidery area 235 x 100 mm



机身展示 Machine display



性能参数 Specification

SPECIFICATIONS		GENERAL	
型号 Model	V700	自动穿线 Automatic threading	Yes
最大速度 Embroidery Speed(Max)	650rpm	照明灯 Sewing lights	LED
最大面积 Embroidery Area(Max)	235*100mm	开关键 Power button	Yes
内置字体 Built-in fonts	10	线迹宽度 Stitch width	7mm
缝纫线迹 Sewing stitches	162	线迹长度 Stitch length	4mm
U盘 U disk	Yes	调速键 Speed key	Yes
自动剪线 Auto Thread Cutter	Yes	缝纫速度 Sewing speed	650rpm
自动绕线 Auto Bobbin winding	Yes	扣眼缝纫 Buttonhole sewing	自动Auto
断线报警 Thread Break Alarm	Yes	扣眼数 Buttonholes	10
错误报警提示 Error alarm prompt	Yes	质保期 Warranty	1年 1 year
花样尺寸调整 Pattern size adjustment	Yes	尺寸 Packing size	45*37*39cm
花样旋转 Pattern rotation	1度到360度	净重 Net weight	8.5KG
绣花软件 Embroidery software	所有绣花软件	毛重 Gross weight	12KG