



SENNY[®]
PRINTING MACHINE MANUFACTURER

塑料瓶印刷机

PLASTIC BOTTLE PRINTING MACHINE



Dongguan Senny Printing Equipment Co., Ltd
The First Industrial Zone at Tianwei, Changping, Dongguan, Guangdong, China.
Tel: +86 769-83752991 Fax: +86 769-83752881
Https: // www.senny.com.cn E-mail: senny@senny.com.cn

HongKong Senny Holding Co., Limited
Unit 3, 13/F, New Field Plaza, 1-17 Sai Lau Kok Road,
Tsuen Wan, Hong Kong.
Tel: +852-21363363 Fax: +852-81690207

公司简介 COMPANY PROFILE

生力服务于食品、药品、玩具、化妆品、日化用品、电子产品、装饰用品等行业，通过使用丝印、移印、烫金、贴标、胶印及数码打印等自动化印刷技术，实现在塑料、金属、玻璃及陶瓷等材料的各种形状的产品表面上印刷高质量的精美图文。

自1994年以来,生力始终坚持“为客户提供优质的产品和服务”的经营理念，采用最先进的电气控制元件和材料进行研发和制造，不断提高在各种产品上的印刷质量，满足市场对日益广泛的高品质包装需求。

Senny serves food, medicine, toys, cosmetics, daily chemicals, electronics, decorative products and other industries. Through the use of automatic printing technologies, such as screen printing, pad printing, hot stamping, labeling, offset printing and digital printing, it realizes printing high-quality exquisite graphics & texts on the surface of various shapes of products such as plastic, metal, glass and ceramics.

Since 1994, Senny has always adhered to the business philosophy of providing customers with high-quality products and services, exploiting the most advanced electrical control components and materials for R&D and manufacturing, and continuously improving the printing quality on various products to meet the increasingly extensive market requirements for high-quality packaging.



Mini Series

Plastic Bottle Automatic UV Printing Machine



Machine Features

- The machine is suitable for screen printing of various colors of UV ink, hot stamping, labeling and other decorations on round, oval, square and other shapes of plastic bottles.
- The machine has compact design, small footprint, fast changeover, convenient operation and high cost efficiency.
- The machine adopts well-known brand electrical components, easy-to-use touch screen and PLC control system, with reliable performance.
- The machine uses a highly customizable modular structure, which can be connected in a straight line to be a 1-8 color printing machine.
- The standard configuration of the machine is a screen printing and UV curing module, and the screen printing function can be selected to be interchangeable with hot stamping or labeling functions.
- The machine can be chosen to connect with independent hot stamping, labeling, quality inspection and other modules to combine into a multi-functional printing machine.

Optional Configuration

- Plasma surface treatment function.
- Hot stamping function.
- Labeling function.
- LED-UV curing function.

Technical Parameters


Machine Model	SL1266	SL1288
Printing Speed	Up to 85pcs/min	Up to 85pcs/min
Round Bottle Diameter	20–100mm	20–100mm
Oval Bottle Radius	-	25–250mm
Oval/Flat Bottle Width	-	20–110mm
Bottle Height	50–280mm	50–280mm
Max Printing Length	250mm	250mm
Max Printing Height	200mm	200mm

PRINTING YOUR VISION



CE Series

Plastic Bottle Automatic UV Printing Machine



Machine Features

- The machine is suitable for screen printing of various colors of UV ink, hot stamping, labeling and other decorations on round, oval, square and other shapes of plastic bottles.
- The machine has perfect transmission design, stable running, fast changeover, easy operation and it meets CE certification.
- The machine adopts well-known brand electrical components, easy-to-use touch screen and PLC control system, with reliable performance.
- The machine uses a highly customizable modular structure, which can be connected in a straight line to be a 1-8 color printing machine.
- The standard configuration of the machine is a screen printing and UV curing module, and the screen printing function can be selected to be interchangeable with hot stamping or labeling functions.
- The machine can be chosen to connect with independent hot stamping, labeling, quality inspection and other modules to combine into a multi-functional printing machine.

Optional Configuration

- Plasma surface treatment function.
- Hot stamping function.
- Labeling function.
- LED-UV curing function.

Technical Parameters

Machine Model	SL1666	SL1688
Printing Speed	Up to 85pcs/min	Up to 85pcs/min
Round Bottle Diameter	20–100mm	20–100mm
Oval Bottle Radius	-	25–250mm
Oval/Flat Bottle Width	-	20–130mm
Bottle Height	50–300mm	50–300mm
Max Printing Length	300mm	300mm
Max Printing Height	250mm	250mm

PRINTING YOUR VISION



Servo Series

Plastic Bottle Servo-Driven UV Printing Machine



Machine Features

- The machine is suitable for screen printing of various colors of UV ink, hot stamping, labeling and other decorations on round, oval, square and other shapes of plastic bottles.
- The machine uses digital control servo motor to drive the printing function, easily realizes 360-degree printing. And it is equipped with remote management and service functions(Industry 4.0).
- The machine adopts well-known brand electrical components, easy-to-use touch screen and PLC control system, with reliable performance.
- The machine adopts a highly customizable modular structure, which can be connected in a straight line to be a 1-8 color printing machine.
- The standard configuration of the machine is a screen printing and UV curing module, and the screen printing function can be selected to be interchangeable with hot stamping or labeling functions.
- The machine can be chosen to connect with independent hot stamping, labeling, quality inspection and other modules to combine into a multi-functional printing machine.

Optional Configuration

- Plasma surface treatment function.
- Hot stamping function.
- Labeling function.
- LED-UV curing function.

Technical Parameters

Machine Model	SLS1588	SLS1888
Printing Speed	Up to 70pcs/min	Up to 70pcs/min
Diameter at 360 degree	20–140mm	20–170mm
Bottle Height	50–300mm	50–300mm
Max Printing Length	250mm	300mm
Max Printing Height	250mm	250mm

PRINTING YOUR VISION



Servo IR Series

Plastic Bottle Servo-Driven IR Printing Machine



Machine Features

- The machine is suitable for screen printing of various colors of IR ink on round, oval, square and other shapes of plastic bottles.
- The machine uses digital control servo motor to drive the printing function, easily realizes 360-degree printing. And it is equipped with remote management and service functions(Industry 4.0).
- The machine adopts well-known brand electrical components, easy-to-use touch screen and PLC control system, with reliable performance.
- The machine adopts a highly customizable modular structure, which can be connected in a straight line to be a 1-8 color printing machine.
- The standard configuration of the machine is a screen printing and IR curing module, and you can choose to connect independent hot stamping, labeling, quality inspection and other modules to form a multi-functional printing machine.
- After the product printing is completed, it is discharged by the manipulator and arranged in a row into the constant temperature drying tunnel furnace to completely cure the ink.

Optional Configuration

- Plasma surface treatment function.

Technical Parameters

Machine Model	SLS1588-IR5123	SLS1888-IR5123
Printing Speed	Up to 50pcs/min	Up to 50pcs/min
Diameter at 360 degree	20–140mm	20–170mm
Bottle Height	50–280mm	50–300mm
Max Printing Length	250mm	300mm
Max Printing Height	200mm	200mm

PRINTING YOUR VISION

