

# TogetherToda

Together Dance, Win-Win Together!

## 河南伊奇通达科技有限公司

Henan **Toda** Technology Co., Ltd.

CONTENTS

目录

● 多功能护理床系列 Multi-purpose nursing bed series	01
● 医养结合家居床系列 Family bed series of integrated medical care	15
● 电动病床系列 Electric sickbed series	19
● 手动病床系列 Medical bed series	25
● 转运床系列 Transfer bed series	33
● 床头柜系列 Nightstand series	34
● 电动轮椅, 移位机系列 Electric Wheelchair, shifter series	35
● 按摩床、门诊床系列 Outpatient bed, massages bed series	36
● 陪护椅、输液椅系列 Accompanying chair,transfusion chair series	37
● 颈腰椎牵引系列 Inflatable neck lumbar traction series	38
● 气床垫、输液恒温器系列 Air mattress, transfusion thermostat	42
● 坐便椅、助行器系列 Aseat seriesMobility aids series	43
● 腰椎固定带、护具系列 Neck lumbar traction series	44
● 医用外固定支具系列 Medical external fixation support series	46
● 高分子夹板系列 Polymer shape plate series	49
● 不锈钢产品、婴儿床系列 Stainless steel products series	50
● 医用多功能推车系列 Medical trolleys series	52
● 配件系列 Accessories series	55

# 多功能电动床系列

## Multifunctional bed series

### DH08 手电两用家居翻身护理床

DH08 Manual & electric biservice household turning over nursing bed

■ 尺寸 (Size) : 长 2025 × 1025 × 500mm



<p>平躺功能 The lying down unction</p>	<p>全封闭木制护栏 Fully enclosed wooden fence</p>	<p>翻身功能 Turning-over function</p>	<p>上曲腿功能 Leg-up function</p>	<p>手摇操作功能 Hand-operated function</p>	<p>手动解便功能 Electric defecation function</p>
--	--	---------------------------------------	----------------------------------	--	--

本款产品可广泛用于养老院、康复中心以及家庭护理等方面  
This goods can be widely used in the nursing home, rehabilitation center and home-nursing and so on.

### ●●● 多功能护理床系列

NURSING BED SERIES



起背防侧滑  
防下滑功能  
配备蓄电池



注：床垫颜色以实物为准  
Note: the mattress color in kind prevail

### DH03 豪华家用电动整体翻身护理床

DH03 Luxurious household electric integral turning over nursing bed

#### 功能特点：Function characteristics

- 外型尺寸：(长 × 宽 × 床面高) 2080 × 1060 × 570mm
- 功能：电动左右翻身、电动起背、电动腿位升降、电动坐便转换
- 床体整体向左右侧翻身，根据需要可随意调整角度，速度平缓，角度合理
- 起背防侧滑随着人体坐起角度不断加大，两侧床板向内运动，呈半包围形势，避免被护理者向两侧倾斜
- 坐立防下滑随着起背功能的进行，人体腿部的托板向上抬起，很好的防止了被护理者在起背过程中失去有效的坐姿，产生下滑和坐便位置偏移
- 内置蓄电池可确保在停电时产品的正常使用
- 手柄夜光，轻点任意按键，手柄各功能键灯光全部亮起，方便用户在夜间使用
- 可一键复位到床体平躺状态，不必依次恢复各功能
- 可一键停止所有正在运行工作的部件，防止因操作不当发生的特殊情况
- 定时翻身时间有 30 分钟与 45 分钟两种操作模式可供选择

1. Overall dimension: (length \* width \* height) 2,080 \* 1,060 \* 570mm
2. Functions: power-driven turnover to left and right, power-driven back lifting, power-driven leg position lifting and falling, and power-driven potty conversion
3. The overall bed body turns over to the left and right sides, and angle can be adjusted at any time as required, the speed is steady and angle is reasonable.
4. Back lifting prevents side slide, as sit-up angle of the human body continuously increases, bedplates at two sides move inward in half-surrounded pattern so as to prevent the person to be cared from inclining to two sides.
5. Sit-up prevents sliding downward. As back-lifting function proceeds, supporting board for human leg is lifted up, which prevents the person to be cared from losing effective sitting posture and sliding downward and prevents deviation of potty position during back lifting process.
6. Built-in storage battery can ensure normal use of the product under a power failure.
7. Please press any button for night light of hand shanks, and then all functional buttons of the hand shanks are turned on, which is convenient for the user at night.
8. The bed body can realize one-button resetting to lie-flat status without any need to restore functions one by one.
9. Parts under operation can be stopped by pressing one button in order to prevent special situation occurring because of misoperation.
10. Timed turnover period is optional (30min or 45min).

<p>起背防下滑防侧滑 The back-lifting anti slide/side/slip function</p>	<p>整体翻身功能 The integral turning-over function</p>	<p>上曲腿功能 Leg-up function</p>	<p>平躺状态 The state of lying down</p>	<p>坐起状态 The state of sit up</p>	<p>电动解便功能 Electric defecation function</p>
--	--	----------------------------------	---	-------------------------------------	--

### DH03-1 豪华家用电动整体翻身护理床

DH03-1 Luxurious household electric integral turning over nursing bed

#### 功能特点：Function characteristics

- 外型尺寸：(长 × 宽 × 床面高) 2080 × 1060 × 570mm
- 功能：电动左右翻身、电动起背、电动腿位升降、电动坐便转换
- 床体整体向左右侧翻身，根据需要可随意调整角度，速度平缓，角度合理
- 起背防侧滑随着人体坐起角度不断加大，两侧床板向内运动，呈半包围形势，避免被护理者向两侧倾斜
- 坐立防下滑随着起背功能的进行，人体腿部的托板向上抬起，很好的防止了被护理者在起背过程中失去有效的坐姿，产生下滑和坐便位置偏移
- 内置蓄电池可确保在停电时产品的正常使用
- 手柄夜光，轻点任意按键，手柄各功能键灯光全部亮起，方便用户在夜间使用
- 可一键复位到床体平躺状态，不必依次恢复各功能
- 可一键停止所有正在运行工作的部件，防止因操作不当发生的特殊情况
- 定时翻身时间有 30 分钟与 45 分钟两种操作模式可供选择

1. Overall dimension: (length \* width \* height) 2,080 \* 1,060 \* 570mm
2. Functions: power-driven turnover to left and right, power-driven back lifting, power-driven leg position lifting and falling, and power-driven potty conversion
3. The overall bed body turns over to the left and right sides, and angle can be adjusted at any time as required, the speed is steady and angle is reasonable.
4. Back lifting prevents side slide, as sit-up angle of the human body continuously increases, bedplates at two sides move inward in half-surrounded pattern so as to prevent the person to be cared from inclining to two sides.
5. Sit-up prevents sliding downward. As back-lifting function proceeds, supporting board for human leg is lifted up, which prevents the person to be cared from losing effective sitting posture and sliding downward and prevents deviation of potty position during back lifting process.
6. Built-in storage battery can ensure normal use of the product under a power failure.
7. Please press any button for night light of hand shanks, and then all functional buttons of the hand shanks are turned on, which is convenient for the user at night.
8. The bed body can realize one-button resetting to lie-flat status without any need to restore functions one by one.
9. Parts under operation can be stopped by pressing one button in order to prevent special situation occurring because of misoperation.
10. Timed turnover period is optional (30min or 45min).

<p>起背防下滑防侧滑 The back-lifting anti slide/side/slip function</p>	<p>整体翻身功能 The integral turning-over function</p>	<p>上曲腿功能 Leg-up function</p>	<p>平躺状态 The state of lying down</p>	<p>坐起状态 The state of sit up</p>	<p>电动解便功能 Electric defecation function</p>
--	--	----------------------------------	---	-------------------------------------	--



本款产品可广泛用于养老院、康复中心以及家庭护理等方面  
This goods can be widely used in the nursing home, rehabilitation center and home-nursing and so on.

## C05-1 手电两用家居整体翻身护理床

C05-1 Manual & electric biservice household integral turning over nursing bed



**C05R 冲压床面款**  
C05R Stamping bed surface model

### 功能特点: Function characteristics

- 外型尺寸: (长 × 宽 × 床面高) 2100 × 1100 × 560mm
- 功能: 电动左右翻身、电动起身、电动腿位升降、手动坐便转换
- 手动电动两种操作模式, 满足不同条件下产品的正常使用, 可一键复位到床体平躺状态, 不必依次恢复各功能
- ABS 大护栏可上下升降, 下降过程中有气动减速度装置, 防止在下降过程中速度过快。ABS 大护栏可完全下降到床面下方, 更方便用户上下床
- 床面可整体向左右翻身, 提高翻身效果, 使翻身过程更加舒适
- 可一键停止所有正在运行工作的部件, 防止因操作不当发生的特殊情况
- 定时翻身时间有 30 分钟与 45 分钟两种操作模式可供选择
- 床头和护栏采用木纹颜色装饰, 更贴合家居风格
- 坐便转换为手动快速扳手, 可使便口在 1 秒内打开, 减少等待时间

1. Overall dimension: (length \* width \* height) 2,100 \* 1,100 \* 560mm
2. Functions: power-driven turnover to left and right, power-driven back lifting, power-driven leg position lifting and falling, and manually potty conversion
3. Manual & electric operation modes, to meet the normal use under different conditions, The bed body can realize one-button resetting to lie-flat status without any need to restore functions one by one.
4. ABS large guardrail can be lifted up and down. The air-operated reduction gear in the declining process can prevent too fast speed. ABS guardrail can be completely dropped to the bottom of the bed, which is more convenient for users to get off from the bed
5. The overall bed body turns over to the left and right sides, improving the effectiveness of turning over, making the process of turning over more comfortable.
6. Parts under operation can be stopped by pressing one button in order to prevent special situation occurring because of misoperation.
7. Timed turnover period is optional (30min or 45min).
8. The bedside and guardrail are decorated with wood grain color, which is more suitable for home furnishing
9. The pedestal pan is changed into a manual quick wrench, which can open the mouth in a second and reduce the waiting time

起背功能 The back-lifting function	整体翻身功能 The integral turning-over function	上曲腿功能 Leg-up function	平躺状态 The state of lying down	手摇操作功能 Hand-operated function	手动解便功能 Electric defecation function

## DH04-1 手电两用家居翻身护理床

DH04-1 Manual & electric biservice household turning over nursing bed



起背防侧滑

注: 床垫颜色以实物为准  
Note: the mattress color in kind prevail

### 功能特点: Function characteristics

- 外型尺寸: (长 × 宽 × 床面高) 2080 × 960 × 560mm
- 功能: 电动左右翻身、电动起身、电动腿位升降、手动坐便转换
- 手动电动两种操作模式, 满足不同条件下产品的正常使用
- 可一键复位到床体平躺状态, 不必依次恢复各功能
- 定时翻身时间有 30 分钟与 45 分钟两种操作模式可供选择
- 电机末端都是采用内藏式设计, 可防止在电动护理时电机与物体缠绕
- 坐便转换为手动快速扳手, 可使便口在 1 秒内打开, 减少等待时间

1. Overall dimension: (length \* width \* height) 2,080 \* 960 \* 560mm
2. Functions: power-driven turnover to left and right, power-driven back lifting, power-driven leg position lifting and falling, and manually potty conversion
3. Electric and manually crank two operation models, to satisfy the normal use of different situations.
4. The bed body can realize one-button resetting to lie-flat status without any need to restore functions one by one.
5. Timed turnover period is optional (30min or 45min).
6. The end of electrical machine is designed as built-in type, which can prevent the twisting of electrical machine with object during power-driven nursing
7. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing waiting time.

起背功能 The back-lifting function	翻身功能 Turning-over function	上曲腿功能 Leg-up function	平躺状态 The state of lying down	手摇操作功能 Hand-operated function	解便功能 The defecation function



起背防侧滑

电动解便  
注: 床垫颜色以实物为准  
Note: the mattress color in kind prevail

## DH02 手电两用家居翻身护理床

DH02 Manual & electric biservice household turning over nursing bed

### 功能特点: Function characteristics

- 外型尺寸: (长 × 宽 × 床面高) 2080 × 960 × 560mm
- 功能: 电动左右翻身、电动起身、电动腿位升降、手动坐便转换, 电动解便
- 起背防侧滑: 随着人体坐起角度不断加大, 两侧床板向内运动, 呈半包围形式, 避免被护理者向两侧倾斜
- 手动电动两种操作模式, 满足不同条件下产品的正常使用
- 臀部床垫采用防水布料, 防止液体污染内胆
- 可一键复位到床体平躺状态, 不必依次恢复各功能
- 定时翻身时间为 30 分钟与 45 分钟两种操作模式可供选择
- 电机末端都是采用内藏式设计, 可防止在电机护理时电机与物体缠绕

1. Overall dimension: (length \* width \* height) 2,080 \* 960 \* 560mm
2. Functions: power-driven turnover to left and right, power-driven back lifting, power-driven leg position lifting and falling, and power-driven potty conversion, power-driven defecation.
3. Back lifting prevents side slide, as sit-up angle of the human body continuously increases, bedplates at two sides move inward in half-surrounded pattern so as to prevent the person to be cared from inclining to two sides.
4. Electric and manually crank two operation models, to satisfy the normal use of different situations.
5. The hip mattress adopt waterproof material, prevent the inner form liquid pollution.
6. The bed body can realize one-button resetting to lie-flat status without any need to restore functions one by one.
7. Timed turnover period is optional (30min or 45min).
8. The end of electrical machine is designed as built-in type, which can prevent the twisting of electrical machine with object during power-driven nursing

起背防侧滑功能 The back-lifting anti slide function	翻身功能 Turning-over function	上曲腿功能 Leg-up function	平躺状态 The state of lying down	手摇操作功能 Hand-operated function	电动解便功能 Electric defecation function



起背防侧滑  
防下滑功能

注: 床垫颜色以实物为准  
Note: the mattress color in kind prevail

## BD01 手电一体多功能防下滑防侧翻护理床

BD01 Manual & electric integration multi-functional prevent side slide and side rollover nursing bed

### 功能特点: Function characteristics

- 外型尺寸: (长 × 宽 × 床面高) 2080 × 960 × 560mm
- 功能: 电动左右翻身、电动起背、电动腿位升降、手动坐便转换
- 起背防侧滑: 随着人体坐起角度不断加大, 两侧床板向内运动, 成半包围形式, 避免被护理者向两侧倾斜
- 坐立防侧滑: 随着其被功能的进行, 人体腿部的托板向上抬起, 很好的防止了被护理者在起背过程中失去有效的坐位, 产生下滑和坐位位置偏移
- 可一键复位到床体平躺状态, 不必依次恢复各功能
- 定时翻身时间有 30 分钟和 45 分钟两种操作模式可选择
- 电机末端都是采用内藏式设计, 可防止在电动护理时电机与物体缠绕
- 坐便转换为手动快速扳手, 可使便口在 1 秒内打开, 减少等待时间

1. Overall dimension: (length \* width \* height) 2,080 \* 960 \* 560mm
2. Functions: power-driven turnover to left and right, power-driven back lifting, power-driven leg position lifting and falling, and power-driven potty conversion, power-driven defecation.
3. Back lifting prevents side slide, as sit-up angle of the human body continuously increases, bedplates at two sides move inward in half-surrounded pattern so as to prevent the person to be cared from inclining to two sides.
4. Electric and manually crank two operation models, to satisfy the normal use of different situations.
5. The hip mattress adopt waterproof material, prevent the inner form liquid pollution.
6. The bed body can realize one-button resetting to lie-flat status without any need to restore functions one by one.
7. Timed turnover period is optional (30min or 45min).
8. The end of electrical machine is designed as built-in type, which can prevent the twisting of electrical machine with object during power-driven nursing

起背防下滑防侧滑 The back-lifting anti slide/sideslip function	翻身功能 Turning-over function	上曲腿功能 Leg-up function	平躺状态 The state of lying down	坐起状态 The state of sit up	解便功能 The defecation function

## C09 轮椅护理床

C09 Wheelchair nursing bed

### 功能特点: Function characteristics

- 床体外形尺寸: (长 × 宽 × 床面高) 2120 × 1060 × 620mm
- 轮椅外形尺寸: (长 × 宽 × 床面高) 900 × 540 × 620mm
- 功能: 轮椅分离功能、起背、腿部升降、坐便转换
- 轮椅部分可与床体分离方便推动、外出、方便在卫生间解决大小便问题(高度与坐便器吻合), 并配有安全带
- 起背防侧滑随着人体坐起角度不断加大, 两侧床板向内运动, 呈半包围形式, 避免被护理者向两侧倾斜。
- 床垫外层床罩为席梦思床垫面料, 体感舒适, 柔软, 透气性好, 轮椅坐垫采用皮革材质, 可防止液体污染内胆, 方便擦洗。
- 坐便转换为手动快速扳手, 可使便口在 1 秒内打开, 减少等待时间
- 摇杆具有双向过压保护装置, 不会因压过而损坏, 增加使用寿命
- 床体头部下方装有置物架, 方便随时取用所需用品
- 双排面脚轮带独立刹车, 静音、耐磨、稳定可靠
- 床架和床面采用机器人平铺满焊, 焊接牢固, 焊接处平整光滑, 坚固耐用
- 木箱包装外辅铁架加固, 确保运输安全

1. Bed Body outline dimension:(length \* width \* height) 2,120 \* 1060 \* 620mm
2. Wheelchair outline dimension:(length \* width \* height) 900 \* 540 \* 620mm
3. Function: wheelchair separation function, getting up, leg lifting, pedestal pan converting
4. The part of wheelchair can be separated from the bed body, which is convenient to push and go out. The urine and excrement can be solved in the toilet (height is identical to toilet), with a seat belt.
5. Back lifting prevents side slide, as sit-up angle of the human body continuously increases, bedplates at two sides move inward in half-surrounded pattern so as to prevent the person to be cared from inclining to two sides.
6. The bedspread of the outer mattress is Simmons. The fabric is comfortable, soft and breathable. The wheelchair cushion is made of leather, which can prevent the pollution of liner, convenient cleaning.
7. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing waiting time.
8. The rocker has a two-way over-rolling protection device, which can reduce the damage due to over-rolling and prolong the service life.
9. The lower part of the headboard is equipped with a shelf, which is convenient for taking the articles at any time.
10. Double-row castors with independent brake, silent, wear-resisting, stable and reliable
11. The bed frame and bed surface are fully welded by the robot, the welding is reliable, the welding is 12.smooth and finishing, sturdy and durable.
13. The wooden box package is fixed with iron stand, to ensure the safety of transportation.



### 起背防侧滑



起背防侧滑功能 The back-lifting anti side function	坐起状态 The state of sit up	轮椅状态 State of the wheelchair	马桶解便功能 Toilet defecation function



## C04-1 手动多功能翻身护理床

C04-1 Manual multifunctional turning over nursing bed

### 功能特点: Function characteristics

- 外型尺寸: (长 × 宽 × 床面高) 2120 × 960 × 520mm
- 功能: 左右翻身、起背、腿部升降、坐便转换
- 床体原材料采用厚度 1.2mm 的 40 × 60 方管
- 床面原材料采用厚度 1.2mm 的 15 × 30 方管
- 床体连接件均采用厚度 2.75mm 以上管材或 3mm 冷板冲压成型
- 坐便转换为手动快速扳手, 可使便口在 1 秒内打开, 减少等待时间
- 摇杆具有双向过压保护装置, 不会因压过而损坏, 增加其使用寿命
- 静音万向脚轮, 静音、耐磨、稳定可靠
- 床架和床面采用机器人平铺满焊, 焊接牢固, 焊接处平整光滑, 坚固耐用

1. Overall dimension:(length \* width \* height) 2,120 \* 960 \* 520mm
2. Function: Turning over to left and right , back lifting, leg position lifting and falling, and potty conversion.
3. The raw material of the bed frame adopts 1.2mm thickness 40X60 square tube.
4. The raw material of the bed surface adopts 1.2mm thickness 15X30 square tube.
5. The body of the bed is made of punch forming of 2.75mm thick 3mm cold-roll steel sheet
6. Potty conversion uses manual quick-wrench, which makes the potty can be opened within 1second, reducing waiting time.
7. The rocker has a two-way over-rolling protection device, which can reduce the damage due to over-rolling and prolong the service life
8. The silent universal casters, silent, wear-resisting, stable and reliable
9. The bed frame and bed surface are fully welded by the robot, the welding is reliable, smooth and finishing, sturdy and durable

翻身功能 Turning-over function	平躺状态 The state of lying down	上腿腿功能 Leg-up function	解便功能 The defecation function



本款产品可广泛用于养老院、康复中心以及家庭护理等方面  
This goods can be widely used in the nursing home, rehabilitation center and home-nursing and so on

## C06-1 手动多功能翻身护理床

C06-1 Manual multifunctional turning over nursing bed

### 功能特点: Function characteristics

- 外型尺寸: (长 × 宽 × 床面高) 2080 × 960 × 550mm
- 功能: 手动左右翻身、起身、腿部升降、坐便转换
- 床体原材料采用厚度 1.2mm 的 40 × 60 方管
- 床面原材料采用厚度为 1.2mm 的 15 × 30 方管
- 床体连接件均采用厚度 2.75mm 以上管材或 3mm 冷板冲压成型
- 坐便转换为手动快速扳手, 可使便口在 1 秒内打开, 减少等待时间
- 摇杆具有双向过压保护装置, 不会因压过而损坏, 增加其使用寿命
- 静音万向脚轮, 静音、耐磨、稳定可靠
- 床架和床面采用机器人平铺满焊, 焊接牢固, 焊接处平整光滑, 坚固耐用

1. Overall dimension:(length \* width \* height) 2,080 \* 960 \* 550mm
2. Function: manually turn over to left and right , back lifting, leg position lifting and falling, and potty conversion.
3. The raw material of the bed frame adopts 1.2mm thickness 40X60 square tube.
4. The raw material of the bed surface adopts 1.2mm thickness 15X30 square tube.
5. The body of the bed is made of punch forming of 2.75mm thick 3mm cold-roll steel sheet
6. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing waiting time.
7. The rocker has a two-way over-rolling protection device, which can reduce the damage due to over-rolling and prolong the service life.
8. The silent universal casters, silent, wear-resisting, stable and reliable.
9. The bed frame and bed surface are fully welded by the robot, the welding is reliable, smooth and finishing, sturdy and durable.



### 起背防侧滑



翻身功能 Turning-over function	平躺状态 The state of lying down	上腿腿功能 Leg-up function	解便功能 The defecation function



## C07-1 手动多功能翻身护理床

C07-1 Manual multifunctional turning over nursing bed

### 功能特点: Function characteristics

- 外型尺寸: (长 × 宽 × 床面高) 2080 × 960 × 550mm
- 功能: 左右翻身、起背、腿部升降、坐便转换
- 床体原材料采用厚度 1.2mm 的 40 × 60 方管
- 床面原材料采用厚度 1.2mm 的 15 × 30 方管
- 床体连接件均采用厚度 2.75mm 以上管材或 3mm 冷板冲压成型
- 坐便转换为手动快速扳手, 可使便口在 1 秒内打开, 减少等待时间
- 静音万向脚轮, 静音、耐磨、稳定可靠
- 床架和床面采用机器人平铺满焊, 焊接牢固, 焊接处平整光滑, 坚固耐用

1. Overall dimension:(length \* width \* height) 2,080 \* 960 \* 550mm
2. Function: manually turn over to left and right , back lifting, leg position lifting and falling, and potty conversion.
3. The raw material of the bed frame adopts 1.2mm thickness 40X60 square tube.
4. The raw material of the bed surface adopts 1.2mm thickness 15X30 square tube.
5. The body of the bed is made of punch forming of 2.75mm thick 3mm cold-roll steel sheet.
6. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing waiting time.
7. The silent universal casters, silent, wear-resisting, stable and reliable.
8. The wood grain headboard design is more fitting furniture style.
9. The bed frame and bed surface are fully welded by the robot, the welding is reliable, smooth and finishing, sturdy and durable.

翻身功能 Turning-over function	平躺状态 The state of lying down	上腿腿功能 Leg-up function	解便功能 The defecation function



本款产品可广泛用于养老院、康复中心以及家庭护理等方面  
This goods can be widely used in the nursing home, rehabilitation center and home-nursing and so on.

## C08-1 手动多功能翻身护理床

C08-1 Manual multifunctional turning over nursing bed

### 功能特点：Function characteristics

- 外形尺寸：(长 × 宽 × 床面高) 2120 × 960 × 520mm
- 功能：手动左右翻身、起身、腿部升降、坐便转换
- 床体原材料采用厚度 1.2mm 的 40 × 80 方管
- 床面原材料采用厚度为 1.2mm 的 15 × 30 方管
- 床体连接件均采用厚度 2.75mm 以上管材或 3mm 冷板冲压成型
- 坐便转换为手动快速扳手，可使便口在 1 秒内打开，减少等待时间
- 静音方向脚轮，耐磨、具有独立刹车、稳定可靠
- 木纹床头设计更贴和家居风格
- 床架和床面采用机器人平铺满焊，焊接牢固，焊接处平整光滑，坚固耐用

1. Overall dimension: (length \* width \* height) 2,120 \* 960 \* 520mm
2. Function: manually turn over to left and right, back lifting, leg position lifting and falling, and potty conversion.
3. The raw material of the bed frame adopts 1.2mm thickness 40X80 square tube.
4. The raw material of the bed surface adopts 1.2mm thickness 15X30 square tube.
5. The body of the bed is made of punch forming of 2.75mm thickness 3mm cold-roll steel sheet.
6. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing waiting time.
7. The silent universal casters, silent, wear-resisting, stable and reliable.
8. The wood grain headboard design is more fitting furniture style.
9. The bed frame and bed surface are fully welded by the robot, the welding is reliable, smooth and finishing, sturdy and durable.



起背防侧滑



注：床垫颜色以实物为准  
Note: the mattress color in kind prevail

翻身功能 Turning-over function	平躺状态 The state of lying down	上曲腿功能 Leg-up function	解便功能 The defecation function



起背防侧滑



注：床垫颜色以实物为准  
Note: the mattress color in kind prevail

## C05S 豪华家用手动整体侧翻身护理床

C05S Luxurious household manual integral side turning over nursing bed

### 功能特点：Function characteristics

- 外形尺寸：(长 × 宽 × 床面高) 2100 × 1100 × 560mm
- 功能：左右翻身、起背、腿部升降、坐便转换
- 床体原材料采用厚度 1.2mm 的 40 × 60 方管，床面原材料采用厚度 1.2mm 的 15 × 30 方管
- 床体连接件均采用厚度 2.75mm 以上管材或 3mm 冷板冲压成型
- ABS 大护栏可上下升降，下降过程中有气动减速装置，防止在下降过程中速度过快。ABS 大护栏可完全下降
- 到床面下方，更方便用户上下床
- 床面可整体向左右侧翻身，根据需要可随调整角度，速度平缓，角度合理，木纹床头设计更贴和家居风格
- 摇杆具有双向过压保护装置，不会因过压而损坏，增加其使用寿命
- 坐便转换为手动快速扳手，可使便口在 1 秒之内打开，减少用户的等待时间
- 床头和护栏采用木纹颜色装饰，更贴和家居风格
- 静音方向脚轮，静音、耐磨、稳定可靠
- 床架和床面采用机器人平铺满焊，焊接牢固，焊接处平整光滑，坚固耐用

1. Overall dimension: (length \* width \* height) 2,100 \* 1,100 \* 560mm
2. Function: turn over to left and right, back lifting, leg position lifting and falling, and potty conversion.
3. The raw material of the bed frame adopts 1.2mm thickness 40X60 square tube.
4. The raw material of the bed surface adopts 1.2mm thickness 15X30 square tube.
5. The body of the bed is made of punch forming of 2.75mm thickness 3mm cold-roll steel sheet.
6. ABS guardrails can be up and down, pneumatic speed reduction device used during the guardrails falling, to prevent in the process of falling the speed is too fast. For the convenience of users in and out bed, the ABS guardrail can be falling under the bed.
7. The whole bed surface can turn over to left and right, the angle can be adjustable according to the need, slow speed, reasonable angle, the wood grain bedside design is more fitting furniture style.
8. The rocker has a two-way over-rolling protection device, which can reduce the damage due to over-rolling and prolong the service life
9. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing waiting time.
10. The headboard and guardrails adopt the color of wood grain to decorate, which is more fitting furniture style.
11. The silent universal casters, silent, wear-resisting, stable and reliable.
12. The bed frame and bed surface are fully welded by the robot, the welding is reliable, smooth and finishing, sturdy and durable.

整体翻身功能 The integral turning-over function	平躺状态 The state of lying down	上曲腿功能 Leg-up function	解便功能 The defecation function

本款产品可广泛用于养老院、康复中心以及家庭护理等方面  
This goods can be widely used in the nursing home, rehabilitation center and home-nursing and so on.

## C07(Y) 木质床头床尾手动家居护理床

C07(Y) Wooden headboard and footboard manual household nursing bed

### 功能特点：Function characteristics

- 外形尺寸：(长 × 宽 × 床面高) 2080 × 960 × 550mm
- 功能：手动左右翻身、起身、腿部升降、坐便转换
- 床头床尾采用压缩木板制作更好的贴和家居风格，外型美观，装卸自如，坚固耐用
- 床体原材料采用厚度 1.2mm 的 40 × 60 方管
- 床面原材料采用厚度 1.2mm 的 15 × 30 方管
- 床体连接件均采用厚度 2.75mm 以上的管材或 3mm 冷板冲压成型
- 坐便转换为手动快速扳手，可使便口在 1 秒内打开，减少等待时间
- 床架和床面采用机器人平铺满焊，焊接牢固，焊接处平整光滑，坚固耐用

1. Overall dimension: (length \* width \* height) 2,080 \* 960 \* 550mm
2. Function: manually turn over to left and right, back lifting, leg position lifting and falling, and potty conversion.
3. The headboard and footboard adopt advanced compressed wood, which is fitting home furnishing style, beautiful appearance, easy loading and unloading, sturdy and durable.
4. The raw material of the bed frame adopts 1.2mm thickness 40X60 square tube.
5. The raw material of the bed surface adopts 1.2mm thickness 15X30 square tube.
6. The body of the bed is made of punch forming of 2.75mm thick 3mm cold-roll steel sheet.
7. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing waiting time.
8. The bed frame and bed surface are fully welded by the robot, the welding is reliable, smooth and finishing, sturdy and durable.



注：床垫颜色以实物为准  
Note: the mattress color in kind prevail

翻身功能 Turning-over function	平躺状态 The state of lying down	上曲腿功能 Leg-up function	解便功能 The defecation function



注：床垫颜色以实物为准  
Note: the mattress color in kind prevail

## C08-5 手动多功能翻身护理床

C08-5 Manual multifunctional turning over nursing bed

### 功能特点：Function characteristics

- 外形尺寸：(长 × 宽 × 床面高) 2120 × 960 × 520mm
- 功能：手动左右翻身、起身、腿部升降、坐便转换
- 床体原材料采用厚度 1.0mm 的 40 × 60 方管
- 床面原材料采用一次挤压成型 C 型板厚度为 1.0mm
- 床体连接件均采用厚度 2.75mm 以上管材或 3mm 冷板冲压成型
- 坐便转换为手动快速扳手，可使便口在 1 秒内打开，减少等待时间
- 静音方向脚轮，耐磨、具有独立刹车、稳定可靠
- 木纹床头设计更贴和家居风格
- 床架和床面采用机器人平铺满焊，焊接牢固，焊接处平整光滑，坚固耐用

1. Overall dimension: (length \* width \* height) 2,120 \* 960 \* 520mm
2. Function: manually turn over to left and right, back lifting, leg position lifting and falling, and potty conversion.
3. The raw material of the bed frame adopts 1.2mm thickness 40X80 square tube.
4. The raw material of the bed surface adopts 1.2mm thickness 15X30 square tube.
5. The body of the bed is made of punch forming of 2.75mm thickness 3mm cold-roll steel sheet.
6. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing waiting time.
7. The silent universal casters, silent, wear-resisting, stable and reliable.
8. The wood grain headboard design is more fitting furniture style.
9. The bed frame and bed surface are fully welded by the robot, the welding is reliable, smooth and finishing, sturdy and durable.

起背功能 The back-lifting function	翻身功能 Turning-over function	下曲腿功能 Leg-down function	上曲腿功能 Leg-up function	解便功能 The defecation function

本款产品可广泛用于养老院、康复中心以及家庭护理等方面  
This goods can be widely used in the nursing home, rehabilitation center and home-nursing and so on.

## C11 手动家居翻身护理床

C11 Manual home turning over nursing bed

**功能特点: Function characteristics**

- 外型尺寸: (长 x 宽 x 床面高) 2025x 1025 x 500mm
- 功能: 手动左右翻身、起身、腿位升降、坐便转换
- 全封闭实木护栏上下升降操作, 坚固、轻便、易于清洁
- 起背防侧滑: 随着人体坐起角度不断加大, 两侧床板向内运动, 呈半包围形式, 避免被护理者向两侧倾斜。
- 床头床尾采用优质全实木橡胶木材料
- 坐便转换为手动快速扳手, 可使便口在 1 秒内打开, 减少等待时间

1. Overall dimension: (length \* width \* height) 2,025 \* 1,025 \* 500mm
2. Functions: manual turning left and right, getting up, leg lifting, sitting and defecation conversion
3. The fully enclosed solid wood guardrail is lifted up and down, sturdy lightweight and easy to clean.
4. Back lifting prevents side slide, as sit-up angle of the human body continuously increases, bedplates at two sides move inward in half-surrounded pattern so as to prevent the person to becaored from indining to two sides.
5. The head and tail of the bed are made of high-quality solid wood and rubber wood
6. The pedestal pan is changed into a manual quick wrench, which can open the mouth in a second and reduce the waiting time



平躺功能 The lying down function  
全封闭木制护栏 Fully enclosed wooden fence  
翻身功能 Turning-over function  
上曲腿功能 Leg-up function



## DH10 电动翻身护理床床垫

DH10 Electric turn over nursing bed mattress

**功能特点: Function characteristics**

- 外型尺寸: 1970\*990\*160mm
- 功能: 电动左右翻身、电动起背、电动抬腿
- 起背防侧滑: 随着人体坐起角度不断加大, 两侧床板向内运动, 成半包围形式, 避免被护理者向两侧倾斜。
- 可一键复位到体平躺状态, 不必依次恢复各功能
- 可一键停止所有正在运行工作的功能, 防止因操作不当发生的特殊情况
- 插拔式护栏保护护理者意外跌落, 并方便被护理者上下床。
- 网状床面受力更均匀, 使用感更舒适。
- 工作负载: 200kg

1. Overall dimension: 1970\*990\*160mm
2. Function: Back Section Up & Down (Prevent sideslip, Prevent slide downward), Leg Section Up & Down Turn over left Section and right Section
3. Back lifting and side sliding prevention: with the increasing sitting angle of the human body and the inward movement of the bed boards on both sides, it is in the form of semi-encirclement to avoid the patient tilting to both sides.
4. It can be reset to the lying down state of the bed body with one key, and there is no need to restore all functions in turn.
5. It can stop all running functions with one key to prevent special situations due to improper operation
6. The plug-in guardrail protects the caregiver from accidental fall and facilitates the caregiver to get on and off the bed.
7. Mesh bed surface, the stress is more uniform and the use feeling is more comfortable.
8. Working load: 200kg



翻身功能 Turning-over function  
平躺状态 The state of lying down  
起背功能 Back lifting function  
起背抬腿功能 Back lifting and leg lifting function

本款产品可广泛用于养老院、康复中心以及家庭护理等方面  
This goods can be widely used in the nursing home, rehabilitation center and home-nursing and so on.

## DH07 全电动站立床多功能护理床

DH07 Full electric standing bed multifunctional nursing bed



## HR-Z08 电动站立床

HR-Z08 Electric standing bed



## DH06 电动站立床多功能护理床

DH06 Electric standing bed multifunctional nursing bed



## HR-X01 洗澡床

HR-X01 Bath bed



本款产品可广泛用于养老院、康复中心以及家庭护理等方面  
This goods can be widely used in the nursing home, rehabilitation center and home-nursing and so on.

**医养结合家居床系列**  
Integrated medical care bed series

**HR-DJ11 电动多功能旋转家居床**  
HR-DJ11 Electric multifunctional rotary household bed

尺寸 (Size) : 2050 × 1000 × 430/700mm



整体升降功能  
Integral lifting function



起背抬腿功能  
Back lifting and leg lifting function



旋转升降功能  
Rotary lifting function

●●● 医养结合家居床系列

MEDICAL BED SERIES

**HR-DJ14 电动翻身旋转家居床**  
HR-DJ14 Electric turning rotary household bed

尺寸 (Size) : 2050 × 1050 × 500mm



翻身功能  
Integral lifting function



起背功能  
Back lifting function



平躺功能  
Lying down function



起背抬腿功能  
Back lifting and leg lifting function

**HR-DJ03 电动三功能家居床**

HR-DJ03 Manual functional household bed

■ 尺寸 (Size) : 长 2020 × 1000 × 350/670mm



**HR-DJ04 电动三功能家居床**

HR-DJ04 Manual functional household bed

■ 尺寸 (Size) : 2070 × 1105 × 480/680mm



**HR-DJ05 电动三功能家居床**

HR-DJ05 Manual functional household bed

■ 尺寸 (Size) : 2020 × 1000 × 320/670mm



**HR-DJ06 电动三功能家居床**

HR-DJ06 Manual functional household bed

■ 尺寸 (Size) : 2050 × 960 × 430/680mm



**HR-DJ07 电动两功能家居床**

HR-DJ07 Manual functional household bed

■ 尺寸 (Size) : 2080 × 1060 × 480mm



**HR-DJ08 电动两功能家居床**

HR-DJ08 Manual functional household bed

■ 尺寸 (Size) : 2050 × 1020 × 530mm



**HR-DJ09 手动两功能家居床**

HR-DJ09 Manual functional household bed

■ 尺寸 (Size) : 2025 × 1025 × 470mm



**HR-DJ10 手动一功能家居床**

HR-DJ10 Manual a functional household bed

■ 尺寸 (Size) : 2070 × 1020 × 510mm





### HR-DJ01 电动家居旋转床

HR-DJ01 Electric household rotary bed

■ 尺寸 (Size) : 长2050×960×350/670mm



### HR-DJ12 电动三功能家居床

HR-DJ12 Electric three function home bed

■ 尺寸 (Size) : 2050×1000×430/700mm



### HR-DJ13 电动三功能家居床

HR-DJ13 Electric three function home bed

■ 尺寸 (Size) : 2050×1020×430/700mm



### HR-DJ02 电动五功能家居床

HR-DJ02 Electric household bed five function

■ 尺寸 (Size) : 2050×960×350/670mm



### HR-DJ15 电动两功能家居床

HR-DJ15 Electric two function home bed

■ 尺寸 (Size) : 2050×1000×500mm



### HR-DJ16 电动两功能加宽家居床

HR-DJ16 Electric two function widened home bed

■ 尺寸 (Size) : 2050×1300×500mm



### HR-DJ17 电动两功能加宽家居床

HR-DJ17 Electric two function widened home bed

■ 尺寸 (Size) : 2050×1000×500mm



### HR-DJ18 手动三功能家居床

HR-DJ18 Manual three function home bed

■ 尺寸 (Size) : 2050×1050×430/700mm



### HR-DJ19 手动两功能家居床

HR-DJ19 Manual two function home bed

■ 尺寸 (Size) : 2050 × 1200 × 500mm



### HR-DJ21 手动两功能家居床

HR-DJ21 Manual two function home bed

■ 尺寸 (Size) : 2050 × 1000 × 500mm



### HR-DJ20 手动三功能家居床

HR-DJ20 Manual three function home bed

■ 尺寸 (Size) : 2050 × 1000 × 500mm



### HR-DJ22 手动两功能家居床

HR-DJ22 Manual two function home bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



### HR-DJ23 养老自理床

HR-DJ23 Nursing self care bed

■ 尺寸 (Size) : 2050 × 1200 × 400mm



### HR-DJ25 养老自理床

HR-DJ25 Nursing self care bed

■ 尺寸 (Size) : 2050 × 1200 × 400mm



### HR-DJ27 养老自理床

HR-DJ27 Nursing self care bed

■ 尺寸 (Size) : 2050 × 1000 × 500mm



### HR-DJ24 养老自理床

HR-DJ24 Nursing self care bed

■ 尺寸 (Size) : 2050 × 1200 × 400mm



### HR-DJ26 养老自理床

HR-DJ26 Nursing self care bed

■ 尺寸 (Size) : 2050 × 1200 × 400mm



### HR-DJ28 养老自理床

HR-DJ28 Nursing self care bed

■ 尺寸 (Size) : 2050 × 1000 × 500mm





HR-E01 适老椅



HR-E02 适老椅



HR-E03 适老椅



HR-E04 适老椅



HR-C01 适老餐桌



HR-C02 适老餐桌



HR-C03 适老餐桌



HR-C04 适老餐桌



HR-F01 适老沙发



HR-F02 适老沙发



HR-F03 适老沙发



HR-H01 换鞋凳

### YWJ-01 电动移位机

YWJ-01 Electric shifter



手柄控制操作  
Handle control operation



应急停止开关  
Emergency stop switch



手动旋钮式升降  
Manual knob lifting



电池显示器, 控制盒控制操作  
Battery display, control box control operation

- 尺寸: 1200/1950mm × 400/750mm × 1315/1700mm
- 功能: 电动腿部开合、电动升降、手动旋钮式升降
- 两种控制操作: 手柄控制操作, 控制盒控制操作
- 内置蓄电池可以满足移动情况下使用, 充满电满足使用60次
- 电池显示器, 应急停止开关
- 吊架360度旋转, 吊带高度调节
- 移动静音轮, 后轮带独立刹车
- 工作负重: 150kg

- Size: 1,200/1,950mm × 400/750mm × 1,315/1,700mm
- Function: Electric leg opening & closing, electric up & down, manual knob up & down
- Two control operations: handle control operation and control box control operation.
- The built-in battery can be fully charged for 60 times to use under normal movement.
- Battery display, emergency stop switch.
- The hanger rotates 360 degrees and the height of the sling is adjusted
- Mobile mute wheel, rear wheel could independent brake.
- Working load: 150kg

### YWJ-02 坐式移位机

YWJ-02 Sitting shifter



- 尺寸: 最高1200mm, 长740mm宽530mm
- 座面升降高度 460mm-790mm
- 脚踏式液压升降高度, 满足不同使用场景要求
- 带便口可解决大小便问题
- 移动静音轮, 后轮带独立刹车
- 180度开合灵活方便
- 工作负重: 200kg

- Size: 1,200mm maximum, 740mm long and 530mm wide
- Lifting height of seat surface 460mm-790mm
- Pedal type hydraulic lifting height meets the requirements of different use scenarios.
- Defecation mouth can solve the problem of defecation and defecation
- Mobile mute wheel, rear wheel could independent brake.
- 180 degree opening and closing is flexible and convenient
- Working load: 200kg

# 电动病床系列

Electric bed series

## HR-D01电动五功能病床

HR-D01 Electric bed five function



背起抬腿功能  
Back up the leg



整体升降功能  
The overall function



前倾功能  
Forward function




后倾功能  
Backward function

### HR-D02 电动五功能床

HR-D02 Electric bed five function

■ 尺寸 (Size) : 2050 × 1050 × 430/700mm



### HR-D03 ICU 电动五功能床

HR-D03 ICU electric bed five function

■ 尺寸 (Size) : 2050 × 1050 × 430/700mm



### HR-D04 立柱电动五功能床

HR-D04 Column electric bed five function

■ 尺寸 (Size) : 2150 × 1100 × 540/940mm



### HR-D05 称重电动五功能床

HR-D05 Weighing electric bed five function



■ 尺寸 (Size) : 2100 × 1050 × 430/700mm



### HR-D06 电动五功能床

HR-D06 Electric bed five function

■ 尺寸 (Size) : 2100 × 1050 × 430/700mm



### HR-D07 电动五功能床

HR-D07 Electric bed five function

■ 尺寸 (Size) : 2050 × 980 × 280/700mm



### HR-D08 电动三功能床

HR-D08 Electric bed three function

■ 尺寸 (Size) : 2050 × 1050 × 430/700mm



### HR-D09 电动三功能床

HR-D09 Electric bed three function

■ 尺寸 (Size) : 2050 × 1050 × 430/700mm



### HR-D10 电动三功能床

HR-D10 Electric bed three function

■ 尺寸 (Size) : 2050 × 1050 × 430/700mm



### HR-D11 电动三功能床

HR-D11 ICU electric bed three function

■ 尺寸 (Size) : 2050 × 960 × 430/700mm



### HR-D12 电动三功能床

HR-D12 Electric bed three function

■ 尺寸 (Size) : 2050 × 960 × 430/700mm



### HR-D13 电动三功能床

HR-D13 Electric bed three function

■ 尺寸 (Size) : 2050 × 960 × 430/700mm



### HR-D14 电动三功能床

HR-D14 Electric bed three function

■ 尺寸 (Size) : 2050 × 1050 × 430/700mm



### HR-D15 电动三功能床

HR-D15 Electric bed three function

■ 尺寸 (Size) : 2050 × 960 × 430/700mm



### HR-D16 电动两功能透析床

HR-D16 Electric bed three function

■ 尺寸 (Size) : 2050 × 960 × 500mm



### HR-D17 手电两用两功能床

HR-D17 Electric bed three function

■ 尺寸 (Size) : 2050 × 960 × 500mm



# 手动病床系列

Manual bed series



●●● 手动病床系列

MEDICAL BED SERIES

### HR-S01 手动三摇床

HR-S01 Three cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 430/700mm



### HR-S02 手动三摇床

HR-S02 Three cranks hospital bed

■ 尺寸 (Size) : 2050 × 1050 × 430/700mm



### HR-S03 手动三摇床

HR-S03 Three cranks hospital bed

■ 尺寸 (Size) : 2050 × 1050 × 430/700mm



### HR-S04 手动三摇床

HR-S04 Three cranks hospital bed

■ 尺寸 (Size) : 2050 × 1050 × 430/700mm



### HR-S05 手动三摇床

HR-S05 Three cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 430/700mm



### HR-S06 手动四摇五功能床

HR-S06 Four cranks five functional hospital bed

■ 尺寸 (Size) : 2050 × 960 × 430/700mm



**HR-S07 手动双摇床**

HR-S07 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 1050 × 500mm



**HR-S08 手动双摇床**

HR-S08 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 1050 × 500mm



**HR-S09 手动双摇床**

HR-S09 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 1050 × 500mm



**HR-S10 手动三摇床**

HR-S10 Three cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 430/700mm



**HR-S11 手动双摇床**

HR-S11 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S12 手动双摇床**

HR-S12 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S13 手动双摇床**

HR-S13 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 1050 × 500mm



**HR-S14 手动双摇床**

HR-S14 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S15 日式护栏双摇床**

HR-S15 Japanese guardrail two shaker

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S16 手动双摇床**

HR-S16 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S17 手动双摇床**

HR-S17 Two cranks hospital bed

■ 尺寸 (Size) : 2120 × 960 × 500mm



**HR-S18 手动双摇床**

HR-S18 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm





**HR-S19 手动双摇床**

HR-S19 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S20 手动双摇床**

HR-S20 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S21 手动双摇床**

HR-S21 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S22 手动双摇床**

HR-S22 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S23 手动双摇床**

HR-S23 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S24 手动双摇床**

HR-S24 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S25 手动双摇床**

HR-S25 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S26 手动双摇床**

HR-S26 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S27 手动双摇床**

HR-S27 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S28 手动双摇床 - 便口型**

HR-S28 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S29 手动双摇床 C型板床面**

HR-S29 Two cranks hospital bed-C

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S30 手动双摇床**

HR-S30 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S31 手动单摇床**

HR-S31 Single crank hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S32 手动单摇床**

HR-S32 Single crank hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S33 手动单摇床**

HR-S33 Single crank hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S34 手动单摇床**

HR-S34 Single crank hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S35 手动单摇床 C型板床面**

HR-S35 Single crank hospital bed-C

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S36 手动单摇床-便口型**

HR-S36 Single crank hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S37 手动单摇床**

HR-S37 Single crank hospital bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S38 平板病床**

HR-S38 Flat bed

■ 尺寸 (Size) : 2050 × 960 × 500mm



**HR-S39 手动双摇床**

HR-S39 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 900 × 480mm



**HR-S40 手动双摇床**

HR-S40 Two cranks hospital bed

■ 尺寸 (Size) : 2050 × 900 × 480mm



**HR-S41 手动单摇床**

HR-S41 Single crank hospital bed

■ 尺寸 (Size) : 2050 × 900 × 480mm



**HR-S42 平板病床**

HR-S42 Single crank hospital bed

■ 尺寸 (Size) : 2050 × 900 × 480mm



**HR-Z01 转运车**

HR-Z01 Hydraulic Stretcher

■ 尺寸 (Size) 1930 × 640 × 500/900mm



**HR-Z02 转运车**

HR-Z02 Hydraulic Stretcher

■ 尺寸 (Size) 1930 × 640 × 500/900mm



**HR-Z03 转运车**

HR-Z03 Hydraulic Stretcher

■ 尺寸 (Size) 1930 × 640 × 500/900mm



**HR-Z04 手术对接车**

HR-Z04 Luxurious docking car

■ 尺寸 (Size) 3650 × 640 × 640/970mm



**HR-Z05 豪华转运车 (可透X光)**

HR-Z05 Transfer Stretcher

■ 尺寸 (Size) 1885 × 800 × 630/960mm



**HR-Z06 豪华液压升降平车**

HR-Z06 Luxury hydraulic lift flat car

■ 尺寸 (Size) 1980 × 800 × 610/930mm



**HR-C01  
ABS 床头柜**

HR-C01 ABS Bedside Cabinet

■ 尺寸 (Size) :  
420 × 450 × 720mm



**HR-C02  
ABS 床头柜**

HR-C02 ABS Bedside Cabinet

■ 尺寸 (Size) :  
480 × 480 × 760mm



**HR-C03  
ABS 床头柜 (不锈钢面)**

HR-C03 ABS Bedside Cabinet (stainless steel surface)

■ 尺寸 (Size) :  
480 × 480 × 760mm



**HR-C04  
木制床头柜**

HR-C04 Wooden Bedside Cabinet

■ 尺寸 (Size) : 定做



**HR-C05  
木制床头柜**

HR-C05 Wooden Bedside Cabinet

■ 尺寸 (Size) : 定做



**HR-C06  
木制床头柜**

HR-C06 Wooden Bedside Cabinet

■ 尺寸 (Size) : 定做



**HR-C07  
木制床头柜**

HR-C07 Wooden Bedside Cabinet

■ 尺寸 (Size) : 定做



**HR-C08  
木制床头柜**

HR-C08 Wooden Bedside Cabinet

■ 尺寸 (Size) : 定做



**HR-C09  
木制床头柜**

HR-C09 Wooden Bedside Cabinet

■ 尺寸 (Size) : 定做



**HR-C10  
塑钢一体床头柜**

HR-C10 Model steel Bedside Cabinet

■ 尺寸 (Size) :  
465 × 455 × 810mm



**HR-C11  
木制床头柜**

HR-C11 Wooden Bedside Cabinet

■ 尺寸 (Size) :  
450 × 450 × 720mm



**HR-C12  
木制床头柜**

HR-C12 Wooden Bedside Cabinet

■ 尺寸 (Size) :  
450 × 450 × 720mm



### HR-DL04 电动轮椅

HR-DL04 Electric wheelchair

- 尺寸 (Size) : 车长·车宽·车高: 1150×630×960mm  
座宽·座深·座高: 450×430×530mm
- 车重: 36 公斤 承重: 100 公斤



### HR-DL01 16寸小轮电动轮椅 (红色)

HR-DL01 16Large Wheel Electric Wheelchair (Red)

- 尺寸 (Size) : 车长·车宽·车高: 1150×630×960mm  
座宽·座深·座高: 450×430×530mm
- 车重: 36 公斤 承重: 100 公斤



### HR-DL03 铝合金电动轮椅 (锂电池)

HR-DL03 Aluminum Alloy Electric Wheelchair (Lithium Battery)

- 尺寸 (Size) : 车长·车宽·车高: 1150×630×960mm  
座宽·座深·座高: 450×430×530mm
- 车重: 36 公斤 承重: 100 公斤



### HR-DL02 22寸大轮电动轮椅 (蓝色)

HR-DL02 22Large Wheel Electric Wheelchair (Blue)

- 尺寸 (Size) : 车长·车宽·车高: 1150×630×960mm  
座宽·座深·座高: 450×430×530mm
- 车重: 36 公斤 承重: 100 公斤



### HR-DL05 全躺型电动轮椅

HR-DL05 All lay type Electric wheelchair

- 尺寸 (Size) : 长·宽·高: 1120×630×1280mm  
座宽·座深·座高: 450×430×530mm
- 车重: 40 公斤 载重: 100 公斤
- 续航: 28 公里左右



### HR-A01 按摩床

HR-A01 Massage bed

- 尺寸 (Size) : 1900×600×650mm
- 孔径: 18cm



### HR-A02 按摩床

HR-A02 Massage bed

- 尺寸 (Size) : 1900×600×650mm
- 孔径: 18cm



### HR-A03 按摩床

HR-A03 Massage bed

- 尺寸 (Size) : 1900×600×650mm
- 孔径: 18cm



### HR-A04 按摩床

HR-A04 Massage bed

- 尺寸 (Size) : 1900×700×650mm
- 孔径: 18cm



### HR-A06 门诊床

HR-A06 Outpatient bed

- 尺寸 (Size) : 1900×600×650mm



### HR-A05 按摩床

HR-A05 Massage bed

- 尺寸 (Size) : 1800×780×610/900mm
- 孔径: 10×25cm



### HR-A07 电动升降检查床

HR-A07 Electric lift check the bed

- 尺寸 (Size) : 2000×600×400/900mm
- 升降行程: 400-900cm



**HR-PH01 陪护椅 I 型**

HR-PH01 Hydraulic Stretcher I

■ 尺寸 (Size) 拉开: 1950×600×430mm



**HR-PH02 陪护椅 II 型**

HR-PH02 Hydraulic Stretcher II

■ 尺寸 (Size) 拉开: 1850×630×370mm



**HR-PH03 陪护椅 III 型**

HR-PH03 Hydraulic Stretcher III

■ 尺寸 (Size) 拉开: 1850×630×370mm



**HR-SY01 输液椅**

HR-SY01 Transfusion chair

■ 尺寸 (Size): 后背高 1300mm 总宽 800mm 座面高 450mm 全躺长度 1750mmmm



**HR-SY02 输液椅**

HR-SY02 Transfusion chair

■ 尺寸 (Size): 后背高 1300mm 总宽 800mm 座面高 450mm 全躺长度 1750mmmm



**HR-SY03 输液椅**

HR-SY03 Transfusion chair

■ 尺寸 (Size): 后背高 1300mm 总宽 800mm 座面高 450mm 全躺长度 1750mm



**HR-G01 妇科检查床**

HR-G01 Gynecological examination bed

■ 尺寸 (Size): 680×600×800mm



**HR-SY04 三人位输液椅**

HR-SY04 Three person transfusion chair

■ 尺寸 (Size) 总长 2000mm 单人座位长 540mm 后背高 900mm 座高 380mm 宽度 600mm



**HR-HZ01 三人位候诊椅**

HR-HZ01 Three person waiting chair

■ 尺寸 (Size) 总长 1700mm 宽度 720mm 后背高 800mm 座高 380mm



### 颈腰椎牵引床 II 型

Neck lumbar traction bed II

- 尺寸 (Size) : 拉开长 2000mm 宽 550mm(不含手轮) 座高 550mm
- 牵引行程: 0-250mm



### HR-B03 颈腰椎牵引床

HR-B03 Neck lumbar traction bed

- 尺寸 (Size) : 2060mm × 510mm × 550mm
- 牵引行程: 0-240mm
- 最大牵引力: 490N



### 颈椎牵引椅 I 型

Cervical traction chair type I

- 尺寸 (Size) : 440×480×1800mm



### 颈椎牵引椅 II 型

Cervical traction chair type II

- 尺寸 (Size) : 630×680×1900mm



### 颈椎牵引椅 IV 型

Cervical traction chair type IV

- 尺寸 (Size) : 435×555×1900mm



### 颈椎牵引椅 III 型 -A

Cervical traction chair type III -A

- 尺寸 (Size) : 480×450×1900mm



**HR-B01-1 颈椎牵引架**

HR-B01-1 Cervical traction frame



**HR-B01-2 腰椎牵引架**

HR-B01-2 Cervical traction frame



**HR-B01-3 颈椎牵引架**

HR-B01-3 Cervical traction frame

中国实用新型专利  
ZL202121349527.7



**HR-B01-3A 颈椎牵引架**

HR-B01-3A Cervical traction frame



**HR-L01 波动型气床垫**

HR-L01 Fluctuation type Air mattress

■ 尺寸 (Size) : 2000 × 900mm



**HR-L02 便口型气床垫**

HR-L02 Toilet type Air mattress

■ 尺寸 (Size) : 2000 × 900mm



**HR-L04 护理床专用气床垫**

HR-L04 Nursing bed special-purpose Air mattress

■ 尺寸 (Size) : 2000 × 900mm



**HR-L05 整体翻身便口型气床垫**


HR-L05 Integral turning over with toilet type Air mattress

■ 尺寸 (Size) : 2000 × 900mm



**HR-E01 输液恒温器**

HR-E01 Transfusion thermostat



**HR-ZL04 铝合金助行器 (可搭配各种配件)**

HR-ZL04 Aluminium-alloy mobility aids (Can match various accessories)



**HR-DB01 不锈钢坐便凳**

HR-DB01 Stainless-steel potty chair



**HR-DB02 不锈钢坐便凳**

HR-DB02 Stainless-steel potty chair



**HR-YB01 不锈钢坐便椅**

HR-YB01 Stainless-steel potty chair



**HR-YL01 铝合金坐便椅**

HR-YL01 Aluminum alloy potty chair



**HR-YL04 铝合金坐便椅**

HR-YL04 Aluminum alloy potty chair



**HR-YT01 碳钢坐便椅 (标准型)**

HR-YT01 Aluminum alloy potty chair



**HR-D01 全弹透气腰围**

HR-D01 Full elastic breathable belt



**HR-D02 网状透气腰围**

HR-D02 Mesh breathable belt



**HR-D01-1 全弹透气腰围**

HR-D01-1 Full elastic breathable belt



**HR-D03 医用固定带**

HR-D03 Medical fixing belt



**HR-D03-1 腰椎挺固定带**

HR-D03-1 Lumbar spine fixation band

(棉垫+自发热磁垫)  
(Cotton cushion+Self heating cushion)



**HR-D03-M 医用固定带 (棉垫)**

HR-D03-M Medical fixing belt (Cotton cushion)

**HR-D03-R 医用固定带 (自发热垫)**

HR-D03-R Medical fixing belt (Self heating cushion)



**HR-M01 前臂吊带 (舒适透气型)**

HR-M01 Forearm suspenders (comfortable breathable type)



**HR-M02 前臂吊带 (单网透气型)**

HR-M02 Forearm suspenders (single mesh breathable type)



**HR-M03 前臂吊带 (超级透气型)**

HR-M03 Forearm suspenders (Super breathable type)





**HR-D04-1 腹带 (全弹舒适型)**

HR-D04-1 Belly band ( Full elastic comfortable type )



**HR-D04-2 腹带 (全弹透气型)**

HR-D04-2 Belly band ( Full elastic comfort )



**HR-D04-3 腹带 (加宽透气型)**

HR-D04-3 Belly band ( Widened breathable type )



**HR-D04-4 腹带 (加强型)**

HR-D04-4 Belly band ( Reinforced type )



**HR-D04-5 腹带 (网眼型)**

HR-D04-5 Belly band ( Mesh type )



**HR-D04-6 腹带 (条纹型)**

HR-D04-6 Belly band ( Stripe type )



**HR-RY01 腰椎固定带**

HR-RY01 Lumbar fixation band



**HR-RY02 腰椎固定带**

HR-RY02 Lumbar fixation band



**不锈钢担架车 (病人运输车)**

Stainless steel stretcher(Patient transport vehicle)

- 规格: 2000×700×800 (mm)
  - 床面尺寸: 1900×600 (mm)
  - 材质: 不锈钢
1. Specification: 2000 x 700 x 800 (mm)
  2. Bed surface size: 1900 x 600 (mm)
  3. Material: stainless steel



**简便麻醉车**

Simple anesthesia trolley

- 规格 Specification: 500×400×800 (mm)



**不锈钢双抽治疗车**

Stainless steel double drawers treatment trolley

- 规格: Specification 660×440×860 (mm)
- 600×400×860 (mm)
- 800×480×860 (mm)



**不锈钢单抽治疗车**

Stainless steel treatment trolley

- 规格: Specification 800×480×860 (mm)
- 660×440×860 (mm)
- 600×400×860 (mm)



**不锈钢换药车**

Stainless steel medicative trolley

- 规格: Specification 660×440×860 (mm)
- 600×400×860 (mm)



**不锈钢仪器车**

Stainless steel instrument trolley

- 规格: Specification 550×410×860 (mm)



**不锈钢病历夹车**

Stainless steel medical record

- 规格: 25本 /30本 /40本 /50本 /60本
1. Specification: 25 folders/30 folders /40 folders/50 folders/60 folders



**不锈钢屏风**

Stainless steel screen

- 规格: 每折 500×1800 (mm)
1. Specification: each fold 500 \* 1800 (mm)
  - A: 三折 B: 四折 C: 五折 D: 六折
  - A: three folds B: four folds
  - C: five folds D: six folds



**不锈钢输液车**

Stainless steel transfusion trolley

■ 规格 Specification: 600×450×820 (mm)



**不锈钢器械车**

Stainless steel equipment trolley

■ 规格 Specification:  
800×480×860 (mm)  
660×440×860 (mm)  
600×400×860 (mm)



**不锈钢抢救车**

Stainless steel rescue trolley

■ 规格: Specification  
650×420×870 (mm)



**不锈钢晨护车**

Stainless steel morning nursing trolley

■ 规格: Specification  
900×500×850 (mm)



**不锈钢婴儿车**

Stainless steel infant bed

■ 规格: 800×500×800 (mm)  
■ 材质: 不锈钢  
1. Specification :  
800X500X800(mm)  
2. Material:stainless steel



**钢管婴儿车**

Steel tube baby stroller

■ 规格: 900×500×900/1050(mm)  
■ 塑料盆尺寸: 910\*710\*200(mm)  
■ 头部倾斜角度: 0° ~12°  
1. Specification : 900×500×900/1050(mm)  
2. Plastic containers size: 910 \* 710 \* 200 (mm)  
3. The head tilt Angle: 0° ~ 12°



**钢管儿童车**

Steel tube Children bed

■ 规格: 1000\*500\*800 (mm)  
■ 材质: 钢管  
■ 尺寸可定做  
1. Specification :1000X500X800(mm)  
2. Material: steel pipe  
3. Dimensions made to order



**儿童床**

Children bed

■ 规格: 1920×900×1260/620(mm)  
■ 起背 0-75° 抬腿 0-35°  
■ 护栏采用全覆式液压升降护栏  
1. Specification : 1920×900×1260/620(mm)  
2. Back 0-75° leg lifts 0 to 35°  
3. Guardrail adopts full hydraulic lifting guardrail



**HR-PR01 病历车**

HR-PR01 Medical record trolley

■ Size: 420×450×970 (mm)



**HR-PR02 病历车**

HR-PR02 Medical record trolley

■ Size: 830×450×860 (mm)



**HR-PR03 病历车**

HR-PR03 Medical record trolley

■ Size: 420×450×1010 (mm)



**HR-PR04 病历车**

HR-PR04 Medical record trolley

■ Size: 780×450×1010 (mm)



**HR-C1 多功能推车**

HR-C1 Multifunctional trolley

■ Size: 720×460×980 (mm)



**HR-C2 多功能推车**

HR-C2 Multifunctional trolley

■ Size: 720×460×980 (mm)



**HR-C3 多功能推车**

HR-C3 Multifunctional trolley

■ Size: 720×460×980 (mm)



**HR-C4 多功能推车**

HR-C4 Multifunctional trolley

■ Size: 720×460×980 (mm)



**HR-ET002 抢救车**

HR-ET002 Rescue trolley

■ Size: 815×530×960 (mm)



**HR-ET007 抢救车**

HR-ET007 Rescue trolley

■ Size: 830×640×1200 (mm)



**HR-ET005 抢救车**  
HR-ET005 Rescue trolley

■ Size: 680 x 480 x 940mm



**HR-ET008 抢救车**  
HR-ET008 Rescue trolley

■ Size: 620 x 470 x 990 (mm)



**HR-ET009 抢救车**  
HR-MT009 Rescue trolley

■ Size: 620 x 470 x 990 (mm)



**HR-ET015 抢救车**  
HR-ET015 Rescue vehicle

■ Size: 690\*450\*1000mm



**HR-CT008 治疗车**  
HR-CT008 Treatment trolley

■ Size: 720 x 490 x 840 (mm)



**HR-CT009 治疗车**  
HR-CT009 Treatment trolley

■ Size: 655 x 490 x 980 (mm)



**HR-CT101 治疗车**  
HR-CT101 Treatment trolley

■ Size: 655 x 430 x 910 (mm)



**HR-CT102 治疗车**  
HR-CT102 Treatment trolley

■ Size: 700 x 640 x 1050 (mm)



**HR-LCT02 晨间护理车**  
HR-LCT02 Morning nursing trolley

■ Size: 1000 x 545 x 940 (mm)



**HR-LCT03 晨间护理车**  
HR-LCT03 Morning nursing trolley

■ Size: 995 x 545 x 940 (mm)



**HR-WT01 污物车**  
HR-WT01 Sewage collection trolley

■ Size: 535 x 570 x 880 (mm)



**HR-WT02 污物车**  
HR-WT02 Sewage collection trolley

■ Size: 850x570x880(mm)



**HR-MT001 送药车**  
HR-MT001 Medicinal delivery trolley

■ Size: 640 x 440 x 1000 (mm)



**HR-MT004 送药车**  
HR-MT004 Medicinal delivery trolley

■ Size: 850 x 630 x 1070 (mm)



**HR-MT009 送药车**  
HR-MT009 Medicinal delivery trolley

■ Size: 695x510x1000(mm)



**HR-AT101 麻醉车**  
HR-AT101 Anesthesia Trolley

■ Size: 650 x 560 x 1550 (mm)



**HR-ITT002 麻醉车**  
HR-ITT002 Anesthesia Trolley

■ Size: 850 x 650 x 1850 (mm)



**HR-AT003 麻醉车**  
HR-car AT003 Anesthesia Trolley

■ Size: 1020 x 515 x 1585 (mm)



**HR-ITT004 输液车**  
HR-ITT004 Transfusion Trolley

■ Size: 620 x 470 x 1700 (mm)



**HR-ITT005 输液车**  
HR-car AT005 Anesthesia Trolley

■ Size: 690 x 500 x 1550 (mm)



ABS 伸缩餐板 -1

ABS telescopic dinner plate-1



ABS 伸缩餐板 -2

ABS telescopic dinner plate-2




PP 餐桌

PP table



杂物架

Sundry frame



复合床头

Compound bed



铝合金复合床头

Aluminum alloy composite bed




铝合金护栏

Aluminum guardrail



S 型立柱铝合金护栏

S type column aluminum guardrail




插式铁护栏

Plug-in iron fence



日式铁护栏

Japanese iron fence



旋转助站护栏

Rotating stand guardrail



四折床垫

Four folding mattress



HR-E01

移动升降餐桌

HR-E01 Mobile lift table



HR-E02

移动升降餐桌

HR-E02 Mobile lift table



HR-E03

移动升降餐桌

HR-E03 Mobile lift table



ABS 床头

ABS bedside



ICU 病床床头 -1 (2)

Head of ICU SICKBED -1 (2)



ICU 病床床头 -1 (1)

Head of ICU SICKBED -1 (1)



欧式床头 -1

European bedhead -1



防撞轮床头 -1

Anti-collision wheel head -1



防撞轮床头 -3 (2)

Anti-collision wheel head -3(2)



防撞轮床头 -3 (1)

Anti-collision wheel head -3(1)



铝合金复合床头

Aluminum alloy composite bed head



PP 小护栏

PP small fence



PP 大护栏

PP big fence



双面静音轮

Double-sided mute wheel



单面静音轮

Single mute wheel

