

CATALOGUE

2024



EXTRLUX




Company Profile

Foshan Extrlux Co., Ltd is established as a Research and sales center in 2017 year. The company is located on the 3rd Floor of the Yongxin Building, South Market, South Avenue, Jun'An Town, Shunde District, Foshan City, Guangdong, China, with a convenient high-way to the Guangzhou Baiyun International Airport, Guangzhou South Railway. Extrlux is a professional manufacturer, specializing in developing, we are a professional and leading manufacturer of LED lights in China.

The company's standardized production workshop covers an area of nearly 5000 square meters it has a professional management team and modern production and testing equipment. Extrlux products include LED batten, LED tubes, LED bulbs, LED floodlights, LED downlights, LED spotlights, LED panel lights, etc. We adopt automatic production equipment, such as SMT machines, Automatic components arrangement machines, and Crest welder machines. So that we can make good quality Downlight and Panel Light 500000pcs per day, fully meeting every customer's need.

We have experience in engineering and Research and Development teams. A professional production team, highly sensitive sales team, and first-class management team ensure timely response to online and offline customers and are ready to satisfy every customer's demand at any moment. Our company's operating philosophy is to better serve customers with advanced technologies and management strategies. We always insist on good quality, attentive service and humanized management, and have won customer satisfaction and a good reputation.





LED PLASTIC COB SPOTLIGHT



MODEL NO.	SPEC.	WATT	LUMEN	BEAM ANGLE	SIZE(MM)
EXGU10-5	GU10	5W	400LM	15°/24°/38°/45°	φ50*55
EXGU10-7	GU10	7W	560LM	15°/24°/38°/45°	φ50*55
EXMR16-5	MR16	5W	400LM	15°/24°/38°/45°	φ50*48
EXMR16-7	MR16	7W	560LM	15°/24°/38°/45°	φ50*48



LED PLASTIC SMD SPOTLIGHT



MODEL NO.	SPEC.	WATT	LUMEN	BEAM ANGLE	SIZE(MM)
EXGU10-5	GU10	5W	400LM	60°/120°	φ50*55
EXGU10-7	GU10	7W	560LM	60°/120°	φ50*55
EXMR16-5	MR16	5W	400LM	60°/120°	φ50*48
EXMR16-7	MR16	7W	560LM	60°/120°	φ50*48



LED GLASS COB SPOTLIGHT



MODEL NO.	SPEC.	WATT	LUMEN	BEAM ANGLE	SIZE(MM)
EXGU10-5	GU10	5W	400LM	15°/24°/38°/45°	φ50*55
EXGU10-7	GU10	7W	560LM	15°/24°/38°/45°	φ50*55
EXMR16-5	MR16	5W	400LM	15°/24°/38°/45°	φ50*48
EXMR16-7	MR16	7W	560LM	15°/24°/38°/45°	φ50*48




LED GLASS SMD SPOTLIGHT




MODEL NO.	SPEC.	WATT	LUMEN	BEAM ANGLE	SIZE(MM)
EXGU10-5	GU10	5W	400LM	60°/120°	φ50*55
EXGU10-7	GU10	7W	560LM	60°/120°	φ50*55
EXMR16-5	MR16	5W	400LM	60°/120°	φ50*48
EXMR16-7	MR16	7W	560LM	60°/120°	φ50*48

LED ALUMINUM COB SPOTLIGHT



MODEL NO.	SPEC.	WATT	LUMEN	BEAM ANGLE	SIZE(MM)
EXGU10-6	GU10	6.5W	600LM	12°/24°/36°/60°	φ50*55
EXGU10-7	GU10	7.5W	700LM	12°/24°/36°/60°	φ50*55
EXMR16-6	MR16	6.5W	600LM	12°/24°/36°/60°	φ50*48
EXMR16-7	MR16	7.5W	700LM	12°/24°/36°/60°	φ50*48

LED ALUMINUM COB SPOTLIGHT



MODEL NO.	SPEC.	WATT	LUMEN	BEAM ANGLE	SIZE(MM)
EXGU5.3-6	GU5.3	6.5W	600LM	12°/24°/36°/60°	φ50*55
EXGU5.3-7	GU5.3	7.5W	700LM	12°/24°/36°/60°	φ50*55
EXE14-6	E14	6.5W	600LM	12°/24°/36°/60°	φ50*48
EXE14-7	E14	7.5W	700LM	12°/24°/36°/60°	φ50*48

LED ALUMINUM COB SPOTLIGHT



MODEL NO.	SPEC.	WATT	LUMEN	BEAM ANGLE	SIZE(MM)
EXGU10-6	GU10	6.5W	600LM	12°/24°/36°/60°	φ50*55
EXGU10-7	GU10	7.5W	700LM	12°/24°/36°/60°	φ50*55
EXMR16-6	MR16	6.5W	600LM	12°/24°/36°/60°	φ50*48
EXMR16-7	MR16	7.5W	700LM	12°/24°/36°/60°	φ50*48

LED ALUMINUM COB SPOTLIGHT



MODEL NO.	SPEC.	WATT	LUMEN	BEAM ANGLE	SIZE(MM)
EXGU10-6	GU10	6.5W	600LM	12°/24°/36°/60°	φ50*55
EXGU10-7	GU10	7.5W	700LM	12°/24°/36°/60°	φ50*55
EXMR16-6	MR16	6.5W	600LM	12°/24°/36°/60°	φ50*48
EXMR16-7	MR16	7.5W	700LM	12°/24°/36°/60°	φ50*48



CRI 70/80 PF 0.5/0.9 AC85-240V AC220-240V 1000K-6500K

LED SPOTLIGHT FOUR-SEGMENT DIAL CE CB UK CA

MODEL NO.	SPEC.	WATT	LUMEN	BEAM ANGLE	SIZE(MM)	CCT CONVERSION
EXGU105-BM	GU10	5W	400LM	60°/120°	φ50*55	DIAL+AUTO
EXGU107-BM	GU10	7W	560LM	60°/120°	φ50*55	DIAL+AUTO

AUTO: Manually adjust the switch the SPOTLIGHT on the wall ,can change CCT.



CRI 70/80 PF 0.5/0.9 AC100/220V AC220-240V 2700K-6500K

LED PLASTIC GU10 CE CB UK CA

MODEL NO.	BASE	WATT	LUMENS	BEAM ANGLE	SIZE(MM)
EXGU10-1	GU10	10W	100LM/W	24°/30°/38°/60°	φ50*H80
EXGU10-2	GU10	8W/9W	90LM/W	24°/30°/38°/60°	φ50*H64



CRI 70/80 PF 0.5/0.9 AC100/220V AC220-240V 3000K-6500K

LED SPOTLIGHT FIXTURE CE CB UK CA

MODEL NO.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)
EXSL34	6W	600LM	60°	φ90*H70
EXCL2a	6W	600LM	60°	φ92*H78



CRI 80 PF 0.5/0.9 AC100-265V 3000K-6000K

LED ALUMINUM TRACK LIGHT CE CB EU

MODEL NO.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)
EXT0841SMD	8W	80LM/W	36°	φ41*H85
EXT1240COB	12W	80LM/W	36°	φ41*H100



LED GU10 ALTERNATIVE LUMINAIRE

MODEL NO.	WATT	SIZE(MM)	CUT-SIZE(MM)	OPTIONAL COLOR
EXGU10-DZ1	MAX 8W	φ90*H38	φ70*H38	white/grey/black
EXGU10-DZ2	MAX 8W	φ110*H48	φ80*H48	white/grey/black

LED SPOTLIGHT



MODEL NO.	WATT	LUMEN	BEAM ANGLE	CCT (K)
EXLT6001	9W/12W	BRIDGE LUX 100LM	24°/36°	3000/4000/6000
EXLT6001	9W/12W	CREE 100LM	24°	3000/4000/6000
EXLT6010	18W	BRIDGE LUX 100LM	24°	3000/4000/6000
EXLT6010	18W	CREE 100LM	24°	3000/4000/6000

LED FACE RING



LED PLASTIC GX53

CE



MODEL NO.	SPEC.	WATT	LUMENS	SIZE(MM)
EXGX53-6	GX53	6W	80LM/W	φ74*H28
EXGX53-8	GX53	8W	80LM/W	φ74*H28
EXGX53-11	GX53	11W	80LM/W	φ74*H28
EXGX53-15	GX53	15W	80LM/W	φ74*H28



LED ALUMINUM GX70

CE

MODEL NO.	SPEC.	WATT	LUMENS	SIZE(MM)
EXGX70-18	GX70	18W	80LM/W	φ103*H30



LED PLASTIC AR111

CE

MODEL NO.	SPEC.	BASE	WATT	LUMENS	SIZE(MM)
EX3906U-15	AR111	GU10	15W	1500LM	φ111*H66



LED ALUMINUM AR111

CE

MODEL NO.	SPEC.	BASE	WATT	LUMENS	SIZE(MM)
EX3906B-12	AR111	G53	12W	700LM	φ111*H68
EX3906B-14	AR111	G53	14W	700LM	φ111*H68
EX3906C-12	AR111	GU10	12W	700LM	φ111*H73
EX3906C-14	AR111	GU10	14W	700LM	φ111*H73

LED R39/50/63/80/90

CE



CRI 70/80 PF 0.5/0.9 AC100/220V AC220-240V 2700K-6500K

MODEL NO.	BASE	WATT	LUMENS	SIZE(MM)
EXR39-3	E14	3W	280LM	φ39*H67
EXR50-5	E14	5W	400LM	φ50*H86
EXR50-6	E27	6W	450LM	φ50*H80
EXR63-8	E27	8W	720LM	φ63*H105
EXR80-9	E27	9W	810LM	φ80*H116
EXR90-12	E27	12W	1000LM	φ90*H116



CRI 70/80 PF 0.5/0.9 AC100/220V AC220-240V 3000K-6500K

LED PAR BRACKET

CE

MODEL NO.	SPEC.	WATT	LUMENS	SIZE(MM)
EXPAR20-DJ2	PAR20	7W	600LM	150*135*H165
EXPAR30-DJ2	PAR30	10W	850LM	167*126*H167



CRI 70/80 PF 0.5/0.9 AC100/220V AC220-240V 3000K-6500K

LED PAR GROUND FIXTURE

CE

MODEL NO.	SPEC.	WATT	LUMENS	SIZE(MM)
EXPAR20-DJ1	PAR20	7W	600LM	110*94*H176
EXPAR30-DJ1	PAR30	10W	850LM	135*126*H178



CRI 70/80 PF 0.5/0.9 AC100/220V AC220-240V 2700K-6500K

LED PLASTIC PAR20/30



MODEL NO.	SPEC.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)
EXPAR20-7	PAR20	7W	500LM	24/38°	φ63*H84
EXPAR30-10	PAR30	10W	800LM	24/38°	φ95*H80



CRI 70/80 PF 0.5/0.9 AC100/220V AC220-240V 2700K-6500K

LED ALUMINUM PAR20/30



MODEL NO.	SPEC.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)
EXPAR20-7	PAR20	7W	500LM	15/24/38°	φ63*H91
EXPAR30-10	PAR30	10W	700LM	15/24/38°	φ95*H93



CRI 80/90 PF 0.5/0.9 AC100/220V AC220-240V 2700K-6500K

LED PLASTIC PAR30



MODEL NO.	SPEC.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)
EXPAR30-20	PAR30	20W	2000LM	15/24/30/38°	φ95*H128



CRI 80/90 PF 0.5/0.9 AC100/220V AC220-240V 2700K-6500K

LED ALUMINUM PAR30



MODEL NO.	SPEC.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)
EXPAR30-30	PAR30	30W	2800LM	15/30°	φ95*H130
EXPAR30-40	PAR30	40W	3800LM	15/30°	φ95*H130



CRI 70/80 PF 0.5/0.9 AC100/220V AC220-240V 2700K-6500K

LED EMERGENCY BULB

CE

MODEL NO.	WATT	EMERGENCY LUMENS	SIZE(MM)	BATTERY	CHARGE TIME
EX9707B-15	15W	700LM , 75LM (4Hrs)	φ90*H188	4000mAh	12Hrs
EX8714E-25	25W	1000LM , 75LM (4Hrs)	φ110*H205	8000mAh	24Hrs



CRI 70/80 PF 0.5 AC100/220V AC220-240V 2700K-6500K

LED EMERGENCY BULB

CE

MODEL NO.	WATT	EMERGENCY LUMENS	SIZE(MM)	BATTERY	CHARGE TIME
EX0114M-7	7W	810LM , 75LM (3Hrs)	φ60*H117	1000mAh	3Hrs
EX0114N-7	7W	810LM , 75LM (6Hrs)	φ65*H125	2000mAh	6Hrs



CRI 70/80 PF 0.5 AC100/220V AC220-240V 2700K-6500K

LED EMERGENCY BULB

CE

MODEL NO.	WATT	EMERGENCY LUMENS	SIZE(MM)	BATTERY	CHARGE TIME
EX9707A-15	15W	700LM , 75LM (4Hrs)	φ90*H118	4000mAh	12Hrs
EX8714C-25	25W	1000LM , 75LM (4Hrs)	φ110*H206	8000mAh	24Hrs



CRI 70/80 PF 0.5/0.9 AC100/220V AC220-240V 2700K-6500K

LED SIMPLE HANGING LAMP

CE

MODEL NO.	SPEC.	WATT	LUMENS	SIZE(MM)
EX047B-10	A65	10W	1100LM	φ65*H128



CRI 70/80 PF 0.5/0.9 AC100/220V AC220-240V 2700K-6500K

LED SENSOR BULB

CE

MODEL NO.	SPEC.	WATT	LUMENS	SIZE(MM)
EX0314R-9	A60	9W	800LM	φ60*H110
EX0406L-12	A65	12W	1000LM	φ65*H124


LED PIR MOTION SENSOR BULB CE



CRI 70/80 PF 0.5/0.9 AC100/220V AC220-240V 2700K-6500K

MODEL NO.	SPEC.	WATT	LUMENS	SIZE(MM)
EX0321A-7	A60	7W	700LM	φ60*H119
EX0321A-9	A60	9W	900LM	φ60*H119
EX0321B-12	A60	12W	1200LM	φ60*H126
EX0321B-15	A60	15W	1500LM	φ60*H126
EX0421A-18	A60	18W	1800LM	φ60*H134
EX0421B-20	A60	20W	2100LM	φ60*H134


LED CAT'S EYE CABINET LIGHT CE



CRI 70/80 PF 0.5/0.9 DC 5V 3000K-6500K

MODEL NO.	WATT	CHIPS QTY.	SIZE(MM)	BATTERY
EXHW20D	1W	2	200*40*H15	650mAh
EXHW30D	2W	2	300*40*H15	650mAh
EXHW40D	3W	3	400*40*H15	1100mAh
EXHW60D	4W	4	600*40*H15	1100mAh
EXHW80D	5W	5	800*40*H15	1500mAh


LED SENSOR CABINET LIGHT CE



CRI 70/80 PF 0.5 DC 5V 3000K-6500K

MODEL NO.	WATT	CHIPS QTY.	SIZE(MM)	BATTERY	CCT
EXHW20	1W	29	200*40*H9	650mAh	SINGLE/TRI COLOR
EXHW30	1.5W	47	300*40*H9	1100mAh	SINGLE/TRI COLOR
EXHW40	2W	65	400*40*H9	1500mAh	SINGLE/TRI COLOR
EXHW60	3W	101	600*40*H9	1500mAh	SINGLE/TRI COLOR
EXHW80	4W	137	800*40*H9	2200mAh	SINGLE/TRI COLOR

LED HAND SWIPE SENSOR CABINET LIGHT CE



CRI 70/80 PF 0.5 DC 5V 3000K-6500K

MODEL NO.	WATT	CHIPS QTY.	SIZE(MM)	BATTERY
EXSS20	1W	29	200*40*H9	650mAh
EXSS40	2W	65	400*40*H9	1500mAh
EXSS60	3W	101	600*40*H9	1500mAh
EXSS80	4W	137	800*40*H9	2200mAh



CRI 70/80
PF 0.5/0.9
AC85-265V AC185-265V
3000K-6500K

LED IRON PANEL LIGHT



MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)	DRIVER
EXRD25AY7	Round	2.5"	7W	80-90LM/W	φ95*H25	φ65-90	LINEAR/DOB/EXTERNAL
EXRD25AY9	Round	3.5"	9W	80-90LM/W	φ118*H25	φ85-110	LINEAR/DOB/EXTERNAL
EXRD25AY12	Round	4"	12W	80-90LM/W	φ145*H25	φ110-120	LINEAR/DOB/EXTERNAL
EXRD25AY18	Round	6"	18W	80-90LM/W	φ185*H25	φ141-150	LINEAR/DOB/EXTERNAL
EXRD25AY24	Round	8"	24W	80-90LM/W	φ225*H25	φ175-200	LINEAR/DOB/EXTERNAL



CRI 70/80
PF 0.5/0.9
AC85-265V AC185-265V
3000K-6500K

LED IRON PANEL LIGHT



MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)	DRIVER
EXRD25AF12	Square	4"	12W	80-90LM/W	145*145*H25	φ110-120	LINEAR/DOB/EXTERNAL
EXRD25AF18	Square	6"	18W	80-90LM/W	185*185*H25	φ141-150	LINEAR/DOB/EXTERNAL
EXRD25AF24	Square	8"	24W	80-90LM/W	225*225*H25	φ175-200	LINEAR/DOB/EXTERNAL



CRI 70/80
PF 0.5/0.9
AC85-265V AC185-265V
3000K-6500K

LED IRON+GLASS PANEL LIGHT



MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)	DRIVER
EXRD37AY6	Round	3.5"	6W	80-90LM/W	φ110*H38	φ75-80	LINEAR/DOB/EXTERNAL
EXRD37AY12	Round	4"	12W	80-90LM/W	φ160*H38	φ110-120	LINEAR/DOB/EXTERNAL
EXRD37AY18	Round	6"	18W	80-90LM/W	φ200*H38	φ141-150	LINEAR/DOB/EXTERNAL
EXRD37AY24	Round	8"	24W	80-90LM/W	φ240*H38	φ181-190	LINEAR/DOB/EXTERNAL



CRI 70/80
PF 0.5/0.9
AC85-265V AC185-265V
3000K-6500K

LED IRON+GLASS PANEL LIGHT



MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)	DRIVER
EXRD37AF12	Square	4"	12W	80-90LM/W	160*160*H38	φ110-120	LINEAR/DOB/EXTERNAL
EXRD37AF18	Square	6"	18W	80-90LM/W	200*200*H38	φ141-150	LINEAR/DOB/EXTERNAL
EXRD37AF24	Square	8"	24W	80-90LM/W	240*240*H38	φ181-190	LINEAR/DOB/EXTERNAL

LED DOB PLASTIC PANEL LIGHT



MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)
EXRD39AY6	Round	2.5"	6W	80-90LM/W	φ108	φ80
EXRD39AY9	Round	3.5"	9W	80-90LM/W	φ125	φ100
EXRD39AY12	Round	4"	12W	80-90LM/W	φ147	φ110
EXRD39AY18	Round	6"	18W	80-90LM/W	φ175	φ140
EXRD39AY24	Round	8"	24W	80-90LM/W	φ220	φ200
EXRD39AY36	Round	12"	36W	80-90LM/W	φ300	φ250

LED DOB PLASTIC PANEL LIGHT



MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)
EXRD39AF9	Square	3.5"	9W	80-90LM/W	118*118	90*90
EXRD39AF12	Square	4"	12W	80-90LM/W	153*153	110*110
EXRD39AF18	Square	6"	18W	80-90LM/W	178*178	140*140
EXRD39AF24	Square	8"	24W	80-90LM/W	220*220	200*200
EXRD39AF36	Square	12"	36W	80-90LM/W	300*300	250*250

LED PANEL LIGHT THREE-SEGMENT DIAL



MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)
EXRD39AY6-BM	Round	2.5"	6W	80-90LM/W	φ108	φ80
EXRD39AY9-BM	Round	3.5"	9W	80-90LM/W	φ125	φ100
EXRD39AY12-BM	Round	4"	12W	80-90LM/W	φ147	φ110
EXRD39AY18-BM	Round	6"	18W	80-90LM/W	φ175	φ140
EXRD39AY24-BM	Round	8"	24W	80-90LM/W	φ220	φ200
EXRD39AY36-BM	Round	12"	36W	80-90LM/W	φ300	φ250

LED PANEL LIGHT THREE-SEGMENT DIAL



MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)
EXRD39AF9-BM	Square	3.5"	9W	80-90LM/W	118*118	90*90
EXRD39AF12-BM	Square	4"	12W	80-90LM/W	153*153	110*110
EXRD39AF18-BM	Square	6"	18W	80-90LM/W	178*178	140*140
EXRD39AF24-BM	Square	8"	24W	80-90LM/W	220*220	200*200
EXRD39AF36-BM	Square	12"	36W	80-90LM/W	300*300	250*250



CRI 70/80 PF 0.5/0.9 AC85-265V AC185-265V 3000K-6500K

LED DOB PLASTIC PANEL LIGHT

MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)
EXRD39MY6	Round	2.5"	6W	80-90LM/W	φ120*H32
EXRD39MY9	Round	3.5"	9W	80-90LM/W	φ140*H32
EXRD39MY12	Round	4"	12W	80-90LM/W	φ173*H32
EXRD39MY18	Round	6"	18W	80-90LM/W	φ220*H32
EXRD39MY24	Round	8"	24W	80-90LM/W	φ290H32



CRI 70/80 PF 0.5/0.9 AC85-265V AC185-265V 3000K-6500K

LED DOB PLASTIC PANEL LIGHT

MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)
EXRD39MF6	Square	2.5"	6W	80-90LM/W	120*120*H32
EXRD39MF9	Square	3.5"	9W	80-90LM/W	140*140*H32
EXRD39MF12	Square	4"	12W	80-90LM/W	173*173*H32
EXRD39MF18	Square	6"	18W	80-90LM/W	218*218*H32
EXRD39MF24	Square	8"	24W	80-90LM/W	290*290*H32



CRI 70/80 PF 0.5/0.9 AC85-265V AC185-265V 3000K-4000K/6500K

LED PANEL LIGHT THREE-SEGMENT DIAL

MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)
EXRD39MY6-BM	Round	2.5"	6W	80-90LM/W	φ120*H32
EXRD39MY9-BM	Round	3.5"	9W	80-90LM/W	φ140*H32
EXRD39MY12-BM	Round	4"	12W	80-90LM/W	φ173*H32
EXRD39MY18-BM	Round	6"	18W	80-90LM/W	φ220*H32
EXRD39MY24-BM	Round	8"	24W	80-90LM/W	φ290H32



CRI 70/80 PF 0.5/0.9 AC85-265V AC185-265V 3000K-4000K/6500K


LED PANEL LIGHT THREE-SEGMENT DIAL

MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)
EXRD39MF6-BM	Square	2.5"	6W	80-90LM/W	120*120*H32
EXRD39MF9-BM	Square	3.5"	9W	80-90LM/W	140*140*H32
EXRD39MF12-BM	Square	4"	12W	80-90LM/W	173*173*H32
EXRD39MF18-BM	Square	6"	18W	80-90LM/W	218*218*H32
EXRD39MF24-BM	Square	8"	24W	80-90LM/W	290*290*H32



LED IRON FRAMELESS PANEL LIGHT

MODEL NO.	SPEC.	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)
EXRPR-10W	Round	10W	90LM/W	φ100*16	φ50-70
EXRPR-15W	Round	15W	90LM/W	φ120*16	φ50-95
EXRPR-22W	Round	22W	90LM/W	φ170*18	φ50-140
EXRPR-32W	Round	32W	90LM/W	φ200*18	φ50-190



LED IRON FRAMELESS PANEL LIGHT

MODEL NO.	SPEC.	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)
EXRPS-10W	Square	10W	90LM/W	100*100*16	φ50-70
EXRPS-15W	Square	15W	90LM/W	120*120*16	φ50-95
EXRPS-22W	Square	22W	90LM/W	170*170*18	φ50-140
EXRPS-32W	Square	32W	90LM/W	200*200*18	φ50-190



LED IRON FRAMELESS PANEL LIGHT

MODEL NO.	SPEC.	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)
EXSPR-18W	Round	18W	80LM/W	φ120*40	/
EXSPR-24W	Round	24W	80LM/W	φ170*40	/
EXSPR-36W	Round	36W	80LM/W	φ225*40	/



LED IRON FRAMELESS PANEL LIGHT

MODEL NO.	SPEC.	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)
EXSPS-18W	Square	18W	80LM/W	120*120*40	/
EXSPS-24W	Square	24W	80LM/W	170*170*40	/
EXSPS-36W	Square	36W	80LM/W	225*225*40	/



LED PLASTIC ANTI-GLARE DOWNLIGHT

MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)
EXRD19AY12	Round	4"	12W	70-75LM/W	φ150	φ125
EXRD19AY18	Round	6"	18W	75-80LM/W	φ181	φ155
EXRD19AY24	Round	8"	24W	80-85LM/W	φ215	φ185



LED PLASTIC ANTI-GLARE DOWNLIGHT

MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)
EXRD19AF12	Square	4"	12W	70-75LM/W	φ150	φ125
EXRD19AF18	Square	6"	18W	75-80LM/W	φ181	φ155
EXRD19AF24	Square	8"	24W	80-85LM/W	φ215	φ185



LED ALUMINUM ANTI-GLARE DOWNLIGHT

MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)
EXRD19AY12	Round	4"	12W	70-75LM/W	φ150	φ125
EXRD19AY18	Round	6"	18W	75-80LM/W	φ181	φ155
EXRD19AY24	Round	8"	24W	80-85LM/W	φ215	φ185



LED ALUMINUM ANTI-GLARE DOWNLIGHT

MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)	CUT-SIZE (MM)
EXRD19AF12	Square	4"	12W	70-75LM/W	φ150	φ125
EXRD19AF18	Square	6"	18W	75-80LM/W	φ181	φ155
EXRD19AF24	Square	8"	24W	80-85LM/W	φ215	φ185

LED DOB ALUMINUM PANEL LIGHT



CRI 70/80 PF 0.5/0.9 AC85-265V AC185-265V 3000K-6500K

MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)
EXRD2032MY6	Round	2.5"	6W	80-90LM/W	φ120*H28
EXRD2032MY12	Round	4"	12W	80-90LM/W	φ170*H28
EXRD2032MY18	Round	6"	18W	80-90LM/W	φ220*H28
EXRD2032MY24	Round	8"	24W	80-90LM/W	φ300*H28

LED DOB ALUMINUM PANEL LIGHT



CRI 70/80 PF 0.5/0.9 AC85-265V AC185-265V 3000K-6500K

MODEL NO.	SPEC.	INCH	WATT	LUMENS	SIZE(MM)
EXRD2032MF6	Round	2.5"	6W	80-90LM/W	120*120*H28
EXRD2032MF12	Round	4"	12W	80-90LM/W	170*170*H28
EXRD2032MF18	Round	6"	18W	80-90LM/W	220*220*H28
EXRD2032MF24	Round	8"	24W	80-90LM/W	300*300*H28

LED DOWNLIGHT THREE SEGMENT DIAL



CRI 80 PF 0.9 AC180-240V 3000K-6500K

MODEL NO.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)	CUT-SIZE(MM)	CCT CONVERSION
EXRG-B01-25	7W	80LM/W	100-120°	φ96*H55	φ70	DIAL/CPU
EXRG-B01-35	9W	80LM/W	100-120°	φ114*H62	φ90	DIAL/CPU
EXRG-B01-40	12W	80LM/W	100-120°	φ140*H64	φ110	DIAL/CPU
EXRG-B01-60	18W	80LM/W	100-120°	φ190*H70	φ150	DIAL/CPU
EXRG-B01-80	24W	80LM/W	100-120°	φ235*H90	φ200	DIAL/CPU

LED DOWNLIGHT THREE SEGMENT DIAL



CRI 80 PF 0.9 AC180-240V 3000K-6500K

MODEL NO.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)	CUT-SIZE(MM)	CCT CONVERSION
EXRG-A01-30	10W	80LM/W	100-120°	φ107*H46	φ90	DIAL/CPU
EXRG-A01-40	14W	80LM/W	100-120°	φ138*H49	φ120	DIAL/CPU
EXRG-A01-50	18W	80LM/W	100-120°	φ156*H52	φ140	DIAL/CPU
EXRG-A01-60	24W	80LM/W	100-120°	φ194*H52	φ170	DIAL/CPU
EXRG-A01-80	32W	80LM/W	100-120°	φ229*H52	φ210	DIAL/CPU



LED DOWNLIGHT



MODEL NO.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)	CUT-SIZE(MM)
EXLD-SL24-65	7W	700LM	110°	φ83*H65	φ65*H65
EXLD-SL24-70	7W	700LM	110°	φ88*H65	φ70*H65
EXLD-SL24-75	7W	700LM	110°	φ93*H65	φ75*H65
EXLD-SL24-80	7W	700LM	110°	φ98*H65	φ80*H65
EXLD-SL24-85	7W	700LM	110°	φ103*H65	φ85*H65
EXLD-SL24-90	7W	700LM	110°	φ108*H65	φ90*H65
EXLD-SL24-95	7W	700LM	110°	φ113*H65	φ95*H65
EXLD-SL24-100	7W	700LM	110°	φ118*H65	φ100*H65



LED ROUND DOWNLIGHT



MODEL NO.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)	CUT-SIZE(MM)
EX-SL24-Y1	7W	700LM	38°/60°	φ90*H85	φ80*H85
EX-SL24-Y2	7W	700LM	38°/60°	φ90*H90	φ80*H90



LED SQUARE DOWNLIGHT



MODEL NO.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)	CUT-SIZE(MM)
EX-SL24-F1	7W	700LM	38°/60°	102*102*H92	φ80*H65
EX-SL24-F2	7W	700LM	38°/60°	102*102*H91	φ80*H65



LED DOWNLIGHT



MODEL NO.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)	CUT-SIZE(MM)
EX-SL25-1	3W	240LM	38°	φ44*H28	φ35*H28
EX-SL25-2	3W	240LM	100°	φ44*H28	φ35*H28



LED DOWNLIGHT

CE CB UK CA


MODEL NO.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)
EX-SL21-3	3W	300LM	38°/60°/100°	φ50*H26
EX-SL21-5	5W	500LM	38°/60°/100°	φ50*H26
EX-SL21-7	7W	700LM	38°/60°/100°	φ50*H26
EX-SL21-9	9W	900LM	38°/60°/100°	φ50*H58



LED ALUMINUM DOWNLIGHT

CE CB UK CA

MODEL NO.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)	CUT-SIZE(MM)	OPTIONAL COLOR
EXSL29-Y	7W	400LM	38°/60°	φ90*H48	φ70*H48	white/grey/black



LED ALUMINUM DOWNLIGHT

CE CB UK CA

MODEL NO.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)	CUT-SIZE(MM)	OPTIONAL COLOR
EXSL29-F	7W	400LM	38°/60°	φ90*H48	φ70*H48	white/grey/black



LED ALUMINUM DOWNLIGHT

CE CB UK CA

MODEL NO.	WATT	LUMENS	BEAM ANGLE	SIZE(MM)	CUT-SIZE(MM)	OPTIONAL COLOR
EXSL31-COB	3W	300LM	38°/60°	φ75*H23.5	φ60*H23.5	white/grey/black
EXSL31-SMD	5W	450LM	38°/60°	φ90*H23.5	φ70*H23.5	white/grey/black
EXSL31-SMD	7W	650LM	38°/60°	φ90*H23.5	φ70*H23.5	white/grey/black

LED IRON BATTEN LIGHT CE



CRI 70/80 PF 0.5/0.9 AC175-265V 3000K-6500K

MODEL NO.	WATT	LUMEN	SIZE(MM)
EXLB01-20	20W	90LM/W	600*60*30
EXLB01-30	30W	90LM/W	900*60*30
EXLB01-40	40W	90LM/W	1200*60*30
EXLB01-54	54W	90LM/W	1200*60*30

LED IRON BATTEN LIGHT CE



CRI 70/80 PF 0.5/0.9 AC175-265V 3000K-6500K

MODEL NO.	WATT	LUMEN	SIZE(MM)
EXLB07-20	20W	100LM/W	1180*35*40
EXLB07-40	40W	100LM/W	1180*50*40
EXLB07-60	60W	100LM/W	1180*70*40

LED IRON BATTEN LIGHT CE



CRI 70/80 PF 0.5/0.9 AC175-265V 3000K-6500K

MODEL NO.	WATT	LUMEN	SIZE(MM)
EXLB03-18	18W	85LM/W	600*62*24
EXLB03-36	36W	85LM/W	1200*62*24
EXLB03-30	30W	85LM/W	600*75*28
EXLB03-60	60W	85LM/W	1200*75*28
EXLB03-50	50W	85LM/W	600*95*28
EXLB03-100	100W	85LM/W	1200*95*28

LED IRON/ALUMINUM BATTEN LIGHT CE



CRI 70/80 PF 0.5/0.9 AC175-265V 3000K-6500K

MODEL NO.	WATT	LUMEN	SIZE(MM)
EXLB02-18	18W	85LM/W	600*75*25
EXLB02-36	36W	85LM/W	1200*75*25
EXLB02-20	20W	90LM/W	600*75*25
EXLB02-40	40W	90LM/W	1200*75*25



LED ALUMINUM BATTEN LIGHT CE

MODEL NO.	WATT	LUMEN	SIZE(MM)
EXWP04-18	18W	100LM/W	600*53*36
EXWP04-36	36W	100LM/W	1200*53*36



LED ALUMINUM BATTEN LIGHT CE

MODEL NO.	WATT	LUMEN	SIZE(MM)
EXWP05-18	18W	100LM/W	600*62*56
EXWP05-36	36W	100LM/W	1200*62*56



LED ALUMINUM BATTEN LIGHT CE

MODEL NO.	WATT	LUMEN	SIZE(MM)
EXWB06-60	60W	100LM/W	1180*70*40
EXWB06-100	100W	100LM/W	1180*100*40



LED T8 GLASS TUBE CE

MODEL NO.	WATT	LUMEN	SIZE(MM)
EXLT08-9	9W	100LM/W	588*26
EXLT08-18	18W	100LM/W	1198*26
EXSLT09-16	16W	100LM/W	1198*26

LED ALUMINUM FLOOD LIGHT CE



CRI 70/80 PF 0.5/0.9 AC100-265V 2700K-6500K 5 YEARS

MODEL NO.	WATT	LUMEN	SIZE(MM)
EXMD-U010	10W	90LM/W	95*66*H28
EXMD-U020	20W	90LM/W	120*86*H28
EXMD-U030	30W	100LM/W	153*106*H28
EXMD-U050	50W	100LM/W	182*128*H28
EXMD-U070	70W	100LM/W	230*162*H28
EXMD-U100	100W	100LM/W	272*188*H30
EXMD-U150	150W	100LM/W	325*226*H32
EXMD-U200	200W	100LM/W	392*268*H32
EXMD-U300	300W	100LM/W	490*316*H37

LED ALUMINUM FLOOD LIGHT CE



CRI 80 PF 0.9 AC200-277V 3000K-6500K 5 YEARS

MODEL NO.	WATT	LUMEN	SIZE(MM)	CHIP	DRIVER
EXLH-FL037-50	50W	150LM/W	263*224*H45	PHILIPS	MEANWELL
EXLH-FL037-100	100W	150LM/W	315*269*H50	PHILIPS	MEANWELL
EXLH-FL037-150	150W	150LM/W	370*322*H56	PHILIPS	MEANWELL
EXLH-FL037-200	200W	150LM/W	416*352*H58	PHILIPS	MEANWELL
EXLH-FL037-250	250W	150LM/W	481*408*H60	PHILIPS	MEANWELL
EXLH-FL037-300	300W	150LM/W	481*408*H60	PHILIPS	MEANWELL
EXLH-FL037-400	400W	150LM/W	520*490*H65	PHILIPS	MEANWELL



CRI 80 PF 0.9 AC220-240V 3000K-6500K 5 YEARS

LED ALUMINUM UFO HIGH BAY LIGHT CE CB

MODEL NO.	WATT	LUMEN	BEAM ANGLE	SIZE(MM)	CHIP	DRIVER
EXLH-HB014-100	100W	150LM/W	60°/90°/120°	φ255*H154	PHILIPS	MEANWELL
EXLH-HB014-130	130W	150LM/W	60°/90°/120°	φ305*H160	PHILIPS	MEANWELL
EXLH-HB014-150	150W	150LM/W	60°/90°/120°	φ305*H160	PHILIPS	MEANWELL
EXLH-HB014-200	200W	150LM/W	60°/90°/120°	φ365*H160	PHILIPS	MEANWELL
EXLH-HB014-250	240W	150LM/W	60°/90°/120°	φ385*H160	PHILIPS	MEANWELL
EXLH-HB014-300	300W	150LM/W	60°/90°/120°	φ385*H160	PHILIPS	MEANWELL



LED ALUMINUM STREET LIGHT

CECB

MODEL NO.	WATT	LUMEN	SIZE(MM)	CHIP	DRIVER	COLOR
EXRB136-60	60W	150LM/W	588*210*H110	PHILIPS	MEANWELL	GREY/BLACK
EXRB136-100	100W	150LM/W	600*258*H110	PHILIPS	MEANWELL	GREY/BLACK
EXRB136-150	150W	150LM/W	700*258*H110	PHILIPS	MEANWELL	GREY/BLACK
EXRB136-200	200W	150LM/W	705*308*H110	PHILIPS	MEANWELL	GREY/BLACK
EXRB136-300	300W	150LM/W	788*335*H115	PHILIPS	MEANWELL	GREY/BLACK

Foshan Extrlux Co., Ltd.

3rd Floor, Yongxin Building, South Market, South Avenue, Jun'An Town,
Shunde District, Foshan City

Tel.& Fax: 86 757 86706279|Mob:+86-13923144845

Email:info@extrlux.com

www.extrlux.com

