

28" Open Frame Monitor

Key Features


- ✧ High brightness 1000nits
- ✧ Sunlight Readable
- ✧ LED Backlight
- ✧ Wide Viewing Angle of 178°(H), 178°(V)
- ✧ Wide Operation Temperature (-20 °C~60°C)
- ✧ Low Power Consumption
- ✧ BL MTBF: 50,000 hours
- ✧ Intelligent temperature control system, active heat dissipation



Specifications

| Model Name | RS460FNX01D01 |
|-------------------------|--|
| Screen Size | 28" |
| Display Area (mm) | 698.4(H) x 130.95(V) |
| Brightness | 1000 cd/m ² |
| Resolution | 1920x360 |
| Aspect Ratio | 16 : 3 |
| Contrast Ratio | 4000 : 1 |
| Pixel Pitch (mm) | 0.36375(H) x 0.36375(V) |
| Viewing Angle | 89/89/89/89 (Min.) (CR≥10) |
| Color Saturation (NTSC) | 72% |
| Display Colors | 16.7M |
| Response Time (Typical) | 8(Typ.) (Tr/Td) (ms) |
| Input Interface | EARPHONE OUT*1 AUDIO IN*1 VGA*1 HDMI*1 DC IN*1 |
| OSD Key | AUTO /MENU /LEFT/ RIGHT /EXIT/SELECT /POWER |
| Glass | N/A |
| Touch Type | N/A |
| Input Power | DC 9-36v |
| Power Consumption | <25W |
| Radiator System | N/A |
| Dimensions (mm) | 738 x 173.1 x 49.5mm |
| Mounting | 300x75mm Screws metric M6/75x75mm Screws metric M4 |
| Weight (Net) | TBD |
| Operating Temperature | -20 ° C ~ 60 ° C |
| Storage Temperature | -20 ° C ~ 60 ° C |

The information described in this specification is preliminary and can be changed without prior notice.



Mechanical Drawing

Unit:mm

