

Item	Mesh Size	Wire Dia./mm	Width/cm	Length/m
8	12.7	1.10	100	5
9	12.7	1.10	50	10
10	12.7	1.10	100	10
11	16	1.20	50	5
12	16	1.20	100	5
13	16	1.20	50	10
14	16	1.20	100	10
15	19	1.10	50	5
16	19	1.10	100	5
17	19	1.10	50	10
18	19	1.10	100	10
19	25.4	2.00	50	10
20	25.4	2.00	100	10

### Technical Information


- Welded wire fence, plastic coated after welding, the core wires are galvanized, resulting in double protection against rust.
- Thick plastic coated layer is tightly bonded to wire - will not peel.
- UV inhibitors in the vinyl retard degradation from sunlight.
- Coating is flexible and durable - will not crack when the wire is bent.
- We supply this product with mesh between 12.7 mm and 25.4 mm with a variety of wire thickness, making our products suitable for many industrial applications.

### Packing

- By plastic film
- By wooden pallets



## Green Garden Fencing



### Description

Green Garden Fencing is a type of welded mesh fence with straight vertical wires and wave-shaped horizontal wires.

### Features

- Materials: Low carbon steel wire.
- Surface Treatment: Galvanized core, plastic coated.

### Benefits

- Attractive - non-intrusive to landscape
- Weather proof - rust and corrosion resistant
- Toughest, longest lasting wire mesh available
- Easy to install

### Uses

- Swimming pool fence
- Yard and garden fence
- People control in public areas
- Barriers and cages for animals
- Wood post and rail fence backer
- Attractive home and garden fence



## Specification


Item	Mesh Size/mm	Wire Dia./mm	Width/cm	Length/m
1	50.8 x 50.8	2.0/2.5	61	25
2	50.8 x 50.8	2.0/2.5	81	25
3	50.8 x 50.8	2.0/2.5	102	25
4	50.8 x 50.8	2.0/2.5	122	25
5	50.8 x 50.8	2.0/2.5	152	25
6	50.8 x 50.8	2.0/2.5	183	25
7	50.8 x 50.8	2.0/2.5	203	25
8	101.6 x 50.8	2.0/2.5	40.6	25
9	101.6 x 50.8	2.0/2.5	61	25
10	101.6 x 50.8	2.0/2.5	81	25
11	101.6 x 50.8	2.0/2.5	102	25
12	101.6 x 50.8	2.0/2.5	122	25
13	101.6 x 50.8	2.0/2.5	152	25
14	101.6 x 50.8	2.0/2.5	183	25
15	101.6 x 50.8	2.0/2.5	203	25
16	101.6 x 63.5	2.0/2.5	61	25
17	101.6 x 63.5	2.0/2.5	81	25
18	101.6 x 63.5	2.0/2.5	102	25
19	101.6 x 63.5	2.0/2.5	122	25
20	101.6 x 63.5	2.0/2.5	152	25
21	101.6 x 63.5	2.0/2.5	183	25
22	101.6 x 63.5	2.0/2.5	203	25
23	101.6 x 76.2	2.0/2.5	61	25
24	101.6 x 76.2	2.0/2.5	81	25
25	101.6 x 76.2	2.0/2.5	102	25
26	101.6 x 76.2	2.0/2.5	122	25
27	101.6 x 76.2	2.0/2.5	152	25
28	101.6 x 76.2	2.0/2.5	183	25
29	101.6 x 76.2	2.0/2.5	203	25

**Note:** Core dia. 2.0 mm, outer dia. 2.5 mm. We could also do the light duty, the wire dia. could be 1.6/2.2mm.


### Technical Information

- The horizontal wires are provided with shrinkage, always in the middle of the mesh, this promotes resistance of the wire and better water drainage.
- It is extremely resistant to sunlight and weather conditions.


### • Type:




- The distance between the horizontal wires is 50.8 mm (2"); The distance between the vertical wires is also 50.8 mm (2").
- Due to the extra top and bottom wires, it is extremely suitable as a partition along industrial parcels.



- The distance between the other horizontal wires is 101.6mm (4"); The distance between the vertical wires is 50.8 mm (2").
- Due to the extra top and bottom wires, it is extremely suitable as a partition along industrial parcels.



- The distance between the horizontal wires is 101.6 mm (4"); The distance between the vertical wires is 50.8 mm (2").
- It is extremely suitable for all standard fencings.



- The distance between the horizontal wires is same to the distance between the vertical wires.
- It is extremely suitable for all standard fencings.

### Packing

- Plastic film.
- By pallets.
- According to customers' requirements.

