
MST-BZ Velcro Polyester Expandable Braided Sleeving

Description



Product has good heat dispersion, abrasion resistance, simple operation and other characteristics.

Product application

Our products are widely used A/V cables, indoor heater power cord, computer or TV external connecting wire for neatening and protection.



Technical parameters:

1, Material quality: polyester

2, Self-adhesive material: nylon

Http://: keyuace.en.alibaba.com & www.keyuace.com Email: sales@keyuace.com Address: Building B, West Gate, Haoyu Industrial Estate, Shipai, Dongguan, GD523000, P.R. China

DONGGUAN KE YU HEAT SHRINK MATERIALS CO., LTD KEYUACE MATERIALS CO., TLD

3, Working temperature: - 50 $^{\circ}$ C to 150 $^{\circ}$ C

4, Melting point: 240 + 10 °C


5, Level of flame retardant: VW - 1

6, Standard color: black

7, Certification: ROHS, satisfy the halogen free certification

8, Cutting tools: keen knife

Product drawing



Product dimension

Part NO.	Lay flat (W) (MM)	Magic tape width (MM)	Bundle DIA (MM)	Packaging (L)
MST-BZ-013	13	10	10	
MST-BZ-019	19	10	15	
MST-BZ-032	32	20	20	25m/roll
MST-BZ-051	51	20	30	
MST-BZ-064	64	20	45	

DONGGUAN KE YU HEAT SHRINK MATERIALS CO., LTD KEYUACE MATERIALS CO., TLD



Remark:

- 1, inner diameter is the diameter when the sleeving is roundness, not the lay plat width.
- 2, special packaging, special color, etc, can be customized according to customer's requirements.
- 3, product detail parameters, please refer to our approval sample sheet.

