HEBEI JIEBIN WIRE MESH PRODUCTS CO., LTD.


Nanhuan Economic Development Zone, Anping, ChinaTel: +86-318-5281777Fax: +86-318-5286777Web: www. wiremeshjb.comwww.jiebinwiremesh.com

WELDED MESH ROLL

1. Usage: Welded mesh roll is widely used in agriculture, industry, construction, transportation and mining. Such as egg basket, poultry cage, animal fence, garden fence, passage fence, home & office food basket, paper basket and decoration, construction materials, etc.

2. **Type:**

- 1101-Hot dip galvanizing before welding
- 1102- Hot-dip galvanizing after welding (popular)
- 1103-Electro galvanizing before welding (popular)
- 1104-Electro galvanizing after welding
- 1105-PVC coated after welding (popular)
- 1106-Stainless steel welded mesh (popular)



3. The common specification of Welded Mesh Roll:

Mesh		Wire Diameter		
In Inch	In MM	Wire Gauge (BWG)	In MM	
1/4" x 1/4"	6.4 x 6.4	22-24	0.7-0.6	
3/8" x 3/8"	10.6 x 10.6	19-22	1.0-0.7	
1/2" x 1/2"	12.7x 12.7	16-23	1.6-0.6	
5/8" x 5/8"	16 x 16	18-21	1.2-0.8	
3/4" x 3/4"	19.1 x 19.1	16-21	1.6-0.8	
1" x 1/2"	25.4 x 12.7	16-20	1.6-0.9	
1" x 1"	25.4 x 25.4	14-21	2.0-0.8	
11/2" x 11/2"	38 x 38	14-19	2.0-1.0	
1" x 2"	25.4 x 50.8	14-16	2.0-1.6	
2" x 2"	50.8 x 50.8	12-16	2.6-1.6	
2"x3"	50.8x76.2	12-16	2.6-1.6	

Roll Width: 3ft, 4ft, 5ft, 6ft Roll Length: 100ft, 50m

HEBEI JIEBIN WIRE MESH PRODUCTS CO., LTD.

Nanhuan Economic Development Zone, Anping, ChinaTel: +86-318-5281777Fax: +86-318-5286777Call/App: +86-15030831097Contact Person: Jolin JieEmail: jbwiremesh@vip.126.comjbwiremesh@gmail.comWeb: www. wiremeshjb.comwww.jiebinwiremesh.com

Hexagonal Wire Netting

1. Usage: It is widely used in building, oil, chemical industry, breed, plant protection, food processing reinforce guard and heat preservation, for example: make net cast, stone cage, insulated net wall, poultry fence, etc.

2. Type:

- Normal twist (Popular type)
- Reverse twist (popular type)
- Triple twist

3. Specification:

PVC coated Hexagonal Wire Netting:

Image	Mesh		Wire Diameter
	Inch	mm	(mm)
	3/8"	10	0.4, 0.5, 0.6, 0.8
	1/2"	13	0.6, 0.8, 0.9, 1.0
	5/8"	16	0.4, 0.5, 0.6, 0.8, 0.9, 1.0
	3/4"	19	0.6, 0.8, 0.9, 1.0, 1.2
	1"	25	0.7, 0.9, 1.0, 1.2, 1.4
	1-1/4"	30	0.85, 1.0, 1.1, 1.3, 1.4
	1-1/2"	40	0.8, 1.0, 1.2, 1.4, 1.6
	2"	50	1.0, 1.2, 1.4, 1.6, 2.0

Galvanized hexagonal wire netting Normal twist:

Image	Mesh size		Wire Gauge
	(Inch)	(mm)	(BWG)
	3/8"	10	32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21
and the	1/2"	13	27, 26, 25, 24, 23, 22, 21, 20
	5/8"	16	32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21
	3/4"	20	25, 24, 23, 22, 21, 20, 19
	1"	25	27, 26, 25, 24, 23, 22, 21, 20, 19, 18
	1-1/4"	32	23, 22, 21, 20, 19, 18
	1-1/2"	40	23, 22, 21, 20, 19, 18, 17
	2"	50	23, 22, 21, 20, 19, 18, 17, 16, 15, 14

2-1/2"	65	21, 20, 19, 18
3"	75	21, 20, 19, 18, 17, 16, 15, 14
4"	100	19, 18, 17, 16, 15, 14

Galvanized hexagonal wire netting Reverse twist

Image	Mesh size		Wire Gauge
	Inch	mm	BWG
	1"	25	25,24,23,22,21,20,19,18
	1-1/4"	32	23,22,21,20,19,18
	1-1/2"	40	23,22,21,20,19,18, 17
	2"	50	23,22,21,20,19,18, 17, 16
	3"	75	20,19,18,17, 16

4. Surface treatment:

Galvanized after weaving Galvanized before weaving

5. Material:

Galvanized wire Stainless steel wire Brass/Copper wire PVC coated wire

HEBEI JIEBIN WIRE MESH PRODUCTS CO., LTD.

Nanhuan Economic Development Zone, Anping, ChinaTel: +86-318-5281777Fax: +86-318-5286777Call/App: +86-15030831097Contact Person: Jolin JieEmail: jbwiremesh@vip.126.comjbwiremesh@gmail.comWeb: www. wiremeshjb.comwww.jiebinwiremesh.com

Heavy Hexagonal Wire Netting (Gabion Box)

1. Usage: Gabion Baskets and Gabion Mattress are stone containers, uniformly partitioned into internal cells, interconnected with other containers and filled with stone at site to form flexible, permeable, monolithic structures to control and guide water or flood, protect dam or seawall, or used as retaining walls, channel lining and other applications.

Gabion mattress is similar to gabion basket. But gabion mattress's height is lower than gabion basket, structure is flat and big.

• Gabion basket.			
Image	Mesh opening	Wire diameter	Basket Size (m)
	(mm)	(mm)	L x W x H
	60x80	2.0-2.8	
ACCOUNT OF THE ACCOUNT OF THE	70x90	2.0-3.2	
THE REAL PROPERTY OF	80x100	2.0-3.2	1x1x1
	80x120	2.0-3.2	1.5x1x1
	90x110	2.0-3.2	- 2x1x1 - 3x1x1
	100x120	2.0-3.4	
	100x150	2.0-3.4	4x1x1 4x2x1
	110x130	2.0-3.8	- 6x2x1
	120x150	2.0-4.0	
	160x180	2.0-4.0	

2. Specification

• Gabion basket:

• Gabion Mattress:

Image	Mesh opening	Wire diameter	Mattress size (m)
	(mm)	(mm)	L x W x H
11	60x80	2.0-2.8	1x1x0.3
a desarray light	70x90	2.0-3.2	1x1x0.5
	80x100	2.0-3.2	2x1x0.3
	80x120	2.0-3.2	2x1x0.5
And the second se	90x110	2.0-3.2	3x1x0.3
	100x120	2.0-3.4	3x1x0.5
	100x150	2.0-3.4	3x2x0.17
	110x130	2.0-3.8	3x2x0.25

	120x150	2.0-4.0	3x2x0.3
			4x1x0.3
			4x1x0.5
	160x180	2.0-4.0	4x2x0.25
			5x2x0.25
			6x2x0.25
			6x2x0.3

3. Material:

Low carbon steel wire Zinc/Aluminum coated wire Stainless steel wire PVC coated wire