

SPECIFICATIONS:

Voltage rating:300V AC/DC

Current rating: 3A AC/DC

Withstanding Voltage:1100V AC/minute

Insulation resistance:1000MΩ Min.

Temperature range:-25℃ To +85℃

Contact resistance:20mΩ Max.


Standards

HSF



RoHS

Contact Layout




RECOMMENDED FFC/FPC DIM.

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550T-xP
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in AH2550 series Housing




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550T-TP	FFC WIRE	—	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550T-GP	FFC WIRE	—	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550M-xP
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in AH2550 series Housing




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550M-TP	FFC WIRE	—	Phosphor Bronze	Tin over Nickel	10,000 PCS
AT2550M-GP	FFC WIRE	—	Phosphor Bronze	Gold over Nickel	10,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550T-xP-H
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in AH2550 series Housing




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550T-TP-H	FFC WIRE	—	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550T-GP-H	FFC WIRE	—	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550T-xP-A
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in AH2550 series Housing




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550T-TP-A	FFC WIRE	—	Phosphor Bronze	Tin over Nickel	10,000 PCS
AT2550T-GP-A	FFC WIRE	—	Phosphor Bronze	Gold over Nickel	10,000 PCS

2.54mm Pitch hl-flex crimp terminal connector

TERMINAL

- Part NO.:AT2550T-xP-C
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in AH2550 series Housing




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550T-TP-C	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550T-GP-C	FFC WIRE	-----	Phosphor Bronze	Gold over Nicke	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550T-xP-D
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in AH2550 series Housing




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550T-TP-D	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550T-GP-D	FFC WIRE	-----	Phosphor Bronze	Gold over Nicke	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550T-xP-E
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in AH2550 series Housing




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550T-TP-E	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	15,000 PCS
AT2550T-GP-E	FFC WIRE	-----	Phosphor Bronze	Gold over Nicke	15,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550T-xP-J
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in AH2550 series Housing




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550T-TP-J	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	10,000 PCS
AT2550T-GP-J	FFC WIRE	-----	Phosphor Bronze	Gold over Nickel	10,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550T-xP-K
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in AH2550 series Housing




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550T-TP-K	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550T-GP-K	FFC WIRE	-----	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550M-xP-C
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in FFC wire




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550M-TP-C	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550M-GP-C	FFC WIRE	-----	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550M-xP-C1
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in FFC wire




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550M-TP-C1	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550M-GP-C1	FFC WIRE	-----	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550M-xP-CA
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in FFC wire




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550M-TP-CA	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550M-GP-CA	FFC WIRE	-----	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550M-xP-D
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in FFC wire




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550M-TP-D	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	10,000 PCS
AT2550M-GP-D	FFC WIRE	-----	Phosphor Bronze	Gold over Nickel	10,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550M-xP-E
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in FFC wire




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550M-TP-E	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	10,000 PCS
AT2550M-GP-E	FFC WIRE	-----	Phosphor Bronze	Gold over Nickel	10,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550M-xP-F
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in FFC wire




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550M-TP-F	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550M-GP-F	FFC WIRE	-----	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550M-xP-G
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in FFC wire




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550M-TP-G	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550M-GP-G	FFC WIRE	-----	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550M-xP-J
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in FFC wire




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550M-TP-J	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550M-GP-J	FFC WIRE	-----	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550M-xP-K
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in FFC wire




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550M-TP-K	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550M-GP-K	FFC WIRE	-----	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550M-xP-KE
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in FFC wire




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550M-TP-KE	FFC WIRE	-----	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550M-GP-KE	FFC WIRE	-----	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550MA-xP-G
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in FFC wire




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550MA-TP-G	FFC WIRE	—	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550MA-GP-G	FFC WIRE	—	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex terminal connector

TERMINAL

- Part NO.:AT2550T-xP-CR
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in AH2550 series Housing




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550T-TP-CR	FFC WIRE	—	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550T-GP-CR	FFC WIRE	—	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch low insertion force crimp terminal connector

TERMINAL

- Part NO.:AT2550T-xP-H-CR
- Applicable wire:FFC Wire
- Material:Phosphor Bronze
- Finish:Tin Plated or Gold
- Used in AH2550 series Housing




Ordering information & Specifications:

Part NO.	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
AT2550T-TP-H-CR	FFC WIRE	—	Phosphor Bronze	Tin over Nickel	20,000 PCS
AT2550T-GP-H-CR	FFC WIRE	—	Phosphor Bronze	Gold over Nickel	20,000 PCS

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2541 series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions		PART NO.	Dimensions	
	A	B		A	B
AH2550-2P	2.54	5.08	AH2550-20P	48.26	50.80
AH2550-3P	5.08	7.62	AH2550-21P	50.80	53.34
AH2550-4P	7.62	10.16	AH2550-22P	53.34	55.88
AH2550-5P	10.16	12.70	AH2550-23P	55.88	58.42
AH2550-6P	12.70	15.24	AH2550-24P	58.42	60.96
AH2550-7P	15.24	17.78	AH2550-25P	60.96	63.50
AH2550-8P	17.78	20.32	AH2550-26P	63.50	66.04
AH2550-9P	20.32	22.86	AH2550-27P	66.04	68.58
AH2550-10P	22.86	25.40	AH2550-28P	68.58	71.12
AH2550-11P	25.40	27.94	AH2550-29P	71.12	73.66
AH2550-12P	27.94	30.48	AH2550-30P	73.66	76.20
AH2550-13P	30.48	33.02	AH2550-31P	76.20	78.74
AH2550-14P	33.02	35.56	AH2550-32P	78.74	81.28
AH2550-15P	35.56	38.10	AH2550-33P	81.28	83.82
AH2550-16P	38.10	40.64	AH2550-34P	83.82	86.36
AH2550-17P	40.64	43.18	AH2550-35P	86.36	88.90
AH2550-18P	43.18	45.72	AH2550-36P	88.90	91.44
AH2550-19P	45.72	48.26			

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-A
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547 series Wafer or AH2550 series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-A	2.54	5.08
AH2550-3P-A	5.08	7.62
AH2550-4P-A	7.62	10.16
AH2550-5P-A	10.16	12.70
AH2550-6P-A	12.70	15.24
AH2550-7P-A	15.24	17.78
AH2550-8P-A	17.78	20.32
AH2550-9P-A	20.32	22.86
AH2550-10P-A	22.86	25.40
AH2550-11P-A	25.40	27.94
AH2550-12P-A	27.94	30.48
AH2550-13P-A	30.48	33.02
AH2550-14P-A	33.02	35.56
AH2550-15P-A	35.56	38.10
AH2550-16P-A	38.10	40.64
AH2550-17P-A	40.64	43.18
AH2550-18P-A	43.18	45.72
AH2550-19P-A	45.72	48.26
AH2550-20P-A	48.26	50.80
AH2550-21P-A	50.80	53.34
AH2550-22P-A	53.34	55.88
AH2550-23P-A	55.88	58.42
AH2550-24P-A	58.42	60.96
AH2550-25P-A	60.96	63.50

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-A1
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547 series Wafer or AH2550M series Housing
- Color:Black



Ordering Information & Dimensions:


PART NO.	Dimensions	
	A	B
AH2550-2P-A1	2.54	5.08
AH2550-3P-A1	5.08	7.62
AH2550-4P-A1	7.62	10.16
AH2550-5P-A1	10.16	12.70
AH2550-6P-A1	12.70	15.24
AH2550-7P-A1	15.24	17.78
AH2550-8P-A1	17.78	20.32
AH2550-9P-A1	20.32	22.86
AH2550-10P-A1	22.86	25.40
AH2550-11P-A1	25.40	27.94
AH2550-12P-A1	27.94	30.48
AH2550-13P-A1	30.48	33.02
AH2550-14P-A1	33.02	35.56
AH2550-15P-A1	35.56	38.10
AH2550-16P-A1	38.10	40.64
AH2550-17P-A1	40.64	43.18
AH2550-18P-A1	43.18	45.72
AH2550-19P-A1	45.72	48.26
AH2550-20P-A1	48.26	50.80
AH2550-21P-A1	50.80	53.34
AH2550-22P-A1	53.34	55.88
AH2550-23P-A1	55.88	58.42
AH2550-24P-A1	58.42	60.96
AH2550-25P-A1	60.96	63.50

Connectors Expert Around You

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-A2
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547 series Wafer or AH2550M series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-A2	2.54	5.08
AH2550-3P-A2	5.08	7.62
AH2550-4P-A2	7.62	10.16
AH2550-5P-A2	10.16	12.70
AH2550-6P-A2	12.70	15.24
AH2550-7P-A2	15.24	17.78
AH2550-8P-A2	17.78	20.32
AH2550-9P-A2	20.32	22.86
AH2550-10P-A2	22.86	25.40
AH2550-11P-A2	25.40	27.94
AH2550-12P-A2	27.94	30.48
AH2550-13P-A2	30.48	33.02
AH2550-14P-A2	33.02	35.56
AH2550-15P-A2	35.56	38.10
AH2550-16P-A2	38.10	40.64
AH2550-17P-A2	40.64	43.18
AH2550-18P-A2	43.18	45.72
AH2550-19P-A2	45.72	48.26
AH2550-20P-A2	48.26	50.80
AH2550-21P-A2	50.80	53.34
AH2550-22P-A2	53.34	55.88
AH2550-23P-A2	55.88	58.42
AH2550-24P-A2	58.42	60.96
AH2550-25P-A2	60.96	63.50

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-A2H
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547 series Wafer or AH2550M series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-A2H	2.54	5.08
AH2550-3P-A2H	5.08	7.62
AH2550-4P-A2H	7.62	10.16
AH2550-5P-A2H	10.16	12.70
AH2550-6P-A2H	12.70	15.24
AH2550-7P-A2H	15.24	17.78
AH2550-8P-A2H	17.78	20.32
AH2550-9P-A2H	20.32	22.86
AH2550-10P-A2H	22.86	25.40
AH2550-11P-A2H	25.40	27.94
AH2550-12P-A2H	27.94	30.48
AH2550-13P-A2H	30.48	33.02
AH2550-14P-A2H	33.02	35.56
AH2550-15P-A2H	35.56	38.10
AH2550-16P-A2H	38.10	40.64
AH2550-17P-A2H	40.64	43.18
AH2550-18P-A2H	43.18	45.72
AH2550-19P-A2H	45.72	48.26
AH2550-20P-A2H	48.26	50.80
AH2550-21P-A2H	50.80	53.34
AH2550-22P-A2H	53.34	55.88
AH2550-23P-A2H	55.88	58.42
AH2550-24P-A2H	58.42	60.96
AH2550-25P-A2H	60.96	63.50

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-A3H
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547 series Wafer or AH2550M series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-A3H	2.54	5.08
AH2550-3P-A3H	5.08	7.62
AH2550-4P-A3H	7.62	10.16
AH2550-5P-A3H	10.16	12.70
AH2550-6P-A3H	12.70	15.24
AH2550-7P-A3H	15.24	17.78
AH2550-8P-A3H	17.78	20.32
AH2550-9P-A3H	20.32	22.86
AH2550-10P-A3H	22.86	25.40
AH2550-11P-A3H	25.40	27.94
AH2550-12P-A3H	27.94	30.48
AH2550-13P-A3H	30.48	33.02
AH2550-14P-A3H	33.02	35.56
AH2550-15P-A3H	35.56	38.10
AH2550-16P-A3H	38.10	40.64
AH2550-17P-A3H	40.64	43.18
AH2550-18P-A3H	43.18	45.72
AH2550-19P-A3H	45.72	48.26
AH2550-20P-A3H	48.26	50.80
AH2550-21P-A3H	50.80	53.34
AH2550-22P-A3H	53.34	55.88
AH2550-23P-A3H	55.88	58.42
AH2550-24P-A3H	58.42	60.96
AH2550-25P-A3H	60.96	63.50

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-B
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547 series Wafer or AH2550M series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-B	2.54	5.08
AH2550-3P-B	5.08	7.62
AH2550-4P-B	7.62	10.16
AH2550-5P-B	10.16	12.70
AH2550-6P-B	12.70	15.24
AH2550-7P-B	15.24	17.78
AH2550-8P-B	17.78	20.32
AH2550-9P-B	20.32	22.86
AH2550-10P-B	22.86	25.40
AH2550-11P-B	25.40	27.94
AH2550-12P-B	27.94	30.48
AH2550-13P-B	30.48	33.02
AH2550-14P-B	33.02	35.56
AH2550-15P-B	35.56	38.10
AH2550-16P-B	38.10	40.64
AH2550-17P-B	40.64	43.18
AH2550-18P-B	43.18	45.72
AH2550-19P-B	45.72	48.26
AH2550-20P-B	48.26	50.80
AH2550-21P-B	50.80	53.34
AH2550-22P-B	53.34	55.88
AH2550-23P-B	55.88	58.42
AH2550-24P-B	58.42	60.96
AH2550-25P-B	60.96	63.50

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-C
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547 series Wafer or AH2550M series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-C	2.54	5.08
AH2550-3P-C	5.08	7.62
AH2550-4P-C	7.62	10.16
AH2550-5P-C	10.16	12.70
AH2550-6P-C	12.70	15.24
AH2550-7P-C	15.24	17.78
AH2550-8P-C	17.78	20.32
AH2550-9P-C	20.32	22.86
AH2550-10P-C	22.86	25.40
AH2550-11P-C	25.40	27.94
AH2550-12P-C	27.94	30.48
AH2550-13P-C	30.48	33.02
AH2550-14P-C	33.02	35.56
AH2550-15P-C	35.56	38.10
AH2550-16P-C	38.10	40.64
AH2550-17P-C	40.64	43.18
AH2550-18P-C	43.18	45.72
AH2550-19P-C	45.72	48.26
AH2550-20P-C	48.26	50.80
AH2550-21P-C	50.80	53.34
AH2550-22P-C	53.34	55.88
AH2550-23P-C	55.88	58.42
AH2550-24P-C	58.42	60.96
AH2550-25P-C	60.96	63.50

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-C1
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547 series Wafer or AH2550M series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
AH2550-2P-C1	2.54	5.08	7.62
AH2550-3P-C1	5.08	7.62	10.16
AH2550-4P-C1	7.62	10.16	12.70
AH2550-5P-C1	10.16	12.70	15.24
AH2550-6P-C1	12.70	15.24	17.78
AH2550-7P-C1	15.24	17.78	20.32
AH2550-8P-C1	17.78	20.32	22.86
AH2550-9P-C1	20.32	22.86	25.40
AH2550-10P-C1	22.86	25.40	27.94
AH2550-11P-C1	25.40	27.94	30.48
AH2550-12P-C1	27.94	30.48	33.02
AH2550-13P-C1	30.48	33.02	35.56
AH2550-14P-C1	33.02	35.56	38.10
AH2550-15P-C1	35.56	38.10	40.64
AH2550-16P-C1	38.10	40.64	43.18
AH2550-17P-C1	40.64	43.18	45.72
AH2550-18P-C1	43.18	45.72	48.26
AH2550-19P-C1	45.72	48.26	50.80
AH2550-20P-C1	48.26	50.80	53.34
AH2550-21P-C1	50.80	53.34	55.88
AH2550-22P-C1	53.34	55.88	58.42
AH2550-23P-C1	55.88	58.42	60.96
AH2550-24P-C1	58.42	60.96	63.50
AH2550-25P-C1	60.96	63.50	66.04

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-CH
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547 series Wafer or AH2550M series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-CH	2.54	5.08
AH2550-3P-CH	5.08	7.62
AH2550-4P-CH	7.62	10.16
AH2550-5P-CH	10.16	12.70
AH2550-6P-CH	12.70	15.24
AH2550-7P-CH	15.24	17.78
AH2550-8P-CH	17.78	20.32
AH2550-9P-CH	20.32	22.86
AH2550-10P-CH	22.86	25.40
AH2550-11P-CH	25.40	27.94
AH2550-12P-CH	27.94	30.48
AH2550-13P-CH	30.48	33.02
AH2550-14P-CH	33.02	35.56
AH2550-15P-CH	35.56	38.10
AH2550-16P-CH	38.10	40.64
AH2550-17P-CH	40.64	43.18
AH2550-18P-CH	43.18	45.72
AH2550-19P-CH	45.72	48.26
AH2550-20P-CH	48.26	50.80
AH2550-21P-CH	50.80	53.34
AH2550-22P-CH	53.34	55.88
AH2550-23P-CH	55.88	58.42
AH2550-24P-CH	58.42	60.96
AH2550-25P-CH	60.96	63.50

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-D
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2541 series Wafer
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
AH2550-2P-D	2.54	6.81	9.86
AH2550-3P-D	5.08	9.35	12.40
AH2550-4P-D	7.62	11.89	14.94
AH2550-5P-D	10.16	14.43	17.48
AH2550-6P-D	12.70	16.97	20.02
AH2550-7P-D	15.24	19.51	22.56
AH2550-8P-D	17.78	22.05	25.10
AH2550-9P-D	20.32	24.59	27.64
AH2550-10P-D	22.86	27.13	30.18
AH2550-11P-D	25.40	29.67	32.72
AH2550-12P-D	27.94	32.21	35.26
AH2550-13P-D	30.48	34.75	37.80
AH2550-14P-D	33.02	37.29	40.34
AH2550-15P-D	35.56	39.83	42.88
AH2550-16P-D	38.10	42.37	45.42
AH2550-17P-D	40.64	44.91	47.96
AH2550-18P-D	43.18	47.45	50.50
AH2550-19P-D	45.72	49.99	53.04
AH2550-20P-D	48.26	52.53	55.58
AH2550-21P-D	50.80	55.07	58.12
AH2550-22P-D	53.34	57.61	60.66
AH2550-23P-D	55.88	60.15	63.20
AH2550-24P-D	58.42	62.69	65.74
AH2550-25P-D	60.96	65.23	68.28
AH2550-26P-D	63.50	67.77	70.82
AH2550-27P-D	66.04	70.31	73.36
AH2550-28P-D	68.58	72.85	75.90
AH2550-29P-D	71.12	75.39	78.44
AH2550-30P-D	73.66	77.93	80.98
AH2550-31P-D	76.20	80.47	83.52
AH2550-32P-D	78.74	83.01	86.06
AH2550-33P-D	81.28	85.55	88.60
AH2550-34P-D	83.82	88.09	91.14
AH2550-35P-D	86.36	90.63	93.68
AH2550-36P-D	88.90	93.17	96.22

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-G
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2541 series Wafer
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-G	2.54	4.92
AH2550-3P-G	5.08	7.46
AH2550-4P-G	7.62	10.00
AH2550-5P-G	10.16	12.54
AH2550-6P-G	12.70	15.08
AH2550-7P-G	15.24	17.62
AH2550-8P-G	17.78	20.16
AH2550-9P-G	20.32	22.70
AH2550-10P-G	22.86	25.24
AH2550-11P-G	25.40	27.78
AH2550-12P-G	27.94	30.32
AH2550-13P-G	30.48	32.86
AH2550-14P-G	33.02	35.40
AH2550-15P-G	35.56	37.94
AH2550-16P-G	38.10	40.48
AH2550-17P-G	40.64	43.02
AH2550-18P-G	43.18	45.56
AH2550-19P-G	45.72	48.10
AH2550-20P-G	48.26	50.64
AH2550-21P-G	50.80	53.18
AH2550-22P-G	53.34	55.72
AH2550-23P-G	55.88	58.26
AH2550-24P-G	58.42	60.80
AH2550-25P-G	60.96	63.34

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-G1
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2541 series Wafer
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-G1	2.54	4.92
AH2550-3P-G1	5.08	7.46
AH2550-4P-G1	7.62	10.00
AH2550-5P-G1	10.16	12.54
AH2550-6P-G1	12.70	15.08
AH2550-7P-G1	15.24	17.62
AH2550-8P-G1	17.78	20.16
AH2550-9P-G1	20.32	22.70
AH2550-10P-G1	22.86	25.24
AH2550-11P-G1	25.40	27.78
AH2550-12P-G1	27.94	30.32
AH2550-13P-G1	30.48	32.86
AH2550-14P-G1	33.02	35.40
AH2550-15P-G1	35.56	37.94
AH2550-16P-G1	38.10	40.48
AH2550-17P-G1	40.64	43.02
AH2550-18P-G1	43.18	45.56
AH2550-19P-G1	45.72	48.10
AH2550-20P-G1	48.26	50.64
AH2550-21P-G1	50.80	53.18
AH2550-22P-G1	53.34	55.72
AH2550-23P-G1	55.88	58.26
AH2550-24P-G1	58.42	60.80
AH2550-25P-G1	60.96	63.34

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-H
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547 series Wafer
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-H	2.54	4.92
AH2550-3P-H	5.08	7.46
AH2550-4P-H	7.62	10.00
AH2550-5P-H	10.16	12.54
AH2550-6P-H	12.70	15.08
AH2550-7P-H	15.24	17.62
AH2550-8P-H	17.78	20.16
AH2550-9P-H	20.32	22.70
AH2550-10P-H	22.86	25.24
AH2550-11P-H	25.40	27.78
AH2550-12P-H	27.94	30.32
AH2550-13P-H	30.48	32.86
AH2550-14P-H	33.02	35.40
AH2550-15P-H	35.56	37.94
AH2550-16P-H	38.10	40.48
AH2550-17P-H	40.64	43.02
AH2550-18P-H	43.18	45.56
AH2550-19P-H	45.72	48.10
AH2550-20P-H	48.26	50.64
AH2550-21P-H	50.80	53.18
AH2550-22P-H	53.34	55.72
AH2550-23P-H	55.88	58.26
AH2550-24P-H	58.42	60.80
AH2550-25P-H	60.96	63.34

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-H1
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547 series Wafer
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-H1	2.54	4.92
AH2550-3P-H1	5.08	7.46
AH2550-4P-H1	7.62	10.00
AH2550-5P-H1	10.16	12.54
AH2550-6P-H1	12.70	15.08
AH2550-7P-H1	15.24	17.62
AH2550-8P-H1	17.78	20.16
AH2550-9P-H1	20.32	22.70
AH2550-10P-H1	22.86	25.24
AH2550-11P-H1	25.40	27.78
AH2550-12P-H1	27.94	30.32
AH2550-13P-H1	30.48	32.86
AH2550-14P-H1	33.02	35.40
AH2550-15P-H1	35.56	37.94
AH2550-16P-H1	38.10	40.48
AH2550-17P-H1	40.64	43.02
AH2550-18P-H1	43.18	45.56
AH2550-19P-H1	45.72	48.10
AH2550-20P-H1	48.26	50.64
AH2550-21P-H1	50.80	53.18
AH2550-22P-H1	53.34	55.72
AH2550-23P-H1	55.88	58.26
AH2550-24P-H1	58.42	60.80
AH2550-25P-H1	60.96	63.34

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-B
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547 series Wafer or AH2550M series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-B	2.54	5.08
AH2550-3P-B	5.08	7.62
AH2550-4P-B	7.62	10.16
AH2550-5P-B	10.16	12.70
AH2550-6P-B	12.70	15.24
AH2550-7P-B	15.24	17.78
AH2550-8P-B	17.78	20.32
AH2550-9P-B	20.32	22.86
AH2550-10P-B	22.86	25.40
AH2550-11P-B	25.40	27.94
AH2550-12P-B	27.94	30.48
AH2550-13P-B	30.48	33.02
AH2550-14P-B	33.02	35.56
AH2550-15P-B	35.56	38.10
AH2550-16P-B	38.10	40.64
AH2550-17P-B	40.64	43.18
AH2550-18P-B	43.18	45.72
AH2550-19P-B	45.72	48.26
AH2550-20P-B	48.26	50.80
AH2550-21P-B	50.80	53.34
AH2550-22P-B	53.34	55.88
AH2550-23P-B	55.88	58.42
AH2550-24P-B	58.42	60.96
AH2550-25P-B	60.96	63.50

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-H1
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547WRE series Wafer
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-I	2.54	4.92
AH2550-3P-I	5.08	7.46
AH2550-4P-I	7.62	10.00
AH2550-5P-I	10.16	12.54
AH2550-6P-I	12.70	15.08
AH2550-7P-I	15.24	17.62
AH2550-8P-I	17.78	20.16
AH2550-9P-I	20.32	22.70
AH2550-10P-I	22.86	25.24
AH2550-11P-I	25.40	27.78
AH2550-12P-I	27.94	30.32
AH2550-13P-I	30.48	32.86
AH2550-14P-I	33.02	35.40
AH2550-15P-I	35.56	37.94
AH2550-16P-I	38.10	40.48
AH2550-17P-I	40.64	43.02
AH2550-18P-I	43.18	45.56
AH2550-19P-I	45.72	48.10
AH2550-20P-I	48.26	50.64
AH2550-21P-I	50.80	53.18
AH2550-22P-I	53.34	55.72
AH2550-23P-I	55.88	58.26
AH2550-24P-I	58.42	60.80
AH2550-25P-I	60.96	63.34

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-xP-I1
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2547WRE series Wafer
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-I1	2.54	4.92
AH2550-3P-I1	5.08	7.46
AH2550-4P-I1	7.62	10.00
AH2550-5P-I1	10.16	12.54
AH2550-6P-I1	12.70	15.08
AH2550-7P-I1	15.24	17.62
AH2550-8P-I1	17.78	20.16
AH2550-9P-I1	20.32	22.70
AH2550-10P-I1	22.86	25.24
AH2550-11P-I1	25.40	27.78
AH2550-12P-I1	27.94	30.32
AH2550-13P-I1	30.48	32.86
AH2550-14P-I1	33.02	35.40
AH2550-15P-I1	35.56	37.94
AH2550-16P-I1	38.10	40.48
AH2550-17P-I1	40.64	43.02
AH2550-18P-I1	43.18	45.56
AH2550-19P-I1	45.72	48.10
AH2550-20P-I1	48.26	50.64
AH2550-21P-I1	50.80	53.18
AH2550-22P-I1	53.34	55.72
AH2550-23P-I1	55.88	58.26
AH2550-24P-I1	58.42	60.80
AH2550-25P-I1	60.96	63.34

2.54mm Pitch housing connector

HOUSING

- Part NO.:AH2550-xP-M1
- Material:PBT30%GF,UL94V-0
- Suitable AT2550T-E,AT2550TM-D series Terminal
- Mates with AW2541V,AW2541R,AW2541RA series single row Wafer
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-M1	2.54	5.08
AH2550-3P-M1	5.08	7.62
AH2550-4P-M1	7.62	10.16
AH2550-5P-M1	10.16	12.70
AH2550-6P-M1	12.70	15.24
AH2550-7P-M1	15.24	17.78
AH2550-8P-M1	17.78	20.32
AH2550-9P-M1	20.32	22.86
AH2550-10P-M1	22.86	25.40
AH2550-11P-M1	25.40	27.94
AH2550-12P-M1	27.94	30.48
AH2550-13P-M1	30.48	33.02
AH2550-14P-M1	33.02	35.56
AH2550-15P-M1	35.56	38.10
AH2550-16P-M1	38.10	40.64
AH2550-17P-M1	40.64	43.18
AH2550-18P-M1	43.18	45.72
AH2550-19P-M1	45.72	48.26
AH2550-20P-M1	48.26	50.80
AH2550-21P-M1	50.80	53.34
AH2550-22P-M1	53.34	55.88
AH2550-23P-M1	55.88	58.42
AH2550-24P-M1	58.42	60.96
AH2550-25P-M1	60.96	63.50

2.54mm Pitch housing connector

HOUSING

- Part NO.:AH2550-xP-M2
- Material:PBT30%GF,UL94V-0
- Suitable AT2547T-E series Terminal
- Mates with AW2541V,AW2541R,AW2541RA series single row Wafer
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-M2	2.54	5.08
AH2550-3P-M2	5.08	7.62
AH2550-4P-M2	7.62	10.16
AH2550-5P-M2	10.16	12.70
AH2550-6P-M2	12.70	15.24
AH2550-7P-M2	15.24	17.78
AH2550-8P-M2	17.78	20.32
AH2550-9P-M2	20.32	22.86
AH2550-10P-M2	22.86	25.40
AH2550-11P-M2	25.40	27.94
AH2550-12P-M2	27.94	30.48
AH2550-13P-M2	30.48	33.02
AH2550-14P-M2	33.02	35.56
AH2550-15P-M2	35.56	38.10
AH2550-16P-M2	38.10	40.64
AH2550-17P-M2	40.64	43.18
AH2550-18P-M2	43.18	45.72
AH2550-19P-M2	45.72	48.26
AH2550-20P-M2	48.26	50.80
AH2550-21P-M2	50.80	53.34
AH2550-22P-M2	53.34	55.88
AH2550-23P-M2	55.88	58.42
AH2550-24P-M2	58.42	60.96
AH2550-25P-M2	60.96	63.50

2.54mm Pitch housing connector

HOUSING

- Part NO.:AH2550-xP-M3
- Material:PBT30%GF,UL94V-0
- Suitable AT2550T-E,AT2550TM-D series Terminal
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-M3	2.54	5.08
AH2550-3P-M3	5.08	7.62
AH2550-4P-M3	7.62	10.16
AH2550-5P-M3	10.16	12.70
AH2550-6P-M3	12.70	15.24
AH2550-7P-M3	15.24	17.78
AH2550-8P-M3	17.78	20.32
AH2550-9P-M3	20.32	22.86
AH2550-10P-M3	22.86	25.40
AH2550-11P-M3	25.40	27.94
AH2550-12P-M3	27.94	30.48
AH2550-13P-M3	30.48	33.02
AH2550-14P-M3	33.02	35.56
AH2550-15P-M3	35.56	38.10
AH2550-16P-M3	38.10	40.64
AH2550-17P-M3	40.64	43.18
AH2550-18P-M3	43.18	45.72
AH2550-19P-M3	45.72	48.26
AH2550-20P-M3	48.26	50.80
AH2550-21P-M3	50.80	53.34
AH2550-22P-M3	53.34	55.88
AH2550-23P-M3	55.88	58.42
AH2550-24P-M3	58.42	60.96
AH2550-25P-M3	60.96	63.50

2.54mm Pitch housing with lock connector

HOUSING

- Part NO.:AH2550K-2xP
- Material:PBT30%GF,UL94V-0
- Suitable AT2547T-E series Terminal
- Mates with AH2547M.AH2550M series Housing or AW2547 series single row Wafer
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2P-M	2.54	5.08
AH2550-3P-M	5.08	7.62
AH2550-4P-M	7.62	10.16
AH2550-5P-M	10.16	12.70
AH2550-6P-M	12.70	15.24
AH2550-7P-M	15.24	17.78
AH2550-8P-M	17.78	20.32
AH2550-9P-M	20.32	22.86
AH2550-10P-M	22.86	25.40
AH2550-11P-M	25.40	27.94
AH2550-12P-M	27.94	30.48
AH2550-13P-M	30.48	33.02
AH2550-14P-M	33.02	35.56
AH2550-15P-M	35.56	38.10
AH2550-16P-M	38.10	40.64
AH2550-17P-M	40.64	43.18
AH2550-18P-M	43.18	45.72
AH2550-19P-M	45.72	48.26
AH2550-20P-M	48.26	50.80
AH2550-21P-M	50.80	53.34
AH2550-22P-M	53.34	55.88
AH2550-23P-M	55.88	58.42
AH2550-24P-M	58.42	60.96
AH2550-25P-M	60.96	63.50

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-2xP
- Material:PBT30%GF,UL94V-0
- Suitable AT2550T series Terminal
- Mates with AH2541 series Wafer
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550-2x2P	2.54	7.12
AH2550-2x3P	5.08	9.66
AH2550-2x4P	7.62	12.20
AH2550-2x5P	10.16	14.74
AH2550-2x6P	12.70	17.28
AH2550-2x7P	15.24	19.82
AH2550-2x8P	17.78	22.36
AH2550-2x9P	20.32	24.90
AH2550-2x10P	22.86	27.44
AH2550-2x11P	25.40	29.98
AH2550-2x12P	27.94	32.52
AH2550-2x13P	30.48	35.06
AH2550-2x14P	33.02	37.60
AH2550-2x15P	35.56	40.14
AH2550-2x16P	38.10	42.68
AH2550-2x17P	40.64	45.22
AH2550-2x18P	43.18	47.76
AH2550-2x19P	45.72	50.30
AH2550-2x20P	48.26	52.84
AH2550-2x21P	50.80	55.38
AH2550-2x22P	53.34	57.92
AH2550-2x23P	55.88	60.46
AH2550-2x24P	58.42	63.00
AH2550-2x25P	60.96	65.54

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550A-2xP
- Material:PBT30%GF,UL94V-0
- Suitable AT2550T series Terminal
- Mates with AH2549 series Dual Row Wafer
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550A-2x2P	2.54	7.12
AH2550A-2x3P	5.08	9.66
AH2550A-2x4P	7.62	12.20
AH2550A-2x5P	10.16	14.74
AH2550A-2x6P	12.70	17.28
AH2550A-2x7P	15.24	19.82
AH2550A-2x8P	17.78	22.36
AH2550A-2x9P	20.32	24.90
AH2550A-2x10P	22.86	27.44
AH2550A-2x11P	25.40	29.98
AH2550A-2x12P	27.94	32.52
AH2550A-2x13P	30.48	35.06
AH2550A-2x14P	33.02	37.60
AH2550A-2x15P	35.56	40.14
AH2550A-2x16P	38.10	42.68
AH2550A-2x17P	40.64	45.22
AH2550A-2x18P	43.18	47.76
AH2550A-2x19P	45.72	50.30
AH2550A-2x20P	48.26	52.84
AH2550A-2x21P	50.80	55.38
AH2550A-2x22P	53.34	57.92
AH2550A-2x23P	55.88	60.46
AH2550A-2x24P	58.42	63.00
AH2550A-2x25P	60.96	65.54

2.54mm Pitch crimp flex housing connector

- HOUSING
- Part NO.:AH2550A-xP
 - Suitable AT2550T series Terminal
 - Material:PBT30%GF,UL94V-0
 - Mates with AW2549 series Single Row Wafer
 - Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550A-2P	2.54	5.08
AH2550A-3P	5.08	7.62
AH2550A-4P	7.62	10.16
AH2550A-5P	10.16	12.70
AH2550A-6P	12.70	15.24
AH2550A-7P	15.24	17.78
AH2550A-8P	17.78	20.32
AH2550A-9P	20.32	22.86
AH2550A-10P	22.86	25.40
AH2550A-11P	25.40	27.94
AH2550A-12P	27.94	30.48
AH2550A-13P	30.48	33.02
AH2550A-14P	33.02	35.56
AH2550A-15P	35.56	38.10
AH2550A-16P	38.10	40.64
AH2550A-17P	40.64	43.18
AH2550A-18P	43.18	45.72
AH2550A-19P	45.72	48.26
AH2550A-20P	48.26	50.80
AH2550A-21P	50.80	53.34
AH2550A-22P	53.34	55.88
AH2550A-23P	55.88	58.42
AH2550A-24P	58.42	60.96
AH2550A-25P	60.96	63.50

2.54mm Pitch crimp flex housing connector

- HOUSING
- Part NO.:AH2550B-xP
 - Suitable AT2550T series Terminal
 - Material:PBT30%GF,UL94V-0
 - Mates with AW2549 series Single Row Wafer
 - Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550B-2P	2.54	5.08
AH2550B-3P	5.08	7.62
AH2550B-4P	7.62	10.16
AH2550B-5P	10.16	12.70
AH2550B-6P	12.70	15.24
AH2550B-7P	15.24	17.78
AH2550B-8P	17.78	20.32
AH2550B-9P	20.32	22.86
AH2550B-10P	22.86	25.40
AH2550B-11P	25.40	27.94
AH2550B-12P	27.94	30.48
AH2550B-13P	30.48	33.02
AH2550B-14P	33.02	35.56
AH2550B-15P	35.56	38.10
AH2550B-16P	38.10	40.64
AH2550B-17P	40.64	43.18
AH2550B-18P	43.18	45.72
AH2550B-19P	45.72	48.26
AH2550B-20P	48.26	50.80
AH2550B-21P	50.80	53.34
AH2550B-22P	53.34	55.88
AH2550B-23P	55.88	58.42
AH2550B-24P	58.42	60.96
AH2550B-25P	60.96	63.50

2.54mm Pitch crimp flex housing connector

- HOUSING
- Part NO.:AH2550DM-xP
 - Terminal Material:Phosphor Bronze/Tin over Nickel
 - Material:Nylon 66,UL94v-0
 - Used in FFC Wire
 - Color:Blue




Ordering Information & Dimensions:

PART NO.	Dimensions		PART NO.	Dimensions	
	A	B		A	B
AH2550DM-2P	2.54	9.91	AH2550DM-20P	48.26	55.63
AH2550DM-3P	5.08	12.45	AH2550DM-21P	50.80	58.17
AH2550DM-4P	7.62	14.99	AH2550DM-22P	53.34	60.71
AH2550DM-5P	10.16	17.53	AH2550DM-23P	55.88	63.25
AH2550DM-6P	12.70	20.07	AH2550DM-24P	58.42	65.79
AH2550DM-7P	15.24	22.61	AH2550DM-25P	60.96	68.33
AH2550DM-8P	17.78	25.15	AH2550DM-26P	63.50	70.87
AH2550DM-9P	20.32	27.69	AH2550DM-27P	66.04	73.41
AH2550DM-10P	22.86	30.23	AH2550DM-28P	68.58	75.95
AH2550DM-11P	25.40	32.77	AH2550DM-29P	71.12	78.49
AH2550DM-12P	27.94	35.31	AH2550DM-30P	73.66	81.03
AH2550DM-13P	30.48	37.85	AH2550DM-31P	76.20	83.57
AH2550DM-14P	33.02	40.39	AH2550DM-32P	78.74	86.11
AH2550DM-15P	35.56	42.93	AH2550DM-33P	81.28	88.65
AH2550DM-16P	38.10	45.47	AH2550DM-34P	83.82	91.19
AH2550DM-17P	40.64	48.01	AH2550DM-35P	86.36	93.73
AH2550DM-18P	43.18	50.55	AH2550DM-36P	88.90	96.27
AH2550DM-19P	45.72	53.09			

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550-D-xP
- Terminal Material:Phosphor Bronze/Tin Plated
- Material: Nylon 66.UL94v-0
- Mates with AW2541V AW2541R
- AW2541RA series Wafer
- Used in FFC Wire
- Color:Blue




Ordering Information & Dimensions:

PART NO.	Dimensions		PART NO.	Dimensions	
	A	B		AB	
AH2550D-2P	2.54	10.08	AH2550D-20P	48.26	55.80
AH2550D-3P	5.08	12.62	AH2550D-21P	50.80	58.34
AH2550D-4P	7.62	15.16	AH2550D-22P	53.34	60.88
AH2550D-5P	10.16	17.70	AH2550D-23P	55.88	63.42
AH2550D-6P	12.70	20.24	AH2550D-24P	58.42	65.96
AH2550D-7P	15.24	22.78	AH2550D-25P	60.96	68.50
AH2550D-8P	17.78	25.32	AH2550D-26P	63.50	71.04
AH2550D-9P	20.32	27.86	AH2550D-27P	66.04	73.58
AH2550D-10P	22.86	30.40	AH2550D-28P	68.58	76.12
AH2550D-11P	25.40	32.94	AH2550D-29P	71.12	78.66
AH2550D-12P	27.94	35.48	AH2550D-30P	73.66	81.20
AH2550D-13P	30.48	38.02	AH2550D-31P	76.20	83.74
AH2550D-14P	33.02	40.56	AH2550D-32P	78.74	86.28
AH2550D-15P	35.56	43.10	AH2550D-33P	81.28	88.82
AH2550D-16P	38.10	45.64	AH2550D-34P	83.82	91.36
AH2550D-17P	40.64	48.18	AH2550D-35P	86.36	93.90
AH2550D-18P	43.18	50.72	AH2550D-36P	88.90	96.44
AH2550D-19P	45.72	53.26			

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550E-xP
- Terminal Material:Phosphor Bronze/Tin Plated
- Material:Nylon 66.UL94v-0
- Mates with AW2541V
- AW2541R,AW2549VB,AW2549RB series Wafer
- Used in FFC Wire
- Color:Blue




Ordering Information & Dimensions:

PART NO.	Dimensions		PART NO.	Dimensions	
	A	B		A	B
AH2550E-2P	2.54	10.08	AH2550E-20P	48.26	55.80
AH2550E-3P	5.08	12.62	AH2550E-21P	50.80	58.34
AH2550E-4P	7.62	15.16	AH2550E-22P	53.34	60.88
AH2550E-5P	10.16	17.70	AH2550E-23P	55.88	63.42
AH2550E-6P	12.70	20.24	AH2550E-24P	58.42	65.96
AH2550E-7P	15.24	22.78	AH2550E-25P	60.96	68.50
AH2550E-8P	17.78	25.32	AH2550E-26P	63.50	71.04
AH2550E-9P	20.32	27.86	AH2550E-27P	66.04	73.58
AH2550E-10P	22.86	30.40	AH2550E-28P	68.58	76.12
AH2550E-11P	25.40	32.94	AH2550E-29P	71.12	78.66
AH2550E-12P	27.94	35.48	AH2550E-30P	73.66	81.20
AH2550E-13P	30.48	38.02	AH2550E-31P	76.20	83.74
AH2550E-14P	33.02	40.56	AH2550E-32P	78.74	86.28
AH2550E-15P	35.56	43.10	AH2550E-33P	81.28	88.82
AH2550E-16P	38.10	45.64	AH2550E-34P	83.82	91.36
AH2550E-17P	40.64	48.18			
AH2550E-18P	43.18	50.72			
AH2550E-19P	45.72	53.26			

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550F-xP
- Terminal Material:Phosphor Bronze/Tin Plated
- Material:Nylon 66.UL94v-0
- Mates with AH2547M, AH2550M series Housing or
- AW2547VA,AW2547RA series Wafer
- Used in FFC Wire
- Color:Blue





Ordering Information & Dimensions:

PART NO.	Dimensions		PART NO.	Dimensions	
	A	B		A	B
AH2550F-2P	2.54	10.08	AH2550F-20P	48.26	55.80
AH2550F-3P	5.08	12.62	AH2550F-21P	50.80	58.34
AH2550F-4P	7.62	15.16	AH2550F-22P	53.34	60.88
AH2550F-5P	10.16	17.70	AH2550F-23P	55.88	63.42
AH2550F-6P	12.70	20.24	AH2550F-24P	58.42	65.96
AH2550F-7P	15.24	22.78	AH2550F-25P	60.96	68.50
AH2550F-8P	17.78	25.32	AH2550F-26P	63.50	71.04
AH2550F-9P	20.32	27.86	AH2550F-27P	66.04	73.58
AH2550F-10P	22.86	30.40	AH2550F-28P	68.58	76.12
AH2550F-11P	25.40	32.94	AH2550F-29P	71.12	78.66
AH2550F-12P	27.94	35.48	AH2550F-30P	73.66	81.20
AH2550F-13P	30.48	38.02	AH2550F-31P	76.20	83.74
AH2550F-14P	33.02	40.56	AH2550F-32P	78.74	86.28
AH2550F-15P	35.56	43.10	AH2550F-33P	81.28	88.82
AH2550F-16P	38.10	45.64	AH2550F-34P	83.82	91.36
AH2550F-17P	40.64	48.18			
AH2550F-18P	43.18	50.72			
AH2550F-19P	45.72	53.26			

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550K-xP
- Material:PBT30%GF,UL94V-0
- Suitable AT2550T series Terminal
- Color:Blue




Ordering Information & Dimensions:

PART NO.	Dimensions		PART NO.	Dimensions	
	A	B		A	B
AH2550K-2P	2.54	5.08	AH2550K-20P	48.26	50.80
AH2550K-3P	5.08	7.62	AH2550K-21P	50.80	53.34
AH2550K-4P	7.62	10.16	AH2550K-22P	53.34	55.88
AH2550K-5P	10.16	12.70	AH2550K-23P	55.88	58.42
AH2550K-6P	12.70	15.24	AH2550K-24P	58.42	60.96
AH2550K-7P	15.24	17.78	AH2550K-25P	60.96	63.50
AH2550K-8P	17.78	20.32	AH2550K-26P	63.50	66.04
AH2550K-9P	20.32	22.86	AH2550K-27P	66.04	68.58
AH2550K-10P	22.86	25.40	AH2550K-28P	68.58	71.12
AH2550K-11P	25.40	27.94	AH2550K-29P	71.12	73.66
AH2550K-12P	27.94	30.48	AH2550K-30P	73.66	76.20
AH2550K-13P	30.48	33.02	AH2550K-31P	76.20	78.74
AH2550K-14P	33.02	35.56	AH2550K-32P	78.74	81.28
AH2550K-15P	35.56	38.10	AH2550K-33P	81.28	83.82
AH2550K-16P	38.10	40.64	AH2550K-34P	83.82	86.36
AH2550K-17P	40.64	43.18	AH2550K-35P	86.36	88.90
AH2550K-18P	43.18	45.72	AH2550K-36P	88.90	91.44
AH2550K-19P	45.72	48.26			

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550MA-xP
- Material:PBT30%GF,UL94V-0
- Suitable AT2550TM-D series Terminal
- Mates with AH2550 series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550MA-2P	2.54	7.12
AH2550MA-3P	5.08	9.66
AH2550MA-4P	7.62	12.20
AH2550MA-5P	10.16	14.74
AH2550MA-6P	12.70	17.28
AH2550MA-7P	15.24	19.82
AH2550MA-8P	17.78	22.36
AH2550MA-9P	20.32	24.90
AH2550MA-10P	22.86	27.44
AH2550MA-11P	25.40	29.98
AH2550MA-12P	27.94	32.52
AH2550MA-13P	30.48	35.06
AH2550MA-14P	33.02	37.60
AH2550MA-15P	35.56	40.14
AH2550MA-16P	38.10	42.68
AH2550MA-17P	40.64	45.22
AH2550MA-18P	43.18	47.76
AH2550MA-19P	45.72	50.30
AH2550MA-20P	48.26	52.84
AH2550MA-21P	50.80	55.38
AH2550MA-22P	53.34	57.92
AH2550MA-23P	55.88	60.46
AH2550MA-24P	58.42	63.00
AH2550MA-25P	60.96	65.54

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550M-xP
- Material:PBT30%GF,UL94V-0
- Suitable AT2550TM-D series Terminal
- Mates with AH2550 series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550M-2P	2.54	7.12
AH2550M-3P	5.08	9.66
AH2550M-4P	7.62	12.20
AH2550M-5P	10.16	14.74
AH2550M-6P	12.70	17.28
AH2550M-7P	15.24	19.82
AH2550M-8P	17.78	22.36
AH2550M-9P	20.32	24.90
AH2550M-10P	22.86	27.44
AH2550M-11P	25.40	29.98
AH2550M-12P	27.94	32.52
AH2550M-13P	30.48	35.06
AH2550M-14P	33.02	37.60
AH2550M-15P	35.56	40.14
AH2550M-16P	38.10	42.68
AH2550M-17P	40.64	45.22
AH2550M-18P	43.18	47.76
AH2550M-19P	45.72	50.30
AH2550M-20P	48.26	52.84
AH2550M-21P	50.80	55.38
AH2550M-22P	53.34	57.92
AH2550M-23P	55.88	60.46
AH2550M-24P	58.42	63.00
AH2550M-25P	60.96	65.54

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550G-xP
- Terminal Material:Phosphor Bronze/Tin Plated
- Material:Nylon 66,UL94v-0
- Mates with AH2547M, AH2550M AH2550MA series Housing or AW2547VA,AW2547RA series Wafer
- Used in FFC Wire
- Color:Blue




Ordering Information & Dimensions:

PART NO.	Dimensions		PART NO.	Dimensions	
	A	B		A	B
AH2550G-2P	2.54	10.08	AH2550G-20P	48.26	55.80
AH2550G-3P	5.08	12.62	AH2550G-21P	50.80	58.34
AH2550G-4P	7.62	15.16	AH2550G-22P	53.34	60.88
AH2550G-5P	10.16	17.70	AH2550G-23P	55.88	63.42
AH2550G-6P	12.70	20.24	AH2550G-24P	58.42	65.96
AH2550G-7P	15.24	22.78	AH2550G-25P	60.96	68.50
AH2550G-8P	17.78	25.32	AH2550G-26P	63.50	71.04
AH2550G-9P	20.32	27.86	AH2550G-27P	66.04	73.58
AH2550G-10P	22.86	30.40	AH2550G-28P	68.58	76.12
AH2550G-11P	25.40	32.94	AH2550G-29P	71.12	78.66
AH2550G-12P	27.94	35.48	AH2550G-30P	73.66	81.20
AH2550G-13P	30.48	38.02	AH2550G-31P	76.20	83.74
AH2550G-14P	33.02	40.56	AH2550G-32P	78.74	86.28
AH2550G-15P	35.56	43.10	AH2550G-33P	81.28	88.82
AH2550G-16P	38.10	45.64	AH2550G-34P	83.82	91.36
AH2550G-17P	40.64	48.18			
AH2550G-18P	43.18	50.72			
AH2550G-19P	45.72	53.26			

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550H-xP
- Suitable AT2550T series Terminal
- Material:PBT30%GF,UL94V-0
- Mates with AW2541 series Housing
- Color:Black




Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
AH2550H-2P	2.54	5.08
AH2550H-3P	5.08	7.62
AH2550H-4P	7.62	10.16
AH2550H-5P	10.16	12.70
AH2550H-6P	12.70	15.24
AH2550H-7P	15.24	17.78
AH2550H-8P	17.78	20.32
AH2550H-9P	20.32	22.86
AH2550H-10P	22.86	25.40
AH2550H-11P	25.40	27.94
AH2550H-12P	27.94	30.48
AH2550H-13P	30.48	33.02
AH2550H-14P	33.02	35.56
AH2550H-15P	35.56	38.10
AH2550H-16P	38.10	40.64
AH2550H-17P	40.64	43.18
AH2550H-18P	43.18	45.72
AH2550H-19P	45.72	48.26
AH2550H-20P	48.26	50.80
AH2550H-21P	50.80	53.34
AH2550H-22P	53.34	55.88
AH2550H-23P	55.88	58.42
AH2550H-24P	58.42	60.96
AH2550H-25P	60.96	63.50

2.54mm Pitch crimp flex housing connector

HOUSING

- Part NO.:AH2550K-2xP
- Material:PBT30%GF,UL94V-0
- Suitable AT2550T series Terminal
- Color:Blue



Ordering Information & Dimensions:

PART NO.	Dimensions		PART NO.	Dimensions	
	A	B		A	B
AH2550K-2x2P	2.54	5.08	AH2550K-2 x20P	48.26	50.80
AH2550K-2x3P	5.08	7.62	AH2550K-2 x21P	50.80	53.34
AH2550K-2x4P	7.62	10.16	AH2550K-2 x22P	53.34	55.88
AH2550K-2x5P	10.16	12.70	AH2550K-2 x23P	55.88	58.42
AH2550K-2x6P	12.70	15.24	AH2550K-2 x24P	58.42	60.96
AH2550K-2x7P	15.24	17.78	AH2550K-2 x25P	60.96	63.50
AH2550K-2x8P	17.78	20.32	AH2550K-2 x26P	63.50	66.04
AH2550K-2x9P	20.32	22.86	AH2550K-2 x27P	66.04	68.58
AH2550K-2x10P	22.86	25.40	AH2550K-2 x28P	68.58	71.12
AH2550K-2x11P	25.40	27.94	AH2550K-2 x29P	71.12	73.66
AH2550K-2x12P	27.94	30.48	AH2550K-2 x30P	73.66	76.20
AH2550K-2x13P	30.48	33.02	AH2550K-2 x31P	76.20	78.74
AH2550K-2x14P	33.02	35.56	AH2550K-2 x32P	78.74	81.28
AH2550K-2x15P	35.56	38.10	AH2550K-2 x33P	81.28	83.82
AH2550K-2x16P	38.10	40.64	AH2550K-2 x34P	83.82	86.36
AH2550K-2x17P	40.64	43.18	AH2550K-2 x35P	86.36	88.90
AH2550K-2x18P	43.18	45.72	AH2550K-2 x36P	88.90	91.44
AH2550K-2x19P	45.72	48.26			