

X25(25L)
Sprayer + Sowing
2 in 1


X25



X25 Overview



X25 Topview and side view



Modulized Design





22L Granular Spreader

For an easier and more convenient
Spreading operation



Dual Large Inlets

Dual large inlets with flip type covers, perfect for direct & fast filling.



2 options of battery holding type


Multiple
granular types
applicable



Rice seeds



Grass seeds



Fertilizer



Snowmelt
Agent



Fish bait



Specifications

Model name:	Granular Spreader
Model No:	TYS22
Weight:	2.5KG
Tank capacity:	22L
Granular size:	0.5-6m
Voltage:	20-60V
Spin speed:	1250r/min
Valve angle:	0-90°
Low volumn alert:	Yes
Spread Swath:	3-6m
Spreadd Distance:	2-5m

Accessories



14S 20000mah
Intelligent battery




FPV camera



Remote Control



Charger 1200W*2way



Charger hub
(4ports)

Key features:

25L Payload	Auto pilot AB mode Manual flight	Autoreturn Auto resume last operation
Terrain following Radar	Obstacle Avoidance Radar	FPV camera with LED light
Accurate flowrate	Brushless motor	Mobile App and Cloud platform

Specification		Model No.: 3WWDZ-25X	
Loading	25L	Nozzles number:	8 nozzles
Swath:	5-7m	Nozzle type:	Pressure nozzle
Speed:	7m/s, max 10m/s	Nozzles model no.	XR110015VS
Empty load duration:	24minutes	Flowrate:	4L/minute
Full load duration:	8minutes	Battery volume:	20000mah. 14S1P.
Drone weight(kg):	25.5±0.5	Remote control dist.	1.5KM
Max take off weight(kg)	51.5±0.5	Remote contorl battery volume:	4000mah.
Operation size:	2750*2500*800	Pump numbers:	2
Folded size:	1090*920*800	Pump pressure:	0.8mpa.
Single flight coverage:	1.57ha	Wheelbase(mm):	1880
Daily Efficiency	80-100ha	Height limit:	20m





