



LED Solar Light

Professional outdoor lighting products




江门市帝林照明科技有限公司
JIANGMEN DILIN LIGHTING HIGH-TECH CO.,LTD
地址: 广东省江门市高新区东宁路101号
ADD:NO.101,Dong Ning Road,High-tech Zone,Jianghai
District,Jiangmen City,Guangdong Province,China
Email: jessica@dilinlighting.com
Tel: 0086-13676172936
WhatsApp/WeChat: 0086-13676172936

江门市帝林照明科技有限公司
JIANGMEN DILIN LIGHTING HIGH-TECH CO.,LTD

CERTIFICATION





LED SOLAR LIGHT




LED solar lights are very different from traditional lighting. They have the characteristics of energy saving, long service life, small size, high safety, no pollution, rapid response and other characteristics. Solar products are a modern lighting system with high efficiency and environmental protection. By converting solar energy, economic and comfortable products. The lighting technology chips combined with light energy with LED have achieved excellent results and achieved significant results.



SILICONE SOLAR PANEL



SCENE DISPLAY





Product Features

1. Easy Installation. Insert the solar light directly on the grass, no need cables or electricity support. Save cost and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Lawn, Courtyard, Park, Garden, Plaza.
Other outdoor scenes.

DL-S902



Power	6W
Size(MM)	280*140
Solar Panels	Monocrystalline silicon solar panel 2W 5.5V
Battery	Li-ion 18650 3.7V 2200mAh
LED	SMD2835*43PCS
Working Time	Brightness 4-6Hrs Low brightness: 8-12Hrs
Solar Charging Time	4-5Hrs of direct sunlight
Material	PC, ABS
CCT	White light 7500k-8000k warm light 3000k-3300k
IP Rating	IP 65
Color	Black
Switch Type	On / off switch
System	Light control
Working Mode	Equipped with light sensor, charging during the day and lighting at night




Product Features

1. Easy Installation. Insert the solar light directly on the grass, no need cables or electricity support. Save cost and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Lawn, Courtyard, Park, Garden, Plaza.
Other outdoor scenes.

DL-S903



Power	2W
Size(MM)	Φ 112*138
Solar Panels	Monocrystalline silicon solar panel 1W 5.5V
Battery	Li-ion 18650 800mAh
LED	SMD5050*10PCS
Working Time	8~12Hrs
Solar Charging Time	4-5Hrs of direct sunlight
Material	ABS
CCT	White light 4000k-6000k warm light 3000k-3300k
IP Rating	IP 65
Color	Black
Switch Type	On / off switch
System	Light control
Working Mode	Equipped with light sensor, charging during the day and lighting at night



Product Features

1. Easy Installation. Insert the solar light directly on the grass, no need cables or electricity support. Save cost and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Lawn, Courtyard, Park, Garden, Plaza.
Other outdoor scenes.

DL-S969



Power	1W
Size(MM)	Φ 122*27mm
Solar Panels	Polycrystalline Si solar panel 6V 1W
Battery	Battery 18650 LFP 3.2V 2000mAh
LED	SMD2835 *20pcs+5050 RGB *10PCS
Working Time	6-8Hrs
Solar Charging Time	8 hours full under summer sun
Material	PC+ABS
CCT	2700K+6500K+RGB
IP Rating	IP 65
Color	Black
Switch Type	Code ON/OFF
System	Light control + remote control
Working Mode	Remote control switch function + two-color temperature dimming +RGB color color change function

LED Solar Light



Product Features

1. Easy Installation. Insert the solar light directly on the grass, no need cables or electricity support. Save cost and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Lawn, Courtyard, Park, Garden, Plaza.
Other outdoor scenes.

LED Solar Light

DL-S908



Power	6W
Size(MM)	φ 160*215
Solar Panels	Polycrystalline Si solar panel 6V 1W
Battery	Battery 18650 LFP 3.7V 2000mAh
LED	SMD2835*24+9PCS
Working Time	8-10Hrs
Solar Charging Time	6-8 hours full under summer sun
Material	PC+Aluminium
CCT	2700-6500K+RGB
IP Rating	IP 65
Color	Black
Switch Type	Light control + remote control
System	Light control + remote control
Working Mode	Light control, automatic off during the day, automatic on at night




Product Features

1. Easy Installation. Insert the solar light directly on the grass, no need cables or electricity support. Save cost and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Lawn, Courtyard, Park, Garden, Plaza.
Other outdoor scenes.

DL-S909



Power	6W	7W
Size(MM)	φ 200*270	φ 250*350
Solar Panels	Polycrystalline Si solar panel 6V 1W	Polycrystalline Si solar panel 6V 1W
Battery	Battery 18650 LFP 3.7V 2000mAh	Battery 18650 LFP 3.7V 2000mAh
LED	SMD2835*24PCS	SMD2835*16(Solar energy mode)+E27*1PCS(Mains mode)
Working Time	8-10Hrs	
Solar Charging Time	6-8 hours full under summer sun	
Material	PC+Aluminium	
CCT	2700-6500K	
IP Rating	IP 65	
Color	White	
Switch Type	Light control + remote control	
System	Light control + remote control	
Working Mode	Light control, automatic off during the day, automatic on at night	



Product Features

1. Simple installation, install solar lights directly to the wall, no need to support cables or electricity, saving costs and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Court, Park, Garden, Square, Villa.
Other outdoor scenes.

DL-S901



Power	2W
Size(MM)	φ 85*235
Solar Panels	Polycrystalline Si solar panel 1W 5V
Battery	Li-ion 18650 1800mAh
LED	SMD2835*15PCS
Working Time	Available Time In Full Power State: 4-5 Rainy Days
Solar Charging Time	5-8Hrs of direct sunlight
Material	ABS
CCT	White light 4000k-6000k warm light 3000k-3300k
IP Rating	IP 65
Color	Black/White/Grey
Switch Type	On / off switch
System	Light control + radar sensing
Working Mode	1. With light sensor (charging during the day and lights in darkness) 2. With a radar sensor (human body sensor) 3. When people walking near sensors, the lights turn on, it will keep few minutes slight light after people leave.




Product Features

1. Simple installation, install solar lights directly to the wall, no need to support cables or electricity, saving costs and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Court, Park, Garden, Square, Villa.
Other outdoor scenes.

DL-S904



Power	6W
Size(MM)	240*190*62
Solar Panels	Polycrystalline Si solar panel 6V, 2W
Battery	Lithium battery 18650 1800mAh
LED	SMD2835*32PCS
Working Time	10~12Hrs
Solar Charging Time	4-5 Hrs of direct sunlight
Material	ABS+die-casting aluminum
CCT	3000K/4000K/6000K
IP Rating	IP 65
Color	Black/ White/ Brown
Switch Type	On / off switch
System	Light control + radar sensing
Working Mode	1. With light sensor (charging during the day and lights in darkness) 2. With a radar sensor (human body sensor) 3. When people walking near sensors, the lights turn on, it will keep few minutes slight light after people leave.



Product Features

1. Simple installation, install solar lights directly to the wall, no need to support cables or electricity, saving costs and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Court, Park, Garden, Square, Villa.
Other outdoor scenes.

DL-S905



Power	6W
Size(MM)	206*106*79
Solar Panels	Monocrystalline silicon 5V, 2.5 W
Battery	Battery 32650 LFP 3.2V 4500mAh
LED	SMD2835*48PCS
Working Time	6-8Hrs
Solar Charging Time	8 hours full under summer sun
Material	PC,ABS
CCT	White light 4000k-6000k warm light 3000k-3300k
IP Rating	IP 65
Color	Black/White
Switch Type	On / off switch
System	Light control
Working Mode	Equipped with light sensor, charging during the day and lighting at night



Product Features

1. Simple installation, install solar lights directly to the wall, no need to support cables or electricity, saving costs and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Court, Park, Garden, Square, Villa.
Other outdoor scenes.

DL-S906



Power	6W
Size(MM)	210*115*85
Solar Panels	Monocrystalline silicon 5V, 2.5 W
Battery	Battery 18650 LFP 3.7V 4000mAh
LED	SMD2835*38PCS
Working Time	8-10Hrs
Solar Charging Time	8 hours full under summer sun
Material	PC,ABS
CCT	White light 4000K-6000K warm light 3000K-3300K
IP Rating	IP 65
Color	Black
Switch Type	On / off switch
System	Light control + radar sensing
Working Mode	1. With light sensor (charging during the day and lights in darkness) 2. With a radar sensor (human body sensor) 3. when people walking near sensors, the lights turn on, it will keep few minutes slight light after people leave.



Product Features

1. Simple installation, install solar lights directly to the wall, no need to support cables or electricity, saving costs and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Court, Park, Garden, Square, Villa.
Other outdoor scenes.

DL-S907



Power	6W
Size(MM)	230*103*83
Solar Panels	Monocrystalline silicon 5V, 3.2 W
Battery	Battery 32650 LFP 3.2V 4500mAh
LED	SMD2835*48PCS
Working Time	6-8Hrs
Solar Charging Time	8 hours full under summer sun
Material	PC+Aluminium
CCT	White light 4000K-6000K warm light 3000K-3300K
IP Rating	IP 65
Color	Silver
Switch Type	On / off switch
System	Light control
Working Mode	Equipped with light sensor, charging during the day and lighting at night



Product Features

1. Simple installation, install solar lights directly to the wall, no need to support cables or electricity, saving costs and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Court, Park, Garden, Square, Villa.
Other outdoor scenes.

DL-S970



Power	18W	18W	15W	25W
Size(MM)	235*100*116	250*100*180	285*110*125	260*160*140
Solar Panels	Polycrystalline Si solar panel 5.5V 2.5W	Polycrystalline Si solar panel 5.5V 2.5W	Polycrystalline Si solar panel 5.5V 2.5W	Polycrystalline Si solar panel 5.5V 2.5W
Battery	Battery 18650 LFP 3.2V 4000mAh	Battery 18650 LFP 3.2V 4000mAh	Battery 18650 LFP 3.2V 4000mAh	Battery 18650 LFP 3.2V 4000mAh
LED	SMD2835*104PCS	SMD2835*89PCS	SMD2835*74PCS	COB*27PCS
Working Time	6-8Hrs			
Solar Charging Time	8Hrs in the summer sun			
Material	ABS + PC			
CCT	6000K-6500K			
IP Rating	IP 65			
Color	Black			
Switch Type	Press switch(ON/Bright/Dark/OFF)			
System	Light control+radar induction			
Working Mode	Light control+radar induction: charging during the day, lighting at night; Three-gear adjustment: 1. Sensing mode (people come to highlight, 20-25s lamps after people leave) 2. Sensing+slightly bright mode (people come to highlight, people go slightly bright, bright 10% brightness) 3. Brightness and induction mode, 50% lightly bright			



Product Features

1. Simple installation, install solar lights directly to the wall, no need to support cables or electricity, saving costs and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Court, Park, Garden, Square, Villa.
Other outdoor scenes.

DL-S971



Power	18W	25W
Size(MM)	285*110*125	320*130*190
Solar Panels	Polycrystalline Si solar panel 5.5V 2.5W	Polycrystalline Si solar panel 5.5V 2.5W
Battery	Battery 18650 LFP 3.2V 4000mAh	Battery 18650 LFP 3.2V 4000mAh
LED	SMD2835*106PCS	SMD2835*228PCS
Working Time	6-12Hrs	
Solar Charging Time	8Hrs in the summer sun	
Material	ABS + PC	
CCT	6000K-6500K	
IP Rating	IP 65	
Color	Black	
Switch Type	Number: ON/OFF+Pressing: ON/Dark/Light/OFF	Press switch(ON/Bright/Dark/OFF)
System	Light control+radar induction	
Working Mode	Light control+radar induction: charging during the day, lighting at night; Three-gear adjustment: 1. Sensing mode (people come to highlight, 20-25s lamps after people leave) 2. Sensing+slightly bright mode (people come to highlight, people go slightly bright, bright 10%brightness) 3. Brightness and induction mode, 50% lightly bright	



Product Features

1. Simple installation, install solar lights directly to the wall, no need to support cables or electricity, saving costs and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Court, Park, Garden, Square, Villa.
Other outdoor scenes.


DL-S965



Power	10W	15W	20W	30W	36W
Size(MM)	φ 200*68	φ 240*68	φ 280*68	φ 320*68	φ 360*68
Solar Panels	Polycrystalline Si solar panel 6V 3W	Polycrystalline Si solar panel 6V 6W	Polycrystalline Si solar panel 6V 10W	Polycrystalline Si solar panel 6V 15W	Polycrystalline Si solar panel 6V 20W
Battery	Battery 26650 LFP 3.2V 4000mAh	Battery 26650 LFP 3.2V 5000mAh	Battery 26650 LFP 3.2V 6000mAh	Battery 26650 LFP 3.2V 10000mAh	Battery 26650 LFP 3.2V 12000mAh
LED	SMD2835*54PCS	SMD2835*120PCS	SMD2835*246PCS	SMD2835*328PCS	SMD2835*418PCS
Working Time	8-10Hrs				
Solar Charging Time	5-6Hrs				
Material	ABS engineering plastics				
CCT	6000K-6500K				
IP Rating	IP 65				
Color	White				
Switch Type	Press on / off + remote control				
System	Light control + time control				
Working Mode	Light control + time control: automatically off during the day and automatically on at night; Adjustable power consumption time				



DL-S910



Product Features

1. Easy Installation. Insert the solar light directly on the grass, no need cables or electricity support. Save cost and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Camping, adventure, patrol, travel, night market stalls, family emergency electricity and other places.

Power	100W
Size(MM)	242*170*35
Solar Panels	Polycrystalline Si solar panel 6V 1W
Battery	Battery 18650 LFP 3.7V 2000mAh
LED	SMD2835*70PCS
Working Time	8-10Hrs
Solar Charging Time	6-8 hours full under summer sun
Material	PC+Engineered ABS anti-UV
CCT	6500K+RG
IP Rating	IP 65
Color	Yellow
Switch Type	Light control + remote control
System	USB charging function + red and blue blinking function
Working Mode	Turn on the light - turn on the light - turn on the dark - turn on the light flicker - red blue light - turn off adjusted




Product Features

1. Easy Installation. Insert the solar light directly on the grass, no need cables or electricity support. Save cost and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Camping, adventure, patrol, travel, night market stalls, family emergency electricity and other places.

DL-S966



Power	3W
Size(MM)	φ 125*55
Solar Panels	Polycrystalline Si solar panel 6V 1W
Battery	Battery 18650 LFP 3.2V 3600mAh
LED	SMD2835*46PCS
Working Time	6-8Hrs
Solar Charging Time	8 hours full under summer sun
Material	ABS + PC
CCT	6000-6500K
IP Rating	IP 65
Color	Black
Switch Type	Press on / off
System	Configure the USB charging and discharging function
Working Mode	Turn on - Turn on - Dim - Turn on Flicker - turn off adjusted




Product Features

1. Easy Installation. Insert the solar light directly on the grass, no need cables or electricity support. Save cost and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Camping, adventure, patrol, travel, night market stalls, family emergency electricity and other places.

DL-S967



Power	3W
Size(MM)	φ 105*142
Solar Panels	Polycrystalline Si solar panel 6V 1W
Battery	Battery 18650 LFP 3.2V 3600mAh
LED	SMD2835*30PCS
Working Time	6-8Hrs
Solar Charging Time	8 hours full under summer sun
Material	ABS + PC
CCT	6000-6500K
IP Rating	IP 65
Color	White
Switch Type	Press on / off
System	The charging function of 5V-USB+DC3.5x1.35 interface is configured
Working Mode	Turn on - Turn on - Dim - Turn on Flicker - turn off adjusted

LED Solar Light



Product Features

1. Easy Installation. Insert the solar light directly on the grass, no need cables or electricity support. Save cost and environmental protection;
2. Simple maintenance, safe use, no electric shock accidents;
3. Energy saving. Natural solar light convert to electric energy;
4. Long life. High Luminous Efficiency.

Application

Camping, adventure, patrol, travel, night market stalls, family emergency electricity and other places.

LED Solar Light

DL-S968



Power	3W
Size(MM)	74*74*116
Solar Panels	Polycrystalline Si solar panel 6V 0.5W
Battery	Battery 18650 LFP 3.2V 1800mAh
LED	SMD2835*72PCS
Working Time	6-8Hrs
Solar Charging Time	8 hours full under summer sun
Material	ABS + PC
CCT	6000-6500K
IP Rating	IP 65
Color	White
Switch Type	Press on / off
System	The charging function of 5V-USB+DC3.5x1.35 interface is configured
Working Mode	Turn on - Turn on - Dim - Turn on Flicker - turn off adjusted